Letter of Notification for the Philo-Howard 138 kV Transmission Line Rebuild Project (Philo-Ohio Central)

PUCO Case No. 25-0679-EL-BLN

Submitted to:
The Ohio Power Siting Board
Pursuant to Ohio Administrative Code
Section 4906-6-05

Submitted by:
AEP Ohio Transmission Company, Inc.

July 25, 2025

LETTER OF NOTIFICATION

AEP Ohio Transmission Company, Inc.

Philo-Howard 138 kV Transmission Line Rebuild Project (Philo-Ohio Central)

4906-6-05 Accelerated Application Requirements

AEP Ohio Transmission Company, Inc. (the Company) provides the following information to the Ohio Power Siting Board (OPSB) in accordance with the accelerated application requirements of Ohio Administrative Code Section 4906-6-05.

4906-6-05(B) General Information

B(1) Project Description

Provide the name of the project and applicant's reference number, names and reference number(s) of resulting circuits, a brief description of the project, and why the project meets the requirements for a letter of notification or construction notice application.

The Company proposes the Philo-Howard 138 kilovolt (kV) Transmission Line Rebuild Project (Philo-Ohio Central) (the "Project"), located in Harrison, Wayne, Washington, Muskingum, Cass, and Jefferson townships, Muskingum County, Ohio. The Company proposes to rebuild a 19-mile-long section of the existing double circuit Philo – Howard 138 kV Transmission Line, by replacing steel lattice towers with steel monopole structures. The Project begins at the existing Ohio Central Station traveling southeast to the existing Philo Station. The Project will primarily be rebuilt within the existing right-of-way (ROW), which has a width of approximately 100 feet. The location of the Project is shown on Figures 1 and 2 in **Appendix A**.

The Project meets the requirements for a Letter of Notification (LON) as defined by Item 2(b) of Appendix A to Ohio Administrative Code Section 4906-1-01, *Application Requirement Matrix for Electric Power Transmission Lines*:

(2) Adding new circuits on existing structures designed for multiple circuit use, replacing conductors on existing structures with larger or bundled conductors, adding structures to an existing transmission line, or replacing structures with a different type of structure, for a distance of:

(b) More than two miles.

The Project has been assigned Case No. 25-0679-EL-BLN.

B(2) Statement of Need

If the proposed project is an electric power transmission line or gas pipeline, the applicant provide a statement explaining the need for the proposed facility.

This application is for the 19 miles section (the segment between Ohio Central Station and Philo Station) of the 81-mile, double circuit Philo-Howard 138 kV Transmission Line Rebuild Project, which was originally constructed in 1929. The Philo-Howard line is an important tie that serves approximately 87 MW of load and approximately 12,100 customers in Knox, Coshocton, and Muskingum counties who presently are at increased risk of outages

There are numerous asset renewal concerns on the transmission line. A majority of the original 1929 structures are steel lattice towers. Pre-1930's era lattice structure design does not account for ice/wind loadings and utilize inadequate lightning protection. In addition, the following issues have been observed on similar construction/vintage lines across the AEP footprint: conductor steel core strength has diminished, significant wear/corrosion of hardware and insulators, loss of galvanizing and corresponding strength of steel lattice members and weakened foundations and tower legs.

The overall deterioration of the line is an indicator of the need to rebuild the asset rather than repair it. An indicator of this level of deterioration is the fact that the entire line

Currently, there are 149 structures with at least one open condition, which relates to 37.4% of the structures on the line. There are currently 2 conductor based open conditions dealing with broken conductor strands. There are currently 2 shield wire open conditions consisting of damaged conductor shield wires. There are currently 141 hardware based conditions consisting of broken attachment hardware, damaged body, broken/burnt insulators. These hardware conditions were emphasized as one of the main issues with lattice lines from the pre-1930's.

Failure to move forward with the project will result in a weakening of the transmission network in the area and will place 12,100 customers at increased risk of outages due to the condition and deterioration of the line. Between 2015 and 2020, these customer's experienced 2,667,000 customer minutes of interruption related to 35 total outages on the line.

The need and solution for this Project was presented to PJM on 5/21/2021, then subsequently assigned a PJM # of s2524.2. The Project was listed in the 2025 AEP Ohio Long-Term Forecast Report (LTFR), page 36-37. See Appendix B.

B(3) Project Location

Provide the location of the project in relation to existing or proposed lines and substations shown on an area system map of sufficient scale and size to show existing and proposed transmission facilities in the project area.

The Project is located in Muskingum County, Ohio. **Figure 1 and Figure 2** in **Appendix A** show the location of the Project area in relation to the existing utility infrastructure in the area.

B(4) Alternatives Considered

Describe the alternatives considered and reasons why the proposed location or route is best suited for the proposed facility, including but not be limited to, impacts associated with socioeconomic, ecological, construction, or engineering aspects of the project.

The entire existing 138 kV transmission line will be rebuilt on centerline and within existing ROW. The goal of selecting a suitable route for the Project was to minimize impacts on land use and natural and cultural resources while avoiding circuitous routes, significantly higher costs, and non-standard design requirements. Based on desktop and field examinations, the Company identified rebuilding the entire 19-mile-long 138 kV transmission line in-place as the most feasible route. The Project route is direct and impacts no new parcels or landowners; therefore, the Project reduces new viewshed impacts and would not limit future development of the area. Additionally, the design provides for proper clearances within the existing ROW and existing ROW easements permit rebuilding and upgrading the existing line.

Thus, major route alternatives were not considered for rebuilding the existing transmission line. Additionally, the ecological and cultural field surveys conducted within the existing easements determined that no streams or cultural features would be permanently impacted by the Project. A palustrine emergent (PEM) and palustrine scrub-shrub (PSS) wetland will be permanently impacted during construction. Two existing structures are located within delineated PEM and PSS wetlands and their replacement structures are proposed to remain within these wetlands. No additonal permanent wetland impacts are anticipated.

B(5) Public Information Program

Describe its public information program to inform affected property owners and residents of the nature of the project and the proposed timeframe for project construction and restoration activities.

The Company will inform affected property owners and tenants about this Project through several different mediums. Within seven days of filing this LON, the Company will issue a public notice in a newspaper of general circulation in the Project area. The notice will comply with all requirements of Ohio Revised Code ("OAC") Section 4906-6-08(A)(1-6). Further, the Company will mail a letter, via first class mail, to affected landowners, tenants, contiguous owners and any other landowner the Company may approach for an easement necessary for the construction, operation, or maintenance of the Project. The letter will comply with all requirements of OAC Section 4906-6-08(B). The Company maintains a website (http://aeptransmission.com/ohio/) which provides the public access to an electronic copy of this LON and the public notice for this LON. An electronic copy of the LON will be served to the public library in each political subdivision for this Project. The Company retains ROW land agents that discuss Project timelines, construction and restoration activities and convey information to affected owners and tenants throughout the Project.

B(6) Construction Schedule

Provide an anticipated construction schedule and proposed in-service date of the project.

Construction of the Project is planned to begin in October 2025, and the anticipated in-service date will be November 2028.

B(7) Area Map

Provide a map of at least 1:24,000 scale clearly depicting the facility and proposed limits of disturbance with clearly marked streets, roads, and highways, and an aerial image.

Figure 1 in **Appendix A** identify the location of the Project area on a map of 1:24,000-scale (1-inch equals 2,000 feet) on the United States Geological Survey (USGS) 7.5-minute topographic map of the Philo, Zanesville East, Adamsville, and Dresden, Ohio quadrangles. **Figure 2** shows the Project area on ESRI World Imagery at a scale of 1:6,000-scale (1-inch equals 500 feet). The ESRI World Imagery is dated 2020.

B(8) Property Agreements

Provide a list of properties for which the applicant has obtained easements, options, and/or land use agreements necessary to construct and operate the facility and a list of the additional properties for which such agreements have not been obtained.

A list of properties for which the Company will need to obtain easements/options for the Project is provided **Appendix C.** The easement form exhibit provided in **Appendix C** represents the minimum rights the Company would require in order to construct, operate, and maintain these facilities.

B(9) Technical Features

Describe the following information regarding the technical features of the project:

B(9)(a) Operating characteristics, estimated number and types of structures required, and right-of-way and/or land requirements.

Transmission Lines

The transmission line is estimated to include the following:

Voltage: 138 kV
Conductors: 795 kcmil 26/7 DRAKE ACSR
Static Wire: (1) 0.646 Dia OPGW 144 Fibers
Insulators: Polymer
ROW Width: 100 feet
Structure Type: Thirty (30) single circuit, steel monopole dead ends
Fifty One (51), single circuit, steel monopole delta steel davit arm suspension
Five (5), single circuit, steel monopole vertical running corner davit arm suspension
One (1), Steel monopole Phase-Over-Phase 3-way switch
One (1), existing double circuit, steel two-pole dead end

One (1), existing double circuit, steel monopole davit arm dead end

B(9)(b) Electric and Magnetic Fields

For electric power transmission lines that are within one hundred feet of an occupied residence or institution, the production of electric and magnetic fields during the operation of the proposed electric power transmission line.

There are 14 residences located within 100 ft of the Project.

B(9)(b)(i) Calculated electric and magnetic field strength levels at one meter above ground under the lowest conductors and at the edge of the right-of-way for:

i) Calculated Electric and Magnetic Field Levels

Three loading conditions were examined in **Table 2**, below: (1) Normal Maximum Loading, (2) Emergency Loading, and (3) Winter Conductor Rating, consistent with the OPSB requirements. Normal Maximum Loading represents the peak flow expected with all system facilities in service; daily/hourly flows fluctuate below this level. Emergency loading is the maximum current flow during usual (contingency) conditions, which only exist for short periods of time. Winter conductor rating represents the maximum current flow that a line, including its terminal equipment, can carry during winter conditions. **It is not anticipated that this circuit of this line would operate at its WN rating in the foreseeable future.**

EMF levels were computed one meter above ground under the line and at the ROW edges (50/50 feet, left/right, of centerline). The results, calculated using BPA's CAFEP software, are summarized below.

Table 2 - EMF Calculations

Philo-Howard 138 kV Transmission Line Rebuild Project					
Condition	**Load (A)**	**Phasing Arrangements**	**Ground Clearance (feet)**	**Electric Field (kV/m)***	**Magnetic Field (mG)***
(1) Normal Max. Loading^	251	A-B-C	37.9	(0.50/0.97/0.37)	(10/26/9)
(2) Emergency Line Loading^^	276	A-B-C	33.2	(0.51/1.22/0.40)	(12/36/11)
(3) Winter Conductor Rating^^^	1339	A-B-C	25.1	(0.51/1.95/0.45)	(69/294/63)

*EMF levels (left ROW edge/maximum/right ROW edge) are computed one meter above ground at the point of minimum ground clearance, assuming balanced phase currents and 1.0 P.U. Voltages. ROW width is 50 feet (left) and 50 feet (right) of the structure centerline, respectively.
^Peak line flow expected with all system facilities in service.
^^Maximum flow during a critical system contingency

^^^Maximum continuous flow that the line, including its terminal equipment, can withstand during winter conditions.

For power-frequency EMF, IEEE Std C95.1TM-2019 provides the following exposure reference level (ERL) limits:

	General Public	Controlled Environment
Electric Field Limit (kV/m)	5.0	20.0
Magnetic Field Limit (mG)	9040	27,100

The above EMF levels are well within the limits specified in IEEE Std C95.1TM-2019. Those limits have been established to "protect against established adverse health effects in humans associated with exposure to electric, magnetic, and electromagnetic fields in the frequency range of 0 Hz to 300 GHz."

B(9)(b)(ii) Design Alternatives

The applicant's consideration of design alternatives with respect to electric and magnetic fields and their strength levels, including alternate conductor configuration and phasing, tower height, corridor location, and right-of-way width.

Design alternatives were not considered due to EMF strength levels. Transmission lines, when energized, generate EMF. Laboratory studies have failed to establish a strong correlation between exposure to EMF and effects on human health. However, some people are concerned that EMF have impacts on human health. Due to these concerns, EMF associated with the new circuits was calculated and set forth in the table above. The EMF was computed in a manner to maximize the estimate, assuming the highest reasonable input values based on conditions along the proposed transmission line rebuild. Normal daily EMF levels would be less than these, which were calculated at maximum load conditions. Based on studies from the National Institutes of Health, the magnetic field (measured in milliGauss, or mG) associated with emergency loading at the highest EMF value for this transmission line is lower than those associated with normal household appliances like microwave ovens, electric shavers and hair dryers. For additional information regarding EMF, the National Institutes of Health has posted information on their website: http://www.niehs.nih.gov/health/topics/agents/emf/. Additionally, information on electric and magnetic fields is available on the Company's website: https://www.aepohio.com/community/education/emf. The information found on the Company's website describes the basics of electromagnetic field theory, scientific research activities, and EMF exposures encountered in everyday life. Similar material will be made available for those affected by the construction activities for this Project.

B(9)(c) Project Cost

The estimated capital cost of the project.

The cost estimate for the proposed Project, which is comprised of applicable tangible and capital costs, is approximately $70 million using a Class 4 estimate. Pursuant to the PJM OATT, the costs for this

Project will be recovered in the AEP Ohio Transmission Company Inc.'s FERC formula rate (Attachment H-20 to the PJM OATT) and allocated to the AEP Zone.

B(10) Social and Ecological Impacts

The applicant shall describe the social and ecological impacts of the project:

B(10)(a) Land Use

Provide a brief, general description of land use within the vicinity of the proposed project, including a list of municipalities, townships, and counties affected.

The Project is located in the following townships within Muskingum County: Harrison, Wayne, Washington, Muskingum, Cass, and Jefferson. Field observations indicate the Project vicinity is currently rural in nature and is comprised primarily of agricultural land used for row crops, and lesser amounts of old fields, forested land, landscaped areas, and scattered residences. Commercial properties are present to the east of Zanesville. Aerial crossings of approximately 20 public roadways, two railroads and the Muskingum River at two locations are anticipated. Approximately 2.9 acres of tree clearing will be required within the Project area.

B(10)(b) Agricultural Land

Provide the acreage and a general description of all agricultural land, and separately all agricultural district land, existing at least sixty days prior to submission of the application within the potential disturbance area of the project.

The Project occupies approximately 220 acres; of that, approximately 70.3 acres remains in agricultural land use for either row crop land or pasture/hay field.

The Muskingum County Auditor provided a list of parcels registered as Agricultural District Land on June 6, 2025. The proposed Philo-Howard 138 kV transmission line intersects twelve parcels within the Project ROW identified as agricultural district lands amounting to 30.7 acres within the ROW. The Ohio-Philo Central transmission line crosses approximately 2.5 miles of agricultural land. However, agricultural impacts will be minimized by the Project, as the existing steel lattice towers will be replaced with steel monopoles, which require smaller foundations.

B(10)(c) Archaeological and Cultural Resources

Provide a description of the applicant's investigation concerning the presence or absence of significant archaeological or cultural resources that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

A cultural resource survey and report were conducted by the Company's consultant for the Project in September 2023. The Company's consultant indicated in the Phase I Archaeological Investigations report that three previously identified archeological sites were located within the Project area. One site

was not reidentified during the survey, another site will not be affected by the Project, and the third site has been disturbed by development. Eleven new archeological sites were identified during the survey. None of the sites are recommended eligible for listing in the National Register of Historic Places. The Company's consultant also conducted a history/architecture investigation and indicated in the corresponding report that 65 resources older than fifty years of age were identified within the survey area. One resource is a National Register-listed historic district (07000025). The historic district will not be directly impacted by the Project.

An Addendum 1 Phase I Cultural Resource Management Investigation report was submitted in March 2025, which provided additional information for the Project. The second report did not identify any previously documented archeological sites within the Project area. No new cultural resources were identified in the investigation.

In two letters dated October 2, 2023, and April 8, 2025, respectively, the State Historic Preservation Office stated the Project will have no adverse effect on historic properties and that no further archaeological work is necessary (**Appendix D**).

B(10)(d) Local, State, and Federal Agency Correspondence

Provide a list of the local, state, and federal governmental agencies known to have requirements that must be met in connection with the construction of the project, and a list of documents that have been or are being filed with those agencies in connection with siting and constructing the project.

A summary of anticipated permits and authorizations for the Project is provided in **Table 2** below.

There are no other known local, state, or federal requirements that must be met prior to commencement of the Project.

Table 2 – Anticipated Permits

Permit/Authorization/Coordination	Agency	Date
Storm Water Pollution Prevention Plan	Ohio Environmental Protection Agency Muskingum County	Expected October 1, 2025
Notice Criteria	Federal Aviation Administration	Submitted through Criteria Tool on 6/10/2025
Road Use Maintenance Agreement	Muskingum County	Expected September 2025
Clean Water Act Section 404/401	United States Army Corps of Engineers Ohio Environmental Protection Agency	404 Anticipated based on wetland temporary fills. Expected October 1, 2025
Archaeology/Architectural	Ohio Historic Preservation Office	Coordination completed 10/2/23 and 4/8/25, no additional work required

Permit/Authorization/Coordination	Agency	Date
Threatened and Endangered Species	United States Fish and Wildlife Service	Consultation complete 1/31/2025
Threatened and Endangered Species	Ohio Department of Natural Resources	Consultation complete 2/27/2025
Highway Crossing	Ohio Department of Transportation	Anticipated filing for I-70, US-60, SR-146, US-22, SR-666 and SR-93, September 2025
Section 10 River Crossing	United States Army Corps of Engineers	Permit to be obtained by October 2025 for two crossings of the Muskingum River.
Floodplain	Muskingum County	Not required

B(10)(e) Threatened, Endangered, and Rare Species

Provide a description of the applicant's investigation concerning the presence or absence of federal and state designated species (including endangered species, threatened species, rare species, species proposed for listing, species under review for listing, and species of special interest) that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

Coordination letters were submitted to the United States Fish and Wildlife Service (USFWS) Ohio Ecological Services Field Office seeking technical assistance on the Project for potential impacts to threatened or endangered species. The January 31, 2025 response letter from the USFWS (**Appendix D**) indicated the endangered Indiana bat (*Myotis sodalis*) and northern long-eared bat (*Myotis septentrionalis*) occur throughout the State of Ohio. Conservation measures for the Indiana bat and northern long-eared bat will also help to conserve the tricolored bat (Federally Proposed Species, *Perimyotis subflavus*). In Ohio, presence of these species is assumed wherever suitable habitat occurs unless a presence/absence survey has been performed to document probable absence. The USFWS response letter states that, should the Project site contain trees ≥3 inches diameter at breast height (dbh), the trees be saved whenever possible. If no caves or abandoned mines are present and trees ≥3 inches dbh cannot be avoided, the USFWS recommends removal of any trees ≥3 inches dbh only occur between October 1 and March 31 to avoid adverse effects to Indiana bats and northern long-eared bats.

If implementation of seasonal tree clearing is not possible, the USFWS recommends that a summer presence/absence survey be conducted between June 1 and August 15. No mine portal openings and/or known caves are located within 0.25 miles of Project area and the USFWS did not identify any known hibernacula within 5-miles of the Project area. Based on the nature of the proposed Project activities, and adherence to seasonal tree clearing between October 1 and March 31, impacts to listed bat species are not anticipated. Therefore, the Company does not anticipate additional coordination for tree clearing.

Conservation measures for the Indiana bat and northern long-eared bat will also help to conserve the tricolored bat (Federally Proposed Species, *Perimyotis subflavus*).

Due to the project type, size, and location, the USFWS does not anticipate adverse effects to any other federally endangered, threatened, or proposed species, or proposed or designated critical habitat.

A coordination letter was submitted to the Ohio Department of Natural Resources (ODNR) Division of Wildlife (DOW) and Ohio Natural Heritage Program (ONHP) seeking an environmental review of the proposed Project for potential impacts on state-listed and federally-listed threatened or endangered species. Correspondence from ODNR's DOW/OHNP was received on February 27, 2022 (**Appendix D**).

According to the ODNR-DOW, the Project is within the range of the Indiana bat, northern long-eared bat, little brown bat (State Endangered Species, *Myotis lucifugus*), and tricolored bat (State Endangered Species). ODNR recommends cutting only to occur from October 1 through March 31. No mine portal openings and/or known caves are located within 0.25 miles of Project area and the USFWS did not identify any known hibernacula within 5-miles of the Project area. Based on the nature of the proposed Project activities, and adherence to seasonal tree clearing between October 1 and March 31, impacts to listed bat species are not anticipated. Therefore, the Company does not anticipate additional coordination for tree clearing.

The ODNR-DOW indicated that the Project is within the range of 9 mussel species and six fish species. Due to no in-water work within a perennial stream and habitat, these species are not anticipated to be impacted by the Project.

Additionally, the ODNR-DOW lists the project within the range of the eastern hellbender (*Cryptobranchus alleganiensis alleganiensis*) and the eastern spadefoot toad (*Scaphiopus holbrookii*), and the northern harrier (*Circus hudsonius*). Due to no in-water work within a perennial stream and due to the location, this project is not likely to impact the eastern hellbender and the eastern spadefoot toad. Suitable habitat for the northern harrier was observed within the Project survey area and should be avoided during the bird's nesting period between April 15 through July 31. If habitat will not be impacted, this Project will not likely impact species.

Table 7, in **Appendix E** lists the federal and state threatened or endangered species in the Project area.

Based on the nature of the proposed project activities, habitat characteristics of the surrounding vicinity, and adherence to recommended avoidance measures, state and federally listed species are not anticipated to be impacted by the Project.

B(10)(f) Areas of Ecological Concern

Provide a description of the applicant's investigation concerning the presence or absence of areas of ecological concern (including national and state forests and parks, floodplains, wetlands, designated or proposed wilderness areas, national and state wild and scenic rivers, wildlife areas, wildlife refuges, wildlife management areas, and wildlife sanctuaries) that may be located within the potential disturbance area of the project, a statement of the findings of the investigation, and a copy of any document produced as a result of the investigation.

The Company's consultant conducted wetland and stream delineation surveys in the Project study area on July 10-14, 24-26, August 16, 17, and 23, 2023. The Company's consultant prepared the Ecological Survey Report on December 12, 2023, which is provided in **Appendix E**. The survey of the Project area identified 37 wetlands, 55 streams, and 5 ponds. No discharge to streams is anticipated for this project. The Company anticipates that one palustrine emergent [PEM (0.001 acres)] and one palustrine scrub-shrub [PSS (0.001 acres)] wetland will be permanently impacted during construction. Therefore, the Company will obtain the appropriate Section 404/401 authorizations for permanent impacts to wetlands as a result of the proposed Project.

Based on a review of the Protected Areas Database of the United States as well as the Conservation Easement Database, the Project crosses through the Powelson Wildlife Area and Tri-valley Wildlife Area. The existing Philo-Howard 138 kV Transmission Line crosses through both wildlife areas. Impacts within the two wildlife areas will be minimized to the extent practicable. The Company proposes to replace all five lattice structures with new steel monopoles, thereby reducing the overall structure footprint within these wildlife areas. These proposed replacement structures will be co-located with the existing structures. No state or national parks, forests, or mapped conservation easements are in the vicinity of the Project.

The FEMA Flood Insurance Rate Map ("FIRM") was reviewed to identify any floodplains/flood hazard areas that have been mapped within the Project Area (specifically, map number 39041C0280K, 39089C0140H). Based on this mapping, FEMA-designated 100-year floodplains associated with the Muskingum River, Blount Run, Indian Run, Salt Creek, and UNTs to Boggs Creek are crossed by the proposed alignment. Four existing structures are located within a 100-year floodplain and plan to be replaced with four proposed structures. Impacts to the FEMA floodplain are anticipated to be minimal as the Company proposes to replace all four lattice structures with new steel monopoles, thereby reducing the overall structure footprint within the floodplain. No FEMA regulatory floodway crosses the Project. Floodplain permitting is not anticipated to be required because the Project is not likely to result in a substantial change in Base Flood Elevation (BFE).

B(10)(g) Unusual Conditions

Provide any known additional information that will describe any unusual conditions resulting in significant environmental, social, health, or safety impacts.

To the best of the Company's knowledge, no unusual conditions exist that would result in significant environmental, social, health, or safety impacts.

Appendix A Project Maps



Legend

- Station
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-230 kV Transmission Line
- Existing 345+ kV Transmission Line
- Project Area
- County Boundary
- Township Boundary
- USGS 7.5' Topographical Quadrangle

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) USGS 7.5' Topographic Quadrangles: Adamsville, Dresden, Philo and Zanesville East

Coordinate System: State Plane Ohio South NAD 83

May 23, 2025

FIGURE 1
Sheet 1 of 8
TOPOGRAPHIC OVERVIEW

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 1,000 2,000 3,000 4,000
Feet



Legend

- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-230 kV Transmission Line
- Existing 345+ kV Transmission Line
- Project Area
- County Boundary
- Township Boundary
- USGS 7.5' Topographical Quadrangle

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) USGS 7.5' Topographic Quadrangles: Adamsville, Dresden, Philo and Zanesville East

Coordinate System: State Plane Ohio South NAD 83

May 23, 2025

FIGURE 1
Sheet 2 of 8
TOPOGRAPHIC OVERVIEW

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 1,000 2,000 3,000 4,000
Feet



Legend

- Philo - Ohio Central 138-kV Transmission Line
- Project Area
- County Boundary
- Township Boundary
- USGS 7.5' Topographical Quadrangle

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) USGS 7.5' Topographic Quadrangles: Adamsville, Dresden, Philo and Zanesville East

Coordinate System: State Plane Ohio South NAD 83

May 23, 2025

FIGURE 1
Sheet 3 of 8
TOPOGRAPHIC OVERVIEW

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 1,000 2,000 3,000 4,000
Feet



Legend

- Station
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-230 kV Transmission Line
- Project Area
- County Boundary
- Township Boundary
- USGS 7.5' Topographical Quadrangle

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) USGS 7.5' Topographic Quadrangles: Adamsville, Dresden, Philo and Zanesville East

Coordinate System: State Plane Ohio South NAD 83

May 23, 2025

FIGURE 1
Sheet 4 of 8
TOPOGRAPHIC OVERVIEW

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 1,000 2,000 3,000 4,000
Feet

Legend

- Philo - Ohio Central 138-kV Transmission Line
- Project Area
- County Boundary
- Township Boundary
- USGS 7.5' Topographical Quadrangle

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) USGS 7.5' Topographic Quadrangles: Adamsville, Dresden, Philo and Zanesville East

Coordinate System: State Plane Ohio South NAD 83

May 23, 2025

FIGURE 1
Sheet 5 of 8
TOPOGRAPHIC OVERVIEW

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 1,000 2,000 3,000 4,000
Feet

Legend

- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-230 kV Transmission Line
- Project Area
- County Boundary
- Township Boundary
- USGS 7.5' Topographical Quadrangle

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) USGS 7.5' Topographic Quadrangles: Adamsville, Dresden, Philo and Zanesville East

Coordinate System: State Plane Ohio South NAD 83

May 23, 2025

FIGURE 1
Sheet 6 of 8
TOPOGRAPHIC OVERVIEW

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 1,000 2,000 3,000 4,000
Feet

Legend

- Philo - Ohio Central 138-kV Transmission Line
- Project Area
- County Boundary
- Township Boundary
- USGS 7.5' Topographical Quadrangle

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) USGS 7.5' Topographic Quadrangles: Adamsville, Dresden, Philo and Zanesville East

Coordinate System: State Plane Ohio South NAD 83

May 23, 2025

FIGURE 1
Sheet 7 of 8
TOPOGRAPHIC OVERVIEW

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 1,000 2,000 3,000 4,000
Feet



Legend

- Station
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-230 kV Transmission Line
- Project Area
- County Boundary
- Township Boundary
- USGS 7.5' Topographical Quadrangle

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) USGS 7.5' Topographic Quadrangles: Adamsville, Dresden, Philo and Zanesville East

Coordinate System: State Plane Ohio South NAD 83

May 23, 2025

FIGURE 1
Sheet 8 of 8
TOPOGRAPHIC OVERVIEW

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 1,000 2,000 3,000 4,000
Feet

Legend

- Station
- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-kV Transmission Line
- Existing 230-kV Transmission Line
- Existing 345-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 1 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet

Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-kV Transmission Line
- Existing 765-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 2 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Existing 765-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 3 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Existing 765-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 4 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet

Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 5 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet

Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 6 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet

Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 7 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 8 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 9 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 10 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 11 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 12 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 13 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 14 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Station
- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 15 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet

Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 16 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 17 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 18 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 19 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 20 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 21 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 22 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 23 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 24 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 25 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 26 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 27 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet



Legend

- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 28 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet

Legend

- Station
- Proposed Structure
- Philo - Ohio Central 138-kV Transmission Line
- Existing 138-kV Transmission Line
- Right-of-Way (100-ft Corridor)
- Parcel Boundary
- Township Boundary
- County Boundary

Data Sources: AEP (2022), ESRI (2013), PowerMap (2010) ESRI World Imagery (2020)

Coordinate System: State Plane Ohio South NAD 83

June 26, 2025



FIGURE 2
Sheet 29 of 29
AERIAL MAP

Letter of Notification
Philo - Ohio Central 138-kV
Transmission Line Rebuild Project

0 250 500
Feet

Appendix B PJM Solution and Long-Term Forecast Report

AEP Transmission Zone M-3 Process
Philo-Howard 138kV Line Rebuild

Need Number: AEP-2020-OH034

Process Stage: Submission of Supplemental Project for inclusion in the Local Plan 06/29/2021

Previously Presented:
Needs Meeting 6/19/2020
Solutions Meeting 5/21/2021

Project Driver:
Equipment Material/Condition/Performance/Risk

Specific Assumption Reference:
AEP Guidelines for Transmission Owner Identified Needs.
Please reference needs materials on pre-1930s era Lattice Lines.

Problem Statement:

Line
Philo – Howard 138kV (vintage 1929):

The Philo –Howard 138 kV transmission line asset serves 60 MVA of load consisting of four AEP substations and three non-AEP substations; the line asset is operated as double-circuit.

LINE CHARACTERISTICS

- Length of Line: 81.15 Miles
- Original install date: 1929
- Total structure count: 404, 398 dating back to original installation.
- Conductor Type: 556,500 CM ACSR 18/1 (Osprey) and 556,500 CM ACSR 26/7 (Dove)

CONDITION / PERFORMANCE / RISK ASSESSMENT:

- Momentary/Permanent Outages and Duration: 35 total outages: 28 (Momentary), 7 (Permanent).
- 5 Year CMI: 2,667,652
- Number of open Structure, Conductor, and Hardware conditions: 149
    - Conditions include broken conductor strands, burnt insulators, along with broken/damaged lattice members and hardware.
- Structures with at least one open condition: 55
- The line does not meet current grounding and shielding requirements, due to the condition of the obsolete shield wire size (159 ACSR), and the line shielding angle being inadequate. This T-line exhibits similar conditions as the examples listed in AEP's pre-1930's steel lattice tower line presentation.



Need Number: AEP-2020-OH034

Process Stage: Submission of Supplemental Project for inclusion in the Local Plan 06/29/2021

Selected Solution:

Rebuild from Howard to Ohio Central as 138kV double-circuit (64 miles), using 795 ACSR conductor. Note that the approx. 0.5 mile 138kV line segments outside Ohio Central station will not be rebuilt, as they are newer and in better condition; connect these existing T-line segments to the rebuilt Philo-Howard line asset**. Estimated Cost: $142.26 Million (s2524.1)**

Rebuild from Ohio Central to Philo as 138kV single-circuit (19 miles), using 795 ACSR conductor. The existing Ohio Central-Philo #2 138kV circuit will be retired. Update both terminal stations to account for the retired circuit. **Estimated Cost: $43.45 Million (s2524.2)**

At Millwood station, retire the 138kV flip-flop switching scheme, including the 2- 138kV switches. Install 2 new 138kV switches and replace the 138kV through-path risers & bus. Reconfigure the 138kV T-line entrances. **Estimated Cost: $1.32 Million (s2524.3)**

At West Trinway station, replace 138kV through-path risers & bus. **Estimated Cost: $0.12 Million (s2524.4)**

Modify 138kV protective relay settings at Philo, Culbertson, Ohio Central, Academia, North Bellville, North Lexington, and Howard stations. **Estimated Cost: $0.69 Million (s2524.5)**

Estimated Cost: $187.84M

Projected In-Service: 6/1/2028 (project will have staggered in-service dates, due to lengthy mileage)

Supplemental Project ID: s2524.1-.5

Project Status: Scoping

Model: 2025 PJM RTEP Model, with latest approved AEP Supplemental projects added

Need Number: AEP-2020-OH034

Process Stage: Solutions Meeting 5/21/2021

AEP Transmission Zone M-3 Process
Philo-Howard 138kV Line Rebuild



PUCO Form FE-T9:

Specifications of Planned Electric Transmission Lines

1	LINE NAME AND NUMBER:	Culbertson - Philo 138kV (S2084 TP2020250)
2	POINTS OF ORIGIN AND TERMINATION	Culbertson - Philo INTERMEDIATE STATIONS - East Zanesville
3	RIGHTS-OF-WAY: LENGTH / WIDTH / CIRCUITS	8.94mi / 100 ft / 1 circuit (of rebuilt line)

4	VOLTAGE: DESIGN / OPERATE	138 kV / 138 kV
5	APPLICATION FOR CERTIFICATE:	2022 - 2023
6	CONSTRUCTION:	2027 - 2028
7	CAPITAL INVESTMENT:	$21M
8	PLANNED SUBSTATION:	N/A
9	SUPPORTING STRUCTURES:	Steel
10	PARTICIPATION WITH OTHER UTILITIES	N/A
11	PURPOSE OF THE PLANNED TRANSMISSION LINE	Rebuild of existing 138 kV line
12	CONSEQUENCES OF LINE CONSTRUCTION DEFERMENT OR TERMINATION	Increased risk of equipment failure, reliability, and operational issues
13	MISCELLANEOUS:	

PUCO Form FE-T9:

Specifications of Planned Electric Transmission Lines

1	LINE NAME AND NUMBER:	Culbertson - Ohio Central 138kV (S2084 TP2020290)
2	POINTS OF ORIGIN AND TERMINATION	Culbertson - Ohio Central INTERMEDIATE STATIONS - East Point
3	RIGHTS-OF-WAY; LENGTH / WIDTH / CIRCUITS	9.55mi / 100 ft / 1 circuit (of rebuilt line)
4	VOLTAGE: DESIGN / OPERATE:	138 kV / 138 kV
5	APPLICATION FOR CERTIFICATE:	2022 - 2023
6	CONSTRUCTION:	2027 - 2028
7	CAPITAL INVESTMENT:	$22.44M
8	PLANNED SUBSTATION:	N/A
9	SUPPORTING STRUCTURES:	Steel
10	PARTICIPATION WITH OTHER UTILITIES:	N/A
11	PURPOSE OF THE PLANNED TRANSMISSION LINE	Rebuild of existing 138 kV line
12	CONSEQUENCES OF LINE CONSTRUCTION DEFERMENT OR TERMINATION	Increased risk of equipment failure, reliability, and operational issues
13	MISCELLANEOUS:	

Appendix C Property Agreements

Line Name:
Line No.: TLN___:___ **Easement No.:**

SUPPLEMENTAL EASEMENT AND RIGHT OF WAY

On this ___ day of _____, 2025, **Landowner(s),** whose address is landowner tax/mailing address, ("Grantor"), whether one or more persons, owns an interest in a tract of real property that is more particularly described lands of the Grantor, situated in the State of Ohio, _____ County, _____ Township, rest of legal description, in that certain document, dated date signed recorded in type of book, volume number, page number, of the real property records of _____ County, Ohio, and such tract is subject to easements and rights-of-way granted in favor of Ohio Power Company.

Ohio Power Company, a(n) Ohio corporation, a unit of American Electric Power, whose principal business address is 1 Riverside Plaza, Columbus, Ohio 43215, ("AEP") is the current owner and holder of the rights, title, and interest, or a portion thereof, granted in or arising under that certain right of way and easement, dated date signed, and recorded in type of book, volume number, page number of the official records of _____ County, Ohio (the "Original Easement").

NOW, THEREFORE, in consideration of the sum of Ten and NO/100 Dollars ($10.00) and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, Grantor hereby grants, conveys and warrants this Supplemental Easement and Right of Way ("Easement") to AEP for electric transmission, distribution, and communication lines and appurtenant equipment and fixtures to supplement the Original Easement insofar as it encumbers such tract of real property owned by Grantor as more particularly described above.

Auditor/Key/Tax Number: parcel number

The location, width, and boundaries of the easement area are hereby revised, modified, and clarified to be as described and depicted on Exhibit "A", attached hereto and made a part hereof ("Easement Area").

The Easement is also supplemented by the addition of the following language:

AEP, its successors and assigns, are granted the right to construct, reconstruct, operate, maintain, alter, inspect and patrol (by ground or air), protect, repair, replace, renew, upgrade, relocate within

the Easement Area, remove and replace poles, towers, and structures, made of wood, metal, concrete or other materials, including crossarms, guys, anchors, anchoring systems, grounding systems, communications facilities, and all other appurtenant equipment and fixtures, and to string conductors, wires and cables. The electric facilities may consist of a variable number of towers, poles, wires, guys, anchors and associated fixtures, including the right to enlarge, and may transmit electricity of any voltage or amperage, together with the right to add to said facilities from time to time, and the right to do anything necessary, useful or convenient for the enjoyment of the Easement Area herein granted, together with the privilege of removing at any time any or all of said facilities erected on the Easement Area.

AEP and its successors and assigns, shall have the right, in AEP's reasonable discretion, to cut down, trim, and otherwise control, using herbicides or tree growth regulators, or other means, and at AEP's option, to remove from the Easement Area any and all trees, overhanging branches, vegetation, brush, or other obstructions. AEP shall also have the right to cut down, trim, remove, and otherwise control trees situated on lands of the Grantor which adjoin the Easement Area, when in the reasonable opinion of AEP those trees may endanger the safety of, or interfere with the construction, operation or maintenance of AEP's facilities or ingress or egress to, from or along the Easement Area.

AEP and its successors and assigns are granted the right of unobstructed ingress and egress, at any and all times, on, over, across, along and upon the Easement Area, and across the adjoining lands of Grantor as may be reasonably necessary to access the Easement Area for the above referenced purposes.

In no event shall Grantor, its heirs, successors, and assigns plant or cultivate any trees or place, construct, install, erect or permit any temporary or permanent building, structure, improvement or obstruction including but not limited to, storage tanks, billboards, signs, sheds, dumpsters, light poles, water impoundments, above ground irrigation systems, swimming pools or wells, or permit any alteration of the ground elevation, over or within the Easement Area. AEP may, at Grantor's cost, remove any structure or obstruction if placed within the Easement Area and may re-grade any alterations of the ground elevation within the Easement Area. AEP shall repair or pay Grantor for actual damages to growing crops, fences, gates, field tile, drainage ways, drives, or lawns caused by AEP in the exercise of the rights herein granted.

The failure of AEP to exercise any of the rights granted herein, including but not limited to the removal of any obstructions from the Easement Area, shall not be deemed to constitute a waiver of the rights granted herein and the removal of any facilities from the Easement Area shall not be deemed to constitute a permanent abandonment or release of the rights granted herein.

Except as modified by this Supplemental Easement and Right of Way, all terms and provisions of the Original Easement and all rights arising in connection with the Original Easement shall remain in full force and effect, and the Original Easement shall keep its priority in title as of the date of its recording. Those provisions and rights are expressly ratified, reaffirmed by and incorporated within this Supplemental Easement and Right of Way. The Original Easement along with this

Supplemental Easement and Right of Way shall for all purposes function as a single instrument, however, to the extent any terms or provisions of the Original Easement conflict with, limit or are inconsistent with any term or provision of the Supplemental Easement and Right of Way, the terms and provisions of this Supplemental Easement and Right of Way shall control. Nothing herein will in any manner vary, change, modify, or restrict the rights and privileges that AEP may have acquired through any instrument other than the Original Easement or by any other means.

The terms and conditions as supplemented by this instrument, are the complete agreement, expressed or implied between the parties hereto and shall inure to the benefit of and be binding on their respective successors, assigns, heirs, executors, administrators, lessees, tenants, licensees, and legal representatives.

This instrument may be executed in counterparts, each of which will be deemed an original, but all of which taken together will constitute one and the same instrument.

Any remaining space on this page intentionally left blank. See next page(s) for signature(s).

IN WITNESS WHEREOF, the Grantor has executed this Easement effective the day, month and year first above written.

GRANTOR

By: _____

State of _____ §

County of _____ §

The foregoing instrument was acknowledged before me this _____ day of _____, 2025, by .

_____
Notary Public
Print Name: _____
My Commission Expires:_____

IN WITNESS WHEREOF, the Grantor has executed this Easement effective the day, month and year first above written.

GRANTOR

State of _____ §

County of _____ §

The foregoing instrument was acknowledged before me this _____ day of _____, 2025, by .

_____
Notary Public
Print Name: _____
My Commission Expires:_____

This instrument prepared by Marland L. Turner, Senior Counsel - Real Estate, American Electric Power Service Corporation, 1 Riverside Plaza, Columbus, OH 43215 for and on behalf of Ohio Power Company, a unit of American Electric Power.

When recorded return to: American Electric Power - Transmission Right of Way, 8600 Smiths Mill Road, New Albany, OH 43054.

Table 1. Property Agreements

Property Parcel Number	Agreement Type	Easement or Option Obtained (Yes/No)
73-93-29-10-000	Existing Easement/Rights	Yes
73-93-29-10-001	Existing Easement/Rights	Yes
73-93-29-08-000	Existing Easement/Rights	Yes
73-93-29-03-000	Existing Easement/Rights	Yes
73-87-01-01-000	Existing Easement/Rights	Yes
73-63-19-24-000	Existing Easement/Rights	Yes
73-63-19-24-001	Existing Easement/Rights	Yes
73-63-19-24-003	Existing Easement/Rights	Yes
73-63-19-13-011	Existing Easement/Rights	Yes
73-63-19-13-002	Existing Easement/Rights	Yes
73-63-19-13-003	Existing Easement/Rights	Yes
73-63-19-13-008	Existing Easement/Rights	Yes
73-66-01-70-000	Existing Easement/Rights	Yes
73-66-01-69-000	Existing Easement/Rights	Yes
73-66-01-68-000	Existing Easement/Rights	Yes
73-66-01-67-000	Existing Easement/Rights	Yes
73-66-01-66-000	Existing Easement/Rights	Yes
73-66-01-65-000	Existing Easement/Rights	Yes
73-63-19-08-000	Existing Easement/Rights	Yes
73-63-19-01-000	Existing Easement/Rights	Yes
73-63-19-02-000	Existing Easement/Rights	Yes
73-63-18-06-000	Existing Easement/Rights	Yes
73-63-18-10-000	Existing Easement/Rights	Yes
73-63-18-10-001	Existing Easement/Rights	Yes
73-63-18-14-000	Existing Easement/Rights	Yes
73-63-18-14-002	Existing Easement/Rights	Yes
73-63-18-14-003	Existing Easement/Rights	Yes
73-45-11-14-000	Existing Easement/Rights	Yes
73-45-11-15-002	Existing Easement/Rights	Yes
73-63-18-04-001	Existing Easement/Rights	Yes
73-45-11-15-000	Existing Easement/Rights	Yes
73-45-11-09-000	Existing Easement/Rights	Yes
73-45-11-10-000	Existing Easement/Rights	Yes
73-45-11-03-000	Existing Easement/Rights	Yes
73-45-11-04-000	Existing Easement/Rights	Yes
73-24-02-46-000	Existing Easement/Rights	Yes
73-24-02-07-000	Existing Easement/Rights	Yes
73-24-02-08-001	Existing Easement/Rights	Yes
73-24-01-04-000	Existing Easement/Rights	Yes
73-24-01-03-000	Existing Easement/Rights	Yes
73-57-02-05-000	Existing Easement/Rights	Yes
73-57-02-07-000	Existing Easement/Rights	Yes
73-57-02-06-000	Existing Easement/Rights	Yes
73-57-01-03-000	Existing Easement/Rights	Yes

Table 1. Property Agreements

73-57-01-07-000	Existing Easement/Rights	Yes
70-94-08-01-000	Existing Easement/Rights	Yes
70-94-01-01-000	Existing Easement/Rights	Yes
70-85-03-04-000	Existing Easement/Rights	Yes
70-85-03-03-000	Existing Easement/Rights	Yes
70-85-03-01-000	Existing Easement/Rights	Yes
70-85-03-02-000	Existing Easement/Rights	Yes
70-85-01-08-000	Existing Easement/Rights	Yes
70-85-01-01-000	Existing Easement/Rights	Yes
70-74-04-01-014	Existing Easement/Rights	Yes
70-74-04-01-008	Existing Easement/Rights	Yes
70-74-04-01-012	Existing Easement/Rights	Yes
70-74-04-01-018	Existing Easement/Rights	Yes
70-74-04-01-002	Existing Easement/Rights	Yes
70-74-04-01-001	Existing Easement/Rights	Yes
70-60-01-15-002	Existing Easement/Rights	Yes
70-60-01-21-000	Existing Easement/Rights	Yes
70-60-01-21-002	Existing Easement/Rights	Yes
70-60-01-20-000	Existing Easement/Rights	Yes
70-60-01-27-000	Existing Easement/Rights	Yes
70-60-01-17-000	Existing Easement/Rights	Yes
70-60-01-04-000	Existing Easement/Rights	Yes
70-60-02-03-000	Existing Easement/Rights	Yes
70-60-02-02-000	Existing Easement/Rights	Yes
70-15-12-28-000	Existing Easement/Rights	Yes
70-15-12-07-000	Existing Easement/Rights	Yes
70-15-12-04-000	Existing Easement/Rights	Yes
70-15-09-06-001	Existing Easement/Rights	Yes
70-15-08-02-000	Existing Easement/Rights	Yes
70-15-08-02-003	Existing Easement/Rights	Yes
70-15-08-02-006	Existing Easement/Rights	Yes
70-15-03-06-000	Existing Easement/Rights	Yes
70-15-03-03-000	Existing Easement/Rights	Yes
70-11-01-14-005	Existing Easement/Rights	Yes
70-15-03-02-000	Existing Easement/Rights	Yes
70-11-01-01-000	Existing Easement/Rights	Yes
70-04-03-36-002	Existing Easement/Rights	Yes
70-04-03-42-000	Existing Easement/Rights	Yes
70-04-03-36.003	Existing Easement/Rights	Yes
70-04-03-36-000	Existing Easement/Rights	Yes
70-01-01-03-001	Existing Easement/Rights	Yes
70-01-01-03-000	Existing Easement/Rights	Yes
70-04-03-30-002	Existing Easement/Rights	Yes
70-04-03-30-000	Existing Easement/Rights	Yes
70-04-03-16-000	Existing Easement/Rights	Yes
70-04-03-19-000	Existing Easement/Rights	Yes

Table 1. Property Agreements

70-04-03-07-000	Existing Easement/Rights	Yes
44-58-01-01-000	Existing Easement/Rights	Yes
44-58-01-59-000	Existing Easement/Rights	Yes
44-58-01-60-000	Existing Easement/Rights	Yes
99-96-44-02-755	Existing Easement/Rights	Yes
44-58-01-13-001	Existing Easement/Rights	Yes
44-58-01-15-000	Existing Easement/Rights	Yes
44-08-02-25-001	Existing Easement/Rights	Yes
44-08-02-27-001	Existing Easement/Rights	Yes
44-08-02-27-000	Existing Easement/Rights	Yes
44-08-02-17-000	Existing Easement/Rights	Yes
44-08-02-16-000	Existing Easement/Rights	Yes
44-08-02-15-000	Existing Easement/Rights	Yes
44-08-02-07-000	Existing Easement/Rights	Yes
44-06-41-02-000	Existing Easement/Rights	Yes
44-06-41-04-000	Existing Easement/Rights	Yes
44-06-41-05-000	Existing Easement/Rights	Yes
10-34-51-44-000	Existing Easement/Rights	Yes
10-34-51-35-000	Existing Easement/Rights	Yes
10-34-51-37-000	Existing Easement/Rights	Yes
73-93-29-07-000	Supplemental Easement	Yes
73-27-02-69-000	Supplemental Easement	Yes
73-93-29-09-000	Supplemental Easement	Yes
44-58-01-02-000	Supplemental Easement	Yes

Line Name: Philo - Howard
Line No.: TLN160:00007 **Easement No.:** 6

SUPPLEMENTAL EASEMENT AND RIGHT OF WAY

On this 5 day of May, 2025, **Jim Neff, unmarried,** whose address is 4300 Burnt Mill Road, Chandlersville, Ohio 43727 ("Grantor"), whether one or more persons, owns an interest in a tract of real property that is more particularly described lands of the Grantor, situated in the State of Ohio, Muskingum County, Wayne Township, Located in the Southwest Quarter of Section 29, Township 13, Range 12, in that certain document, dated 5/11/2007 recorded in Official Record Volume 2110, Page 141, of the real property records of Muskingum County, Ohio and such tract is subject to easements and rights-of-way granted in favor of **Ohio Power Company**.

Ohio Power Company, a(n) Ohio corporation, a unit of American Electric Power, whose principal business address is 1 Riverside Plaza, Columbus, Ohio 43215, ("AEP") is the current owner and holder of the rights, title, and interest, or a portion thereof, granted in or arising under that certain right of way and easement, dated 03/05/1929, and recorded in Book Volume 230, Page 456, of the official records of Muskingum County, Ohio (the "Original Easement").

NOW, THEREFORE, in consideration of the sum of Ten and NO/100 Dollars ($10.00) and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, Grantor hereby grants, conveys and warrants this Supplemental Easement and Right of Way ("Easement") to AEP for electric transmission, distribution, and communication lines and appurtenant equipment and fixtures to supplement the Original Easement.

Auditor/Key/Tax Number: 73-03-29-09-000

The location, width, and boundaries of the easement area are hereby revised, modified, and clarified to be as described and depicted on Exhibit "A", attached hereto and made a part hereof ("Easement Area").

The Easement is also supplemented by the addition of the following language:

AEP, its successors and assigns, are granted the right to construct, reconstruct, operate, maintain, alter, inspect and patrol (by ground or air), protect, repair, replace, renew, upgrade, relocate within the Easement Area, remove and replace poles, towers, and structures, made of wood, metal, concrete or other materials, including crossarms, guys, anchors, anchoring systems, grounding systems, communications facilities, and all other appurtenant equipment and fixtures, and to string conductors, wires and cables. The electric transmission facilities may consist of a variable number of towers, poles, wires, guys, anchors and associated fixtures, including the right to enlarge, and may transmit electricity of any voltage or amperage, together with the right to add to said facilities from time to time, and the right to do anything necessary, useful or convenient for the enjoyment of the Easement Area herein granted, together with the privilege of removing at any time any or all of said facilities erected on the Easement Area.

AEP and its successors and assigns, shall have the right, in AEP's reasonable discretion, to cut down, trim, and otherwise control, using herbicides or tree growth regulators, or other means, and at AEP's option, to remove from the Easement Area any and all trees, overhanging branches, vegetation, brush, or other obstructions. AEP shall also have the right to cut down, trim, remove, and otherwise control trees situated on lands of the Grantor which adjoin the Easement Area, when in the reasonable opinion of AEP these trees may endanger the safety of, or interfere with the construction, operation or maintenance of AEP's facilities or ingress or egress to, from or along the Easement Area.

AEP and its successors and assigns are granted the right of unobstructed ingress and egress, at any and all times, on, over, across, along and upon the Easement Area, and across the adjoining lands of Grantor as may be reasonably necessary to access the Easement Area for the above referenced purposes.

In no event shall Grantor, its heirs, successors, and assigns plant or cultivate any trees or place, construct, install, erect or permit any temporary or permanent building, structure, improvement or obstruction including but not limited to, storage tanks, billboards, signs, sheds, dumpsters, light poles, water impoundments, above ground irrigation systems, swimming pools or wells, or permit any alteration of the ground elevation, over or within the Easement Area. AEP may, at Grantor's cost, remove any structure or obstruction if placed within the Easement Area and may re-grade any alterations of the ground elevation within the Easement Area. AEP shall repair or pay Grantor for actual damages to growing crops, fences, gates, field tile, drainage ways, drives, or lawns caused by AEP in the exercise of the rights herein granted.

The failure of AEP to exercise any of the rights granted herein, including but not limited to the removal of any obstructions from the Easement Area, shall not be deemed to constitute a waiver of the rights granted herein and the removal of any facilities from the Easement Area shall not be deemed to constitute a permanent abandonment or release of the rights granted herein.

Except as modified by this Supplemental Easement and Right of Way, all terms and provisions of the Original Easement and all rights arising in connection with the Original Easement shall remain in full force and effect, and the Original Easement shall keep its priority in title as of the date of its recording. Those provisions and rights are expressly ratified, reaffirmed by and incorporated

within this Supplemental Easement and Right of Way. The Original Easement along with this Supplemental Easement and Right of Way shall for all purposes function as a single instrument, however, to the extent any terms or provisions of the Original Easement conflict with, limit or are inconsistent with any term or provision of the Supplemental Easement and Right of Way, the terms and provisions of this Supplemental Easement and Right of Way shall control. Nothing herein will in any manner vary, change, modify, or restrict the rights and privileges that AEP may have acquired through any instrument other than the Original Easement or by any other means.

The terms and conditions as supplemented by this instrument, are the complete agreement, expressed or implied between the parties hereto and shall inure to the benefit of and be binding on their respective successors, assigns, heirs, executors, administrators, lessees, tenants, licensees, and legal representatives.

This instrument may be executed counterparts, each of which will be deemed an original, but all of which taken together will constitute one and the same instrument.

Grantor acknowledges that AEP has explained the transmission project to Grantor, and Grantor's consent for such project is hereby granted.

Any remaining space on this page intentionally left blank. See next page(s) for signature(s).

IN WITNESS WHEREOF, the Grantor has executed this Easement effective the day, month and year first above written.

GRANTOR

By: Jim Neff
Jim Neff, unmarried

State of Ohio §

County of Muskingum §

The foregoing instrument was acknowledged before me this 5 day of May, 2025, by Jim Neff, unmarried.

Renee Stevens
Notary Public
Commission Expires: December 14, 2025

Renée Stevens
Notary Public, State of Ohio
My Commission Expires
December 14, 2025

This instrument prepared by Marland L. Turner, Senior Counsel - Real Estate, American Electric Power Service Corporation, 1 Riverside Plaza, Columbus, OH 43215 for and on behalf of Ohio Power Company, a unit of American Electric Power.

When recorded return to: American Electric Power - Transmission Right of Way, 8600 Smiths Mill Road, New Albany, OH 43054.

EXHIBIT "A"

LINE TABLE		
LINE	BEARING	DISTANCE
L1	N 63° 57' 39" W	50.34'
L2	N 63° 14' 05" W	133.33'
L3	N 26° 45' 55" E	143.92'
L4	S 64° 17' 26" E	121.92'
L5	S 26° 42' 34" W	138.63'

Vicinity Map (NTS)

EASEMENT AREA
CONTAINING 0.320± TOTAL ACRES:
0.320± EXISTING EASEMENT ACRES
(EASEMENT LENGTH = 138.2'±)

STATE OF OHIO
BRIAN D. BERKSHIRE
PS-8777
PROFESSIONAL SURVEYOR

NOTES

-This drawing is for easement purposes only and is not intended to represent a complete survey. -Road right-of-way widths per county engineer or state department unless otherwise noted. -Land ownership information is provided by the title agency and no additional verification has been performed by survey company. -Bearings shown hereon are oriented to the State Plane Coordinate System (NAD 83).

LEGEND

- Easement Area
- Right-of-Way Line
- Existing Easement Area
- Road Right-of-Way Line
- Property Line
- POB — Point of Beginning
- POC — Point of Commencement

0 50 100
SCALE: 1" = 100'

Line Name: Phils - Hosted
New Line Number: TLN380.OH381
Existing Line Number: TLN160.00097
Easement Number: 6
Supplementing Existing Easement No. 24 (G. R. Trout and Nora E. Trout)

Revised: 04.29.2025 (JE)

OHIO POWER COMPANY

EASEMENT ACROSS THE LANDS OF
JIM NEFF
CONTAINING 0.320± ACRES

Situated in the State of Ohio, County of Muskingum, and Township of Adams. Located in the Southwest Quarter of Section 28, T-13, R-13

Scale: 1" = 100' | **Date:** 08.24.2024 | **File:** AEP-POC103 | **Sheet:** 1 of 1

BAIR, GOODIE AND ASSOCIATES, INC.
153 North Broadway, New Philadelphia, Ohio
Email: rbrubaker@bairgoodie.com
Telephone: 330.343.3496 | Fax: 330.343.6505

Line Name: Philo - Howard
Line No.: TLN160:0007 **Easement No.:** 124

SUPPLEMENTAL EASEMENT AND RIGHT OF WAY

On this 21 day of May, 2025, **The Franklin Real Estate Company,** whose address is P.O. Box 16428, Columbus, Ohio 43216 ("Grantor"), whether one or more persons, owns an interest in a tract of real property that is more particularly described lands of the Grantor, situated in the State of Ohio, Muskingum County, Muskingum Township, Third Quarter of Township 2, Range 7, in that certain document, dated 10/17/1938 recorded in Deed Records Volume 275, Page 566, of the real property records of Muskingum County, Ohio, and such tract is subject to easements and rights-of-way granted in favor of Ohio Power Company.

Ohio Power Company, a(n) Ohio corporation, a unit of American Electric Power, whose principal business address is 1 Riverside Plaza, Columbus, Ohio 43215, ("AEP") is the current owner and holder of the rights, title, and interest, or a portion thereof, granted in or arising under that certain right of way and easement, dated 07/18/1928, and recorded in Book Volume 227, Page 357, and dated 06/15/1929, and recorded in Book Volume 232, Page 369, of the official records of Muskingum County, Ohio (the "Original Easement").

NOW, THEREFORE, in consideration of the sum of Ten and NO/100 Dollars ($10.00) and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, Grantor hereby grants, conveys and warrants this Supplemental Easement and Right of Way ("Easement") to AEP for electric transmission, distribution, and communication lines and appurtenant equipment and fixtures to supplement the Original Easement insofar as it encumbers such tract of real property owned by Grantor as more particularly described above.

Auditor/Key/Tax Number: 44-58-01-02-000

The location, width, and boundaries of the easement area are hereby revised, modified, and clarified to be as described and depicted on Exhibit "A", attached hereto and made a part hereof ("Easement Area").

The Easement is also supplemented by the addition of the following language:

AEP, its successors and assigns, are granted the right to construct, reconstruct, operate, maintain, alter, inspect and patrol (by ground or air), protect, repair, replace, renew, upgrade, relocate within the Easement Area, remove and replace poles, towers, and structures, made of wood, metal, concrete or other materials, including crossarms, guys, anchors, anchoring systems, grounding systems, communications facilities, and all other appurtenant equipment and fixtures, and to string conductors, wires and cables. The electric facilities may consist of a variable number of towers, poles, wires, guys, anchors and associated fixtures, including the right to enlarge, and may transmit electricity of any voltage or amperage, together with the right to add to said facilities from time to time, and the right to do anything necessary, useful or convenient for the enjoyment of the Easement Area herein granted, together with the privilege of removing at any time any or all of said facilities erected on the Easement Area.

AEP and its successors and assigns, shall have the right, in AEP's reasonable discretion, to cut down, trim, and otherwise control, using herbicides or tree growth regulators, or other means, and at AEP's option, to remove from the Easement Area any and all trees, overhanging branches, vegetation, brush, or other obstructions. AEP shall also have the right to cut down, trim, remove, and otherwise control trees situated on lands of the Grantor which adjoin the Easement Area, when in the reasonable opinion of AEP those trees may endanger the safety of, or interfere with the construction, operation or maintenance of AEP's facilities or ingress or egress to, from or along the Easement Area.

AEP and its successors and assigns are granted the right of unobstructed ingress and egress, at any and all times, on, over, across, along and upon the Easement Area, and across the adjoining lands of Grantor as may be reasonably necessary to access the Easement Area for the above referenced purposes.

In no event shall Grantor, its heirs, successors, and assigns plant or cultivate any trees or place, construct, install, erect or permit any temporary or permanent building, structure, improvement or obstruction including but not limited to, storage tanks, billboards, signs, sheds, dumpsters, light poles, water impoundments, above ground irrigation systems, swimming pools or wells, or permit any alteration of the ground elevation, over or within the Easement Area. AEP may, at Grantor's cost, remove any structure or obstruction if placed within the Easement Area and may re-grade any alterations of the ground elevation within the Easement Area. AEP shall repair or pay Grantor for actual damages to growing crops, fences, gates, field tile, drainage ways, drives, or lawns caused by AEP in the exercise of the rights herein granted.

The failure of AEP to exercise any of the rights granted herein, including but not limited to the removal of any obstructions from the Easement Area, shall not be deemed to constitute a waiver of the rights granted herein and the removal of any facilities from the Easement Area shall not be deemed to constitute a permanent abandonment or release of the rights granted herein.

Except as modified by this Supplemental Easement and Right of Way, all terms and provisions of the Original Easement and all rights arising in connection with the Original Easement shall remain in full force and effect, and the Original Easement shall keep its priority in title as of the date of

its recording. Those provisions and rights are expressly ratified, reaffirmed by and incorporated within this Supplemental Easement and Right of Way. The Original Easement along with this Supplemental Easement and Right of Way shall for all purposes function as a single instrument, however, to the extent any terms or provisions of the Original Easement conflict with, limit or are inconsistent with any term or provision of the Supplemental Easement and Right of Way, the terms and provisions of this Supplemental Easement and Right of Way shall control. Nothing herein will in any manner vary, change, modify, or restrict the rights and privileges that AEP may have acquired through any instrument other than the Original Easement or by any other means.

The terms and conditions as supplemented by this instrument, are the complete agreement, expressed or implied between the parties hereto and shall inure to the benefit of and be binding on their respective successors, assigns, heirs, executors, administrators, lessees, tenants, licensees, and legal representatives.

This instrument may be executed in counterparts, each of which will be deemed an original, but all of which taken together will constitute one and the same instrument.

Any remaining space on this page intentionally left blank. See next page(s) for signature(s).

IN WITNESS WHEREOF, the Grantor has executed this Easement effective the day, month and year first above written.

GRANTOR

The Franklin Real Estate Company

By: _____
Ransford Kweku Ofei-Attoh
Managing Director
Real Estate & Workplace Services
American Electric Power Service Corporation
Authorized Signer

State of Ohio §

County of Franklin §

The foregoing instrument was acknowledged before me this 21st day of May, 2025, by Ransford Kweku Ofei-Attoh, Managing Director, Real Estate and Workplace Services, American Electric Power Service Corporation, on behalf of The Franklin Real Estate Company.

_____
Notary Public
Print Name: Ashlee M. Cavitt
My Commission Expires: 10/20/2025

ASHLEE M CAVITT
NOTARY PUBLIC - OHIO
MY COMMISSION EXPIRES
10-20-2025

This instrument prepared by Marland L. Turner, Senior Counsel - Real Estate, American Electric Power Service Corporation, 1 Riverside Plaza, Columbus, OH 43215 for and on behalf of Ohio Power Company, a unit of American Electric Power.

When recorded return to: American Electric Power – Transmission Right of Way, 8600 Smiths Mill Road, New Albany, OH 43054.

EXHIBIT "A"

LINE TABLE		
LINE	BEARING	DISTANCE
L1	S 62°21'04" E	1436.66'
L2	S 62°21'04" E	1382.67'
L3	S 46°39'56" E	351.19'
L4	S 61°40'59" W	41.19'
L5	N 46°39'56" W	1393.99'
L6	N 46°39'56" W	1318.91'
L7	N 62°21'04" W	1388.40'
L8	N 29°38'57" E	98.90'



Vicinity Map (NTS)



STATE OF OHIO
BRIAN D. BERKSHIRE
PS-8777
REGISTERED
PROFESSIONAL SURVEYOR

0' 150' 300'
SCALE: 1" = 300'

NOTES

-This drawing is for easement purposes only and is not intended to represent a complete survey. -Road right-of-way widths per county engineer or state department unless otherwise noted. -Land ownership information is provided by the title agency and no additional verification has been performed by survey company. -Bearings shown hereon are oriented to the State Plane Coordinate System (NAD 83).

LEGEND

- Easement Area
- Right-of-Way Line
- Existing Easement Area
- Property Line
- POB — Point of Beginning

Line Name: Phlo - Howard	
New Line Number: TUN80.OH041	
Existing Line Number: TUN150.0007	
Easement Number: 124	
Supplementing Existing Easement No. 494 (Lee T. White and Mabel B. White) & 504 (The Valley Realty Company).	

Revised: (10.24.2025) (JE)

OHIO POWER COMPANY

EASEMENT ACROSS THE LANDS OF
THE FRANKLIN REAL ESTATE COMPANY
CONTAINING 3.946± ACRES

Situated in the State of Ohio, County of Muskingum, and Township of Muskingum, Located in the Third Quarter of T-2, R-7.

BAIR, GOODIE AND ASSOCIATES, INC.
153 North Broadway, New Philadelphia, Ohio
Email: 40xAcres@bairgoodie.com
Telephone: 330.343.3488 | Fax: 330.343.8606

Scale: 1" = 300' | Date: 11.25.2024 | File: AEP-POC103 | Sheet: 1 of 1

Appendix D Agency Correspondence

Department of Natural Resources

Mike DeWine, *Governor*
Jim Tressel, *Lt. Governor*
Mary Mertz, *Director*

Office of Real Estate & Land Management
Tara Paciorek - Chief
2045 Morse Road – E-2
Columbus, Ohio 43229-6693

February 27, 2025

Bridgette Glass
AECOM
707 Grant Street, 5th Floor
Pittsburgh, Pennsylvania 15219

Re: 25-0213 - Philo-Ohio Central 138 kV Project

Project: The proposed project involves rebuilding approximately 17.9 miles of the existing 138 kV transmission line between Culbertson-Philo and Culbertson-Ohio.

Location: The proposed project is located in Muskingum County, Ohio.

The Ohio Department of Natural Resources (ODNR) has completed a review of the above referenced project. These comments were generated by an inter-disciplinary review within the Department. These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the National Environmental Policy Act, the Coastal Zone Management Act, Ohio Revised Code and other applicable laws and regulations. These comments are also based on ODNR's experience as the state natural resource management agency and do not supersede or replace the regulatory authority of any local, state, or federal agency nor relieve the applicant of the obligation to comply with any local, state, or federal laws or regulations.

Natural Heritage Database: The Natural Heritage Database has the following data at or within one mile of the project area:

Mountain Madtom (*Noturus eleutherus*), T
Northern Madtom (*Noturus stigmosus*), E
Eastern Spadefoot (*Scaphiopus holbrookii*), E
Cerulean Warbler (*Setophaga cerulea*), SC
Elktoe (*Alasmidonta marginata*), SC
Slippershell Mussel (*Alasmidonta viridis*), T
Wartyback (*Cyclonaias nodulata*), E
Purple Wartyback (*Cyclonaias tuberculata*), SC
Elephant-ear (*Elliptio crassidens*), E
Snuffbox (*Epioblasma triquetra*), E, FE
Pocketbook (*Lampsilis ovata*), E
Creek Heelsplitter (*Lasmigona compressa*), SC
Black Sandshell (*Ligumia recta*), SC
Threehorn Wartyback (*Obliquaria reflexa*), SC
Round Hickorynut (*Obovaria subrotunda*), E, FT

Round Pigtoe (*Pleurobema sintoxia*), SC
Kidneyshell (*Ptychobranchus fasciolaris*), SC
Rabbitsfoot (*Theliderma cylindrica*), E, FT
Fawnsfoot (*Truncilla donaciformis*), SC
Deertoe (*Truncilla truncata*), SC
Beech-sugar maple forest plant community

Conservation status abbreviations are as follows: E = state endangered; T = state threatened; P = state potentially threatened; SC = state species of concern; SI = state special interest; U = state status under review; X = presumed extirpated in Ohio; FE = federally endangered, and FT = federally threatened. The review was performed on the specified project area as well as an additional one-mile radius. Records searched date from 1980. Features searched include locations of rare and endangered plants and animals determined to be of value to the conservation of their species, high quality plant communities, animal breeding assemblages, and outstanding geological features.

Location records for the species and features listed above are provided in a shapefile attachment to this letter. Due to the large number of records, a subset of records within 1000 feet of the specified project area has been given. Species location information will not be disclosed, published or distributed beyond the scope of your project. Please note that Ohio has not been completely surveyed, and we rely on receiving information from many sources. Therefore, a lack of records for an area is not a statement that rare species or unique features are absent from that area.

Fish and Wildlife: The Division of Wildlife (DOW) has the following comments.

The DOW recommends that impacts to streams, wetlands and other water resources be avoided and minimized to the fullest extent possible, and that Best Management Practices be utilized to minimize erosion and sedimentation.

The entire state of Ohio is within the range of the Indiana bat (*Myotis sodalis*), a state endangered and federally endangered species, the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally endangered species, the little brown bat (*Myotis lucifugus*), a state endangered species, and the tricolored bat (*Perimyotis subflavus*), a state endangered species. During the spring and summer (April 1 through September 30), these species of bats predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. However, these species are also dependent on the forest structure surrounding roost trees. If trees are present within the project area, and trees must be cut, the DOW recommends cutting only occur from October 1 through March 31, conserving trees with loose, shaggy bark and/or crevices, holes, or cavities, as well as trees with DBH ≥ 20 if possible. If trees are present within the project area, and trees must be cut during the summer months, the DOW recommends a mist net survey or acoustic survey be conducted from June 1 through August 15, prior to any cutting. Mist net and acoustic surveys should be conducted in accordance with the most recent version of the "*OHIO DIVISION OF WILDLIFE GUIDANCE FOR BAT SURVEYS AND TREE CLEARING*". If state listed bats are documented, DOW recommends cutting only occur from October 1 through March 31. However, limited summer tree cutting may be acceptable after consultation with the DOW (contact Eileen Wyza at Eileen.Wyza@dnr.ohio.gov).

The DOW also recommends that a desktop habitat assessment is conducted, followed by a field assessment if needed, to determine if a potential hibernaculum is present within the project area. Direction on how to conduct habitat assessments can be found in the current USFWS "*RANGE-WIDE*

INDIANA BAT & NORTHERN LONG-EARED BAT SURVEY GUIDELINES." If a habitat assessment finds that a potential hibernaculum is present within 0.25 miles of the project area, please send this information to Eileen Wyza for project recommendations. If a potential or known hibernaculum is found, the DOW recommends a 0.25-mile tree cutting and subsurface disturbance buffer around the hibernaculum entrance, however, limited summer or winter tree cutting may be acceptable after consultation with the DOW. If no tree cutting or subsurface impacts to a hibernaculum are proposed, this project is not likely to impact these species.

The project is within the range of the following listed mussel species.

Federally Endangered
fanshell (*Cyprogenia stegaria*)
snuffbox (*Epioblasma triquetra*)
sheepnose (*Plethobasus cyphyus*)

Federally Threatened
rabbitsfoot (*Theliderma cylindrica*)

State Endangered
long-solid (*Fusconaia subrotunda*)
pocketbook (*Lampsilis ovata*)
Ohio pigtoe (*Pleurobema cordatum*)
wartyback (*Cyclonaias nodulata*)

State Threatened
Salamander Mussel (*Simpsonaias ambigua*)

This project must not have an impact on native mussels. This applies to both listed and non-listed species, as all species of mussel are protected in Ohio. Per the Ohio Mussel Survey Protocol (2024), all Group 2, 3, and 4 streams (Appendix A) require a mussel survey. Per the Ohio Mussel Survey Protocol, Group 1 streams (Appendix A) and unlisted streams with a watershed of 5 square miles or larger above the point of impact should be assessed using the Reconnaissance Survey for Unionid Mussels (Appendix B) to determine if mussels are present. Mussel surveys may be recommended for these streams as well. Therefore, if in-water work is planned in any stream that meets any of the above criteria, the DOW recommends the applicant provide information to indicate no mussel impacts will occur. If this is not possible, the DOW recommends a professional malacologist conduct a mussel survey in the project area. If mussels that cannot be avoided are found in the project area, the DOW recommends a professional malacologist collect and relocate the mussels to suitable and similar habitat upstream of the project site. Mussel surveys and any subsequent mussel relocation should be done in accordance with the Ohio Mussel Survey Protocol. If there is no in-water work proposed, impacts to mussels are not likely.

The project is within the range of the following listed fish species.

State Endangered
northern madtom (*Noturus stigmosus*)

State Threatened
American eel (*Anguilla rostrata*)
mountain madtom (*Noturus eleutherus*)
blue sucker (*Cycleptus elongatus*)
paddlefish (*Polyodon spathula*)
channel darter (*Percina copelandi*)

The DOW recommends no in-water work in perennial streams from March 15 through June 30 to reduce impacts to indigenous aquatic species and their habitat. If no in-water work is proposed in a perennial stream, this project is not likely to impact these or other aquatic species.

The project is within the range of the eastern hellbender (*Cryptobranchus alleganiensis alleganiensis*), a state endangered species and a federal species of concern. This long-lived, entirely aquatic salamander inhabits perennial streams with large flat rocks. In-water work in hellbender streams can reduce availability of large cover rocks and can destroy hellbender nests and/or kill adults and juveniles. The contribution of additional sediment to hellbender streams can smother large cover rocks and gravel/cobble substrate (used by juveniles), making them unsuitable for refuge and nesting. Projects that contribute to altered flow regimes (e.g., by increasing areas of impervious surfaces or modifying the floodplain) can also adversely affect hellbender habitat. Due to the location, this project is not likely to impact this species.

The project is also within the range of the eastern spadefoot toad (*Scaphiopus holbrookii*), a state endangered species. This species is found in areas of sandy soils that are associated with river valleys. Breeding habitats may include flooded agricultural fields or other water holding depressions. Due to the location, the type of habitat within the project area, and the type of work proposed, this project is not likely to impact this species.

The project is within the range of the northern harrier (*Circus hudsonius*), a state endangered bird. This is a common migrant and winter species. Nesters are much rarer, although they occasionally breed in large marshes and grasslands. Harriers often nest in loose colonies. The female builds a nest out of sticks on the ground, often on top of a mound. Harriers hunt over grasslands. If this type of habitat will be impacted, construction should be avoided in this habitat during the species' nesting period of April 15 through July 31. If this habitat will not be impacted, this project is not likely to impact this species.

Due to the potential of impacts to federally listed species, as well as to state listed species, we recommend that this project be coordinated with the US Fish & Wildlife Service.

Water Resources: The Division of Water Resources has the following comment.

If the subject project is in a floodplain regulated by the Federal Emergency Management Agency (FEMA), the local floodplain administrator should be contacted concerning the possible need for any floodplain permits or approvals. The FEMA National Flood Hazard Layer (NHFL) Viewer website can be utilized to see if the project is in a FEMA regulated floodplain. If the project is not in a FEMA regulated floodplain, then no further action is required.

ODNR appreciates the opportunity to provide these comments. Please contact Mike Pettegrew (Environmental Services Administrator) at mike.pettegrew@dnr.ohio.gov if you have questions about these comments or need additional information.

Expiration: *ODNR Environmental Reviews are typically valid for 2 years from the issuance date. If the scope of work, project area, construction limits, and/or anticipated impacts to natural resources have changed significantly from the original project submittal, then a new Environmental Review request should be submitted.*

United States Department of the Interior

FISH AND WILDLIFE SERVICE

Ecological Services
4625 Morse Road, Suite 104
Columbus, Ohio 43230
(614) 416-8993 / FAX (614) 416-8994

January 31, 2025

Project Code: 2025-0039545

Dear Ms. Glass:

The U.S. Fish and Wildlife Service (Service) has received your recent correspondence requesting information about the subject proposal. We offer the following comments and recommendations to assist you in minimizing and avoiding adverse impacts to threatened, endangered, and proposed species pursuant to the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq), as amended (ESA).

Federally Threatened and Endangered Species: The endangered Indiana bat (*Myotis sodalis*) and northern long-eared bat (*Myotis septentrionalis*) occur throughout the State of Ohio. The Indiana bat and northern long-eared bat may be found wherever suitable habitat occurs unless a presence/absence survey has been performed to document absence. Suitable summer habitat for Indiana bats and northern long-eared bats consists of a wide variety of forested/wooded habitats where they roost, forage, and breed that may also include adjacent and interspersed non-forested habitats such as emergent wetlands and adjacent edges of agricultural fields, woodlots, fallow fields, and pastures. Roost trees for both species include live and standing dead trees ≥3 inches diameter at breast height (dbh) that have any exfoliating bark, cracks, crevices, hollows and/or cavities. These roost trees may be located in forested habitats as well as linear features such as fencerows, riparian forests, and other wooded corridors. Individual trees may be considered suitable habitat when they exhibit the characteristics of a potential roost tree and are located within 1,000 feet of other forested/wooded habitat. Northern long-eared bats have also been observed roosting in human-made structures, such as buildings, barns, bridges, and bat houses; therefore, these structures should also be considered potential summer habitat. In the winter, Indiana bats and northern long-eared bats hibernate in caves, rock crevices and abandoned mines.

Federally Proposed Species: On September 14, 2022, the Service proposed to list the tricolored bat (*Perimyotis subflavus*) as endangered under the ESA. The bat faces extinction due to the impacts of white-nose syndrome, a deadly disease affecting cave-dwelling bats across the continent. During spring, summer, and fall, this species roosts primarily among leaf clusters of live or recently dead trees, emerging at dusk to hunt for insects over waterways and forest edges. While white-nose syndrome is by far the most serious threat to the tricolored bat, other threats now have an increased significance due to the dramatic decline in the species' population. These threats include disturbance to bats in roosting, foraging, commuting, and over-wintering habitats. Mortality due to collision with wind turbines, especially during migration, has also been documented across their range. Conservation measures for the Indiana bat and northern long-eared bat will also help to conserve the tricolored bat.

Seasonal Tree Clearing for Federally Listed Bat Species: Should the proposed project site contain trees ≥3 inches dbh, we recommend avoiding tree removal wherever possible. If any caves or abandoned mines may be disturbed, further coordination with this office is requested to determine if fall or spring portal surveys are warranted. If no caves or abandoned mines are present and trees ≥3 inches dbh cannot be avoided, we recommend removal of any trees ≥3 inches dbh only occur between October 1 and March 31. Seasonal clearing is recommended to avoid adverse effects to Indiana bats and northern long-eared bats.

If implementation of this seasonal tree cutting recommendation is not possible, a summer presence/absence survey may be conducted for Indiana bats and northern long-eared bats. If Indiana bats and northern long-eared bats are not detected during the survey, then tree clearing may occur at any time of the year. Surveys must be conducted by an approved surveyor and be designed and conducted in coordination with the Ohio Field Office. Surveyors must have a valid federal permit. Please note that in Ohio summer mist net surveys may only be conducted between June 1 and August 15.

Section 7 Coordination: If there is a federal nexus for the project (e.g., federal funding provided, federal permits required to construct), then no tree clearing should occur on any portion of the project area until consultation under section 7 of the ESA, between the Service and the federal action agency, is completed. We recommend the federal action agency submit a determination of effects to this office, relative to the Indiana bat and northern long-eared bat, for our review and concurrence. This letter provides technical assistance only and does not serve as a completed section 7 consultation document.

Stream and Wetland Avoidance: Over 90% of the wetlands in Ohio have been drained, filled, or modified by human activities, thus is it important to conserve the functions and values of the remaining wetlands in Ohio (https://epa.ohio.gov/portals/47/facts/ohio_wetlands.pdf). We recommend avoiding and minimizing project impacts to all wetland habitats (e.g., forests, streams, vernal pools) to the maximum extent possible in order to benefit water quality and fish and wildlife habitat. Additionally, natural buffers around streams and wetlands should be preserved to enhance beneficial functions. If streams or wetlands will be impacted, the U.S. Army Corps of Engineers should be contacted to determine whether a Clean Water Act section 404 permit is required. Best management practices should be used to minimize erosion, especially on slopes. Disturbed areas should be mulched and revegetated with native plant species. In addition, prevention of non-native, invasive plant establishment is critical in maintaining high quality habitats.

Due to the project type, size, and location, we do not anticipate adverse effects to any other federally endangered, threatened, or proposed species, or proposed or designated critical habitat. Should the project design change, or additional information on listed or proposed species or their critical habitat become available, or if new information reveals effects of the action that were not previously considered, coordination with the Service should be initiated to assess any potential impacts.

Thank you for your efforts to conserve listed species and sensitive habitats in Ohio. We recommend coordinating with the Ohio Department of Natural Resources due to the potential for the proposed project to affect state listed species and/or state lands. Contact Mike Pettegrew, Environmental Services Administrator, at (614) 265-6387 or at mike.pettegrew@dnr.ohio.gov.

If you have questions, or if we can be of further assistance in this matter, please contact our office at (614) 416-8993 or ohio@fws.gov.

Sincerely,

Erin Knoll
Field Office Supervisor

cc: Matthew.Stooksbury@dnr.ohio.gov
Eileen.Wyza@dnr.ohio.gov

In reply, refer to
2023-MUS-59059

October 2, 2023

Ryan Weller
Weller & Associates, Inc.
1395 W. Fifth Ave.
Columbus, OH 43212
rweller@wellercrm.com

RE: Philo-Ohio Central 138kV Transmission Line Project, Harrison, Wayne Washington, Muskingum, and Cass Townships, Muskingum County, Ohio

Dear Mr. Weller:

This letter is in response to the correspondence received September 12, 2023 regarding the proposed Philo-Ohio Central 138kV Transmission Line Project, Harrison, Wayne Washington, Muskingum, and Cass Townships, Muskingum County, Ohio. We appreciate the opportunity to comment on this project. The comments of the Ohio State Historic Preservation Office (SHPO) are made pursuant to Section 149.53 of the Ohio Revised Code and the Ohio Power Siting Board rules for siting this project (OAC 4906-4 & 4906-5). The comments of the Ohio SHPO are also submitted in accordance with the provisions of Section 106 of the National Historic Preservation Act of 1966, as amended (54 U.S.C. 306108 [36 CFR 800]).

The following comments pertain to the *Phase I Archaeological Investigations for the 29.3 km (18.2 mi) Philo-Ohio Central 138kV Transmission Line Project in Harrison/Wayne/Washington/Muskingum/Cass Townships, Muskingum County, Ohio* by Ryan J. Weller (Weller & Associates, Inc. 2023).

A literature review, visual inspection, surface collection, shovel probe and shovel test unit excavation was completed as part of the investigations. Three (3) previously identified archaeological resources are located within the project area, Ohio Archaeological Inventory (OAI) #33MU0927, 33MU0928, and 33MU1137. OAI#33MU1137 is a long, linear historic archaeological site that traces Zane's Trace, also known as the Old Wheeling Road. The site was not reidentified during survey. OAI#33MU0927 will not be affected by the proposed project and OAI#33MU0928 has been disturbed by development. Eleven (11) new archaeological sites were identified during survey, OAI#33MU1705-33MU1715. None of the site are recommended eligible for listing in the NRHP. Our office agrees with this recommendation and no additional archaeological survey is needed. Two (2) cemeteries are documented within or immediately adjacent the project area, McMillen Cemetery (OGSID 14001), Woodruff Cemetery (OGSID 8960), and Pringle Cemetery (OGSID 8970). The cemeteries were not identified in these locations during survey. According to the Muskingum County Chapter of the Ohio Genealogical Society's website (mccogs.org), all of these cemeteries are located away from the proposed project area. Therefore, it is our office's opinion the cemeteries will not be affected by the proposed project.

The following comments pertain to the *History/Architecture Investigations for the 29.9 km (18.2 mi) Philo-Ohio Central 138kV Transmission Line Project in Harrison/Wayne/Washington/Muskingum/Cass Townships, Muskingum County, Ohio* by Scott McIntosh (Weller & Associates, Inc. 2023).

A literature review and field survey were conducted as part of the investigations. A total of sixty-five (65) extant architectural resources fifty years of age or older were identified in the Area of Potential Effects (APE). One (1) resource is a National Register-listed historic district (07000025). It is Weller's recommendation that none of the other architectural resources are eligible for listing in the NRHP. Our office agrees with Weller's recommendations of eligibility. The historic district will not be directly impacted by the planned work.

Based on the information provided, we agree the project as proposed will have no adverse effect on historic properties. No further coordination with this office is necessary, unless the project changes or unless new or additional historic properties are discovered during implementation of this project. In such a situation, this office should be contacted. Our office is currently experiencing network issues that do now allow consultants to access our IForm software for the completion of archaeological inventory forms. Ohio Archaeological Inventory (OAI) forms can now be completed using SHPO's ArcGIS Survey 123, information can be found on our website here: https://www.ohiohistory.org/preserving-ohio/survey-inventory/i-form/. Please notify our office when the forms are completed. If you have any questions, please contact me at (614) 298-2022, or by e-mail at khorrocks@ohiohistory.org or Joy Williams at jwilliams@ohiohistory.org. Thank you for your cooperation.

Sincerely,

Krista Horrocks, Project Reviews Manager
Resource Protection and Review

RPR Serial No: 1099777-1099778

In reply, refer to
2023-MUS-59059

April 8, 2025

Mr. Ryan J. Weller
Weller & Associates, Inc.
1395 West Fifth Avenue
Columbus, Ohio 43212
rweller@wellercrm.com

RE: Philo-Ohio Central 138kV Transmission Line Project, Muskingum County, Ohio – Addendum 1

Dear Mr. Weller:

This letter is in response to the correspondence received on March 10, 2025, regarding the proposed Philo-Ohio Central 138kV Transmission Line Project located in Muskingum County, Ohio. We appreciate the opportunity to comment on this project. The comments of the Ohio State Historic Preservation Office (SHPO) are made pursuant to Section 149.53 of the Ohio Revised Code and the Ohio Power Siting Board (OPSB) rules for siting this project (OAC 4906-4 & 4906-5). The comments of the Ohio SHPO are also submitted in accordance with the provisions of Section 106 of the National Historic Preservation Act of 1966, as amended (54 U.S.C. 306108 [36 CFR 800]).

The following comments pertain to the *Addendum 1 Cultural Resources Management Investigations for the Additional Work Areas for the Philo-Ohio Central 138kV Transmission Line Rebuild Project in Muskingum County, Ohio (WC 20005621; BPID P20250001; WO T10427982002)* by Ryan J. Weller (Weller & Associates, Inc. 2025). These addendum investigations were conducted for areas located outside those previously investigated for the Philo-Ohio Central transmission line. A literature review and inspection of current and older aerial photographs were completed as part of the investigations. Portions of the addendum project area had been previously surveyed for cultural resources. The review of available aerial photographs indicated that the addendum project areas have been disturbed by previous and ongoing construction activities; therefore, it is unlikely that intact soils are present. No previously documented archaeological sites were located within the addendum project areas and no new archaeological sites were identified through these investigations. Our office agrees no additional archaeological investigation is needed.

Based on the information provided, our office continues to agree that the project, as proposed, will have no adverse effect on historic properties. No further coordination with this office is necessary, unless the project changes or unless new or additional cultural resources are discovered during the implementation of this project. In such a situation, this office should be contacted. If you have any questions, please contact me by e-mail at cgullett@ohiohistory.org. Thank you for your cooperation.

Sincerely,

Catherine Gullett, Project Reviews Coordinator - Archaeology
Resource Protection and Review
State Historic Preservation Office

RPR Serial No: 1107860

"Please be advised that this is a Section 106 decision. This review decision may not extend to other SHPO programs."

Appendix E Ecological Survey Report

PHILO-OHIO CENTRAL 138 KV PROJECT

MUSKINGUM COUNTY, OHIO

ECOLOGICAL REPORT

Prepared for:
American Electric Power Ohio Transmission Company
8600 Smiths Mill Road
New Albany, Ohio 43054

Prepared by:

525 Vine Street, Suite 1900
Cincinnati, Ohio 45202

Project #: 60697721

December 2023

TABLE OF CONTENTS

1.0 INTRODUCTION 4
2.0 METHODOLOGY 4
2.1 WETLAND DELINEATION 4
2.1.1 WETLAND CLASSIFICATION 5
2.1.2 WETLAND ASSESSMENT 5
2.2 STREAM ASSESSMENT 5
2.2.1 EPA PRIMARY HEADWATER HABITAT ASSESSMENT 5
2.2.2 OEPA 401 WATER QUALITY CERTIFICATION FOR NATIONWIDE PERMIT ELIGIBILITY 6
2.2.3 UPLAND DRAINAGE FEATURES 6
2.3 RARE, THREATENED, AND ENDANGERED SPECIES 7
3.0 RESULTS 7
3.1 WETLAND DELINEATION 8
3.1.1 PRELIMINARY SOILS EVALUATION 8
3.1.2 NATIONAL WETLAND INVENTORY MAP REVIEW 12
3.1.3 DELINEATED WETLANDS 14
3.2 STREAM DELINEATION 17
3.2.1 OEPA STREAM ELIGIBILITY 20
3.3 FEMA 100 YEAR FLOODPLAINS 20
3.4 PONDS 20
3.5 UPLAND DRAINAGE FEATURES PONDS 20
3.6 VEGETATIVE COMMUNITIES 21
3.7 RARE, THREATENED AND ENDANGERED SPECIES AGENCY COORDINATION 22
4.0 SUMMARY 29
5.0 REFERENCES 30

TABLES (in-text)

TABLE 1 - SOIL MAP UNITS AND DESCRIPTIONS WITHIN THE PROJECT SURVEY AREA 8
TABLE 2 - NWI DISPOSITION SUMMARY TABLE WITHIN THE PROJECT SURVEY AREA..... 12
TABLE 3 - SUMMARY OF DELINEATED WETLANDS WITHIN THE PROECT SURVEY AREA..... 15
TABLE 4 - SUMMARY OF DELINEATED STREAMS..... 18
TABLE 5 - SUMMARY OF WATERSHED 401 WQC ELIGIBILITY WITHIN THE PROJECT SURVEY AREA..... 20
TABLE 6 - VEGETATIVE COMMUNITIES WITHIN THE PROJECT SURVEY AREA..... 21
TABLE 7 - ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA ……23

FIGURES

Number

FIGURE 1 Project Overview
FIGURE 2 Soil Map and National Wetland Inventory Map
FIGURE 3 Wetland Delineation and Stream Assessment Map
FIGURE 4 Stream Eligibility Map
FIGURE 5 Vegetation Communities Assessment Map

APPENDICES

Number

APPENDIX A Desktop Assessment for Winter Bat Habitat
APPENDIX B U.S. Army Corps of Engineers Wetland Determination Data Forms / OEPA Wetland ORAM Forms / Delineated Features Photographs (combined per wetland and shown in numerical order)
APPENDIX C Delineated Stream Features Data Forms and Photographs
APPENDIX D Pond Photographic Record
APPENDIX E Upland Drainage Feature Photographic Record
APPENDIX F Habitat Photographic Record
APPENDIX G Agency Response Letters
APPENDIX H 2023 Joint Guidance

1.0 INTRODUCTION

American Electric Power Ohio Transmission Company (AEP Ohio Transco) proposed the rebuild on centerline of 17.9 miles of portions of the existing Philo – Howard 138 kilovolt (kV) transmission line located in Muskingum County, Ohio as part of the Philo – Ohio Central 138 kV Transmission Line Project (Project). The Project survey area associated with this Ecological Report is located within the Adamsville, Dresden, Philo, and Zanesville East, OH United States Geological Survey (USGS) 7.5-minute topographical quadrangles as displayed on the Project Overview Map (Figure 1).

The purpose of the field survey was to assess the presence of wetlands and possible "waters of the United States" (WOTUS) that occur within the proposed Project area. Secondarily, land uses were also recorded to classify and characterize potential habitat for threatened, and endangered species. This report will be used to assist AEP Ohio Transco's efforts to identify potential WOTUS and threatened and endangered species habitat present within the proposed Project area to avoid or minimize impacts during construction activities.

2.0 METHODOLOGY

The field survey was completed for a 100-foot-wide study corridor along the proposed transmission line centerline totaling approximately 220 acres of Project survey area. Prior to conducting field surveys, digital United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS) soil survey data, United States Fish and Wildlife Service (USFWS), National Wetlands Inventory (NWI) data, USGS National Hydrography Dataset (NHD), Federal Emergency Management Agency (FEMA) 100-year floodplain data, and USGS 7.5-minute topographic maps were reviewed to identify the occurrence and location of potential wetland areas and/or streams.

Field survey activities included recording the physical boundaries of observed water features using sub-meter capable EOS Arrow Global Positioning System (GPS) units in conjunction with the ArcGIS Field Maps application on iPad tablets. The GPS data was imported into ArcMap Geographic Information System (GIS) software, where the data was reviewed, edited for accuracy, and compiled in a format suitable for transfer and use by AEP Ohio Transco. Water features were delineated and assessed based upon the appropriate procedures detailed below. Land uses observed within the Project survey area were assigned a general classification based upon the principal land characteristics and vegetative cover of the location.

2.1 WETLAND DELINEATION

The Project survey area was evaluated according to the procedures outlined in the United States Army Corps of Engineers (USACE) *Corps of Engineers Wetland Delineation Manual* (Environmental Laboratory, 1987) and *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont (Version 2.0)* (USACE, 2012).

During field survey activities AECOM utilized the routine on-site delineation method described in the *1987 Manual* and *Regional Supplement* that consisted of a pedestrian site reconnaissance, including identifying the vegetative communities, soils identification, a geomorphologic assessment of hydrology, and notation of disturbance. If a wetland was identified, AECOM completed a USACE Wetland Determination Data Form (USACE Data Form) within each unique wetland habitat to serve as a representative of the wetland hydrology, vegetative community, and soil characteristics. Adjacent to each wetland complex, AECOM completed an additional USACE Data Form as a representative of the upland community.

2.1.1 WETLAND CLASSIFICATION

Wetlands identified in the field were classified based on the naming convention found in *Classification of Wetlands and Deepwater Habitats of the United States* (Cowardin *et al.*, 1979). The unique wetland habitats were classified as palustrine emergent (PEM), palustrine forested (PFO), palustrine unconsolidated bottom (PUB), palustrine scrub-shrub (PSS), or other classifications for some wetlands. Multiple Cowardin classifications may be present where more than one classification's vegetation is dominant (vegetation type covers 30 percent or more of the substrate). Where multiple Cowardin classifications are present, the Cowardin classification of the plants that constitute the uppermost layer of vegetation having 30% or greater coverage is used for the classification.

2.1.2 WETLAND ASSESSMENT

Each delineated wetland was assessed following the Ohio Environmental Protection Agency (OEPA) *Ohio Rapid Assessment Method for Wetlands v. 5.0* (ORAM) (Mack, 2001). Wetland assessments utilized the 10-page ORAM form, providing a final Category rating for each wetland.

2.2 STREAM ASSESSMENT

Streams were identified by the presence of a defined bed and bank, and evidence of an ordinary high-water mark (OHWM). The USACE defines the OHWM as "that line on the shore established by the fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the bank, shelving, changes in the character of soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas" (USACE, 2005).

2.2.1 EPA PRIMARY HEADWATER HABITAT ASSESSMENT

Stream assessments were conducted using the methods described in the OEPA's *Methods for Assessing Habitat in Flowing Waters*: *Using OEPA's Qualitative Habitat Evaluation Index (QHEI)* (Rankin, 2006) and in the OEPA's *Field Methods for Evaluating Primary Headwater Streams in Ohio* (OEPA, 2020). Streams associated with watershed area less than or equal to 1.0 square mile (259 hectares), and a maximum depth of water pools equal to or less than 15.75 inches were evaluated utilizing the Headwater Habitat Evaluation

Index (HHEI) methodology and all other streams assessed using the QHEI methodology. Flow regime (ephemeral, intermittent, perennial) was determined by the appropriate stream assessment score per OEPA manuals (OEPA, 2020) and by AECOM's professional opinion.

Streams assessed in the Project Survey Area were reviewed for existing OEPA Aquatic Life Use Designations per OEPA's Water Quality Standards (OAC Chapter 3745-1). Those without an existing use designation were assigned a provisional aquatic life use designation based upon habitat assessment results (Rankin, 1989; OEPA, 2020).

2.2.2 OEPA 401 WATER QUALITY CERTIFICATION FOR NATIONWIDE PERMIT ELIGIBILITY

The OEPA has designated each watershed in the state on based on whether it may be ineligible for coverage under the OEPA's 401 Water Quality Certification (WQC) for Nationwide Permits (OEPA, 2017). Mapping provided by the OEPA illustrates the eligibility of streams in the area to fall under a Nationwide Permit for 401 certification or if an individual state WQC needs to be applied for. Impacts to streams within each watershed would then have eligibility for 401 WQC determined by the watershed category. The three categories are defined as:

Eligible: Streams within the watershed are eligible for coverage under the OEPA's water quality certification for the Nationwide Permits if all other general and regional special terms and conditions are met.

Ineligible: Projects affecting high quality streams and undesignated streams draining directly to high quality streams, as represented in the map, must undergo an individual 401 Water Quality Certification review process.

Possibly Eligible: Additional field screening procedures are required for streams in the watershed to determine appropriate eligibility. Projects affecting undesignated streams within those HUC12 watersheds that do not directly but eventually drain into high quality waters, might be eligible for coverage under the OEPA's 401 Water Quality Certification for Nationwide Permits depending on the results of a field screening assessment. The procedures for determining individual stream eligibility in this scenario are specified in Appendix D "Stream Eligibility Determination Process" of the OEPA Ohio State Water Quality Certification of the 2017 Nationwide Permit Reauthorization.

2.2.3 UPLAND DRAINAGE FEATURES

An upland drainage feature (UDF) is a non-jurisdictional drainage that does not meet the criteria of either a jurisdictional stream or a wetland. A UDF generally lacks an OHWM (USACE, 2005) and are equivalent to a swale or an erosional feature as described by the USACE: "generally shallow features in the landscape that may convey water across upland areas during and following storm events. Swales usually occur on

nearly flat slopes and typically have grass or other low-lying vegetation throughout the swale" (USACE, 2005).

A roadside ditch may also be documented as a UDF if it meets the "not potentially jurisdictional" characterization as described in the Office of Environmental Services *Roadway Ditch Characterization Flowchart* (Ohio Department of Transportation, 2014). This would include a ditch that originates entirely within the roadway right-of-way, has a seasonal flow regime, was not constructed to drain a wetland, and does not have hydrophytic vegetation extending more than an insignificant amount beyond its original configuration.

In addition, UDF's (including swales, ditches, and other erosional features) are generally not WOTUS except in certain circumstances, such as relocated streams.

2.3 RARE, THREATENED, AND ENDANGERED SPECIES

AECOM conducted a threatened and endangered species review and general field habitat surveys within the Project Survey Area. AECOM submitted requests to the Ohio Department of Natural Resources (ODNR) Office of Real Estate – Environmental Review Section and the USFWS Ohio Ecological Services Field Office soliciting comments on the proposed Project. Agency-identified species of concern and available species-specific information was reviewed to identify the various habitat types that listed species are known to inhabit.

AECOM field ecologists conducted a general habitat survey in conjunction with the stream and wetland field surveys as part of assessing potential impacts to threatened and endangered species. Land uses within the Project survey area were assigned a general classification based upon the principal land characteristics and vegetative cover as observed during the field surveys.

AECOM conducted a desktop assessment of the Project survey area and a quarter-mile buffer around it to identify potentially occurring winter bat hibernaculum that may be present near the Project in **Appendix A**. This assessment was conducted by reviewing data on mining activity and karst geology from the ODNR Division of Mineral Resources and USGS websites.

3.0 RESULTS

On July 10, 11, 12, 13, 14, 24, 25, 26, and August 16, 17, and 23, 2023, AECOM ecologists walked the Project survey area to conduct the wetland delineation, stream assessment and habitat survey. During the delineation, within the Project survey area, AECOM delineated 30 PEM wetlands, four PUB wetlands, one PEM/PFO wetland complex, two PEM/PSS wetland complexes, one PUB/PFO wetland complex, and 15 perennial, 30 intermittent, and 10 ephemeral streams. The representative wetland and stream data forms as well as photo documentation are provided as **Appendix B and C,** respectively.

3.1 WETLAND DELINEATION

3.1.1 PRELIMINARY SOILS EVALUATION

According to the USDA/NRCS Web Soil Survey, 63 soil map units are mapped within the Project survey area (USDA NRCS, 2023a and 2023b). Of these, one was identified as hydric soil, and eleven were identified as containing hydric inclusions. Soils indicated as hydric inclusions are not predominately hydric soils and hydric soils are more likely to be found in topographic settings. **Table 1** below provides a detailed overview of all soil series and soil map units present within the Project Survey Area. Soil map units located in the Project Survey Area and vicinity are shown on **Figure 2**.

TABLE 1 - SOIL MAP UNITS AND DESCRIPTIONS WITHIN THE PROJECT SURVEY AREA

Soil Series	Map Unit Symbol	Map Unit Description	Topographic Setting	Hydric	Hydric Component (%)
Aaron-Aquic	AaC2	Aaron silt loam, 8 to 15 percent slopes, eroded	Ridges	No	-
Alford	AfB	Alford silt loam, 2 to 8 percent slopes	Hills	No	-
	AfC2	Alford silt loam, 8 to 15 percent slopes, eroded	Hills	No	-
Berks	BeD2	Berks channery silt loam, 15 to 25 percent slopes, eroded	Hills	No	-
	BeE	Berks channery silt loam, 25 to 35 percent slopes	Hillslopes	No	-
	BkF	Berks-Westmoreland complex, 40 to 70 percent slopes	Hills	No	-
Bethesda	Bhk4B	Bethesda channery silt loam, 0 to 8 percent slopes, unreclaimed, highwall	Ridges	Yes*	Typic Epiaquents 1%
	Bhk4F	Bethesda channery silt loam, 25 to 70 percent slopes, unreclaimed, highwall	Ridges	No	-
	BhPXF	Bethesda-Pits, surface mine complex, 25 to 70 percent slopes, unreclaimed	Ridges	No	-
	Bhs4D	Bethesda channery silt loam, 8 to 25 percent slopes, unreclaimed	Ridges	Yes*	Typic Epiaquents 1%

Soil Series	Map Unit Symbol	Map Unit Description	Topographic Setting	Hydric	Hydric Component (%)
	Bhs4F	Bethesda channery silt loam, 25 to 70 percent slopes, unreclaimed	Ridges	No	-
	Bhv1B	Bethesda silt loam, 0 to 8 percent slopes, reclaimed	RIdges	Yes*	Typic Epiaquents 1%
Chagrin	Cb	Chagrin loam, rarely flooded	Flood plains	Yes*	Melvin 10%
Chavies	CcB	Chavies loam, 2 to 6 percent slopes	Terraces	No	-
Chili	CeB	Chili loam, 3 to 8 percent slopes	Terraces	No	-
	ChB	Chili gravelly loam, 3 to 8 percent slopes	Terraces	No	-
Coshocton	CsD	Coshocton silt loam, 15 to 25 percent slopes	Hillsides	No	-
	CtE	Coshocton-Westmoreland silt loams, 25 to 40 percent slopes	Hills	No	-
Dumps and pits	Ds	Dumps and Pits, mine	-	-	-
Fairpoint	FaB	Fairpoint silty clay loam, 1 to 15 percent slopes	Ridges	No	-
	FaD	Fairpoint silty clay loam, 15 to 25 percent slopes	Hillslopes	No	-
Fitchville	FcA	Fitchville silt loam, 0 to 3 percent slopes	Terraces	Yes*	Sebring 5%
	FcB	Fitchville silt loam, 3 to 8 percent slopes	Terraces	Yes*	Sebring 5%
Gilpin	GdB	Gilpin silt loam, 3 to 8 percent slopes	Ridges	No	-
	GdC2	Gilpin silt loam, 8 to 15 percent slopes	Ridges	No	-
Glenford	GfB	Glenford silt loam, 3 to 8 percent slopes	Terraces	Yes*	Sebring 5%
	GfC2	Glenford silt loam, 8 to 15 percent slopes	Terraces	No	-

Soil Series	Map Unit Symbol	Map Unit Description	Topographic Setting	Hydric	Hydric Component (%)
Haymond	Hay1AO	Haymond silt loam, 0 to 3 percent slopes, occasionally flooded	Flood-plain steps	No	-
Jimtown	JtA	Jimtown loam, 0 to 3 percent slopes	Terraces	Yes*	Poorly drained soils 5%
Keene	KeB	Keene silt loam, 3 to 8 percent slopes	Ridges	No	-
	KeC2	Keene silt loam, 6 to 15 percent slopes, eroded	Hills	No	-
Lakin	LaC	Lakin loamy fine sand, 8 to 15 percent slopes	Terraces	No	-
Lindside	Lk	Lindside silt loam, 0 to 3 percent slopes, occasionally flooded	Flood plains	No	-
Lobdell	Lm	Lobdell loam, channery substratum, occasionally flooded	Flood plains	Yes*	Melvin 5%
Lowell	LpC2	Lowell silt loam, moderately wet, 8 to 15 percent slopes	Hills	No	-
Markland	MbC2	Markland silty clay loam, 6 to 15 percent slopes, eroded	Terraces	No	-
	McD2	Markland-Glenford complex, 15 to 35 percent slopes, eroded	Terraces	Yes*	Melvin 8%
Melvin	Me	Melvin silt loam, 0 to 3 percent slopes, frequently flooded	Flood plains	Yes	Melvin 85%
Newark	Ne	Newark silt loam, 0 to 3 percent slopes, frequently flooded	Flood plains	Yes*	Melvin-Frequently flooded 5%
Rawson	RaB	Rawson silt loam, 2 to 6 percent slopes	Terraces	No	-
Rigley	RfC	Rigley loam, 8 to 15 percent slopes	Hills	No	-
	RgD	Rigley channery loam, 15 to 25 percent slopes	Hills	No	-
	RhE	Rigley-Coshocton complex, 25 to 40 percent slopes	Hills	No	-

Soil Series	Map Unit Symbol	Map Unit Description	Topographic Setting	Hydric	Hydric Component (%)
Rodman	RoF	Rodman gravelly sandy loam, 25 to 70 percent slopes	Terraces	No	-
Tioga	Ta	Tioga fine sandy loam, rarely flooded	Flood plains	No	-
	Tf	Tioga fine sandy loam, occasionally flooded	Flood plains	No	-
Udorthents	Ud	Udorthents, loamy, hilly	-	-	-
	Uh	Udorthents, sandy-skeletal, steep	-	-	-
	Uk	Udorthents-Pits complex	-	-	-
Water	W	Water	-	-	-
Watertown	WaB	Watertown sandy loam, 1 to 8 percent slopes	Terraces	No	-
	WaC	Watertown sandy loam, 8 to 15 percent slopes	Terraces	No	-
Wellston	WhB	Wellston silt loam, 3 to 8 percent slopes	Ridges	No	-
	WhC2	Wellston silt loam, 8 to 15 percent slopes	Ridges	No	-
Westgate	WmB	Westgate silt loam, 2 to 6 percent slopes	Hills	No	-
	WmC2	Westgate silt loam, 6 to 15 percent slopes, eroded	Hills	No	-
Westmoreland	WtC2	Westmoreland silt loam, 8 to 15 percent slopes	Hills	No	-
	WtD2	Westmoreland silt loam, 15 to 25 percent slopes	Hills	No	-
	WuC2	Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded	Hills	No	-
	WuD2	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded	Hills	No	-

Soil Series	Map Unit Symbol	Map Unit Description	Topographic Setting	Hydric	Hydric Component (%)
	WuE2	Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded	Hills	No	-
Zanesville	ZnC2	Zanesville silt loam, 8 to 15 percent slopes	Ridges	No	-
	ZnB	Zanesville silt loam, 3 to 8 percent slopes	Ridges	No	-

NA = Not Applicable or Not Available; Yes* = Hydric inclusion present

3.1.2 NATIONAL WETLAND INVENTORY MAP REVIEW

According to NWI data covering the Project location, the Project survey area crosses 35 mapped NWI features. Sixteen mapped NWI features are classified as Riverine, Intermittent, Streambed, Temporarily Flooded (R4SBC), four as Palustrine, Forested, Broad-Leaved Deciduous Seasonally flooded (PFO1C), two as Riverine, Lower Perennial, Unconsolidated Bottom, Permanently Flooded (R2UBH), three as Riverine, Perennial, Unconsolidated Bottom, Permanently Flooded (R5UBH), one as Palustrine, Unconsolidated Bottom, Intermittently Exposed (PUBG), three as Palustrine, Unconsolidated Bottom, Intermittently Exposed, Diked/Impounded (PUBGh), one as Palustrine, Emergent, Persistent, Temporarily Flooded (PEM1C), one as Palustrine, Emergent, Persistent, Seasonally Flooded (PEM1C), two as Riverine, Intermittent, Streambed, Temporarily Flooded (R4SBA), one as Palustrine, Unconsolidated Bottom, Intermittently Exposed, Excavated (PUBGx), and one as Riverine, Lower Perennial, Unconsolidated Bottom, Intermittently Exposed (R2UBG). The location of NWI mapped features are identified on **Figure 2** and detailed within **Table 2** below.

TABLE 2 - NWI DISPOSITION SUMMARY TABLE WITHIN THE PROJECT SURVEY AREA

NWI Code	NWI Description	Related Field Inventoried Resource (Wetland ID/Stream ID)	Associated Structure	Comments
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-MRK-002	N/A	Field verified as intermittent stream S-MRK-002
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-MRK-004	N/A	Field verified as perennial stream S-MRK-004
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-MRK-006 and S-MRK-021	N/A	Field verified as intermittent streams S-MRK-006 and S-MRK-021
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-MRK-015	N/A	Field verified as perennial stream S-MRK-015

NWI Code	NWI Description	Related Field Inventoried Resource (Wetland ID/Stream ID)	Associated Structure	Comments
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-MRK-013	85A	Field verified as perennial stream S-MRK-013
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-MRK-008	72	Field verified as perennial stream S-MRK-008
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-WRL-006	66	Field verified as intermittent stream S-WRL-006
PFO1C	Palustrine, Forested, Broad-leaved Deciduous, Seasonally Flooded	N/A	N/A	Field verified as absent within the Project survey area
R2UBH	Riverine, Lower Perennial, Unconsolidated Bottom, Permanently Flooded	N/A	N/A	Field verified as absent within the Project survey area
R5UBH	Riverine, Perennial, Unconsolidated Bottom, Permanently Flooded	P-MRK-002	N/A	Field verified as P-MRK-002
PUBG	Palustrine, Unconsolidated Bottom, Intermittently Exposed	P-WRL-001	N/A	Field verified as P-WRL-001
R5UBH	Riverine, Perennial, Unconsolidated Bottom, Permanently Flooded	S-WRL-001	57	Field verified as perennial stream S-WRL-001
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-WRL-002	57	Intermittent stream S-WRL-002
PFO1C	Palustrine, Forested, Broad-Leaved Deciduous Seasonally flooded	N/A	N/A	Field verified as absent within the Project survey area with an upland data point.
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-WRL-004	52	Field verified as intermittent stream S-WRL-004
PUBGh	Palustrine, Unconsolidated Bottom, Intermittently Exposed, Diked/Impounded	W-TW-018	26	W-TW-018
PUBGh	Palustrine, Unconsolidated Bottom, Intermittently Exposed, Diked/Impounded	W-TW-017	37	W-TW-017
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	N/A	N/A	Field verified as absent within the Project survey area
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-TW-023	N/A	Field verified as perennial stream S-TW-023
PEM1C	Palustrine, Emergent, Persistent, Seasonally Flooded	W-TW-014	30	Field verified as W-TW-014
R4SBA	Riverine, Intermittent, Streambed, Temporarily Flooded	S-TW-019	75	Field verified as perennial stream S-TW-019
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-TW-020	75	Field verified as perennial stream S-TW-020
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-TW-016	75	Field verified as perennial stream S-TW-016
PUBGx	Palustrine, Unconsolidated Bottom, Intermittently Exposed, Excavated	W-TW-009	22	Field verified as W-TW-009

NWI Code	NWI Description	Related Field Inventoried Resource (Wetland ID/Stream ID)	Associated Structure	Comments
PUBGh	Palustrine, Unconsolidated Bottom, Intermittently Exposed, Diked/Impounded	W-TW-008	21	Field verified as W-TW-008
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-TW-013	10	Field verified as perennial stream S-TW-013
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-TW-007	9	Field verified intermittent stream S-TW-007
R4SBA	Riverine, Intermittent, Streambed, Temporarily Flooded	S-TW-011	10	Field verified as perennial stream S-TW-011
R5UBH	Riverine, Perennial, Unconsolidated Bottom, Permanently Flooded	Indian Run	10	Field verified as Indian Run
PFO1C	Palustrine, Forested, Broad-Leaved Deciduous Seasonally flooded	W-TW-003	4	Field verified as W-TW-003
PEM1A	Palustrine, Emergent, Persistent, Temporarily Flooded	W-TW-003	4	Field verified as W-TW-003
R2UBG	Riverine, Lower Perennial, Unconsolidated Bottom, Intermittently Exposed	Salt Creek	4	Field verified as Salt Creek
PFO1C	Palustrine, Forested, Broad-Leaved Deciduous Seasonally flooded	W-TW-001	3	Field verified as W-TW-001
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	S-TW-001	3	Field verified as intermittent stream S-TW-001
R2UBH	Riverine, Lower Perennial, Unconsolidated Bottom, Permanently Flooded	Muskingum River	3	Field verified as Muskingum River

3.1.3 DELINEATED WETLANDS

During the field survey on July 10, 11, 12, 13, 14, 24, 25, 26 and August 16, 17, and 23, 2023, AECOM delineated 30 PEM wetlands, three PUB wetlands, two PEM/PSS wetland complexes and one PEM/PSS wetland complex and one PUB/PFO wetland complex. Twenty-three wetlands were assigned ORAM Category 1, and 14 wetlands were assigned ORAM Category 2. No Category 3 wetlands were identified within the Project survey area. The AECOM delineation boundaries are provided on **Figures 2** and **3**.

AECOM has given four wetlands within the Project survey area a provisional determination of non-jurisdictional (isolated i.e., not WOTUS) and the remaining wetlands a provisional determination as jurisdictional (non-isolated i.e., WOTUS). Final jurisdictional status can only be determined by the USACE, and AECOM assessments are provisional. The locations and approximate extent of the wetlands identified within the Project survey area are shown on **Figure 3**. Details for each delineated wetland in the Project survey area are provided in **Table 3**. Completed USACE Data Form and photographs of the delineated wetlands are provided in **Appendix B.**

TABLE 3 – SUMMARY OF DELINEATED WETLANDS WITHIN THE PROECT SURVEY AREA

Wetland ID	Location		Isolated?	Habitat Type	Delineated Area (acre)	ORAM		Nearest Structure # (Existing / Proposed)	Existing Structure # in Wetland	Proposed Structure # in Wetland	Structure Installation Method	Proposed Impacts	
	Latitude	Longitude				Score	Category					Temporary Matting Area (acre)	Permanent Impact Area (acre)
W-MRK-002	40.097524	-82.027594	No	PEM	0.74	23	1	85A	None	TBD	TBD	TBD	TBD
W-MRK-003	40.096372	-82.026031	No	PEM	0.10	23	1	7	None	TBD	TBD	TBD	TBD
W-MRK-004	40.093965	-82.023367	No	PEM	0.34	19	1	84	None	TBD	TBD	TBD	TBD
W-MRK-005	40.093636	-82.022775	No	PEM	0.03	16	1	84	None	TBD	TBD	TBD	TBD
W-MRK-006	40.060746	-81.987951	No	PEM	0.04	20	1	72	None	TBD	TBD	TBD	TBD
W-MRK-007	40.066403	-81.992135	No	PEM	0.07	12	1	73	None	TBD	TBD	TBD	TBD
W-MRK-008	40.068956	-81.994132	No	PEM	0.34	16	1	74	None	TBD	TBD	TBD	TBD
W-MRK-009	40.069704	-81.994748	No	PEM	0.04	20	1	75	None	TBD	TBD	TBD	TBD
W-MRK-010	40.069779	-81.995085	No	PEM	0.02	20	1	75	None	TBD	TBD	TBD	TBD
W-MRK-011	40.071036	-81.995832	No	PEM	0.02	25	1	75	None	TBD	TBD	TBD	TBD
W-MRK-012	40.073544	-81.99911	No	PEM	0.03	12	1	77	None	TBD	TBD	TBD	TBD
W-MRK-013	40.075184	-82.000966	No	PEM	0.12	20	1	77	None	TBD	TBD	TBD	TBD
W-MRK-014	40.075902	-82.001822	No	PEM	0.12	28	1	78	None	TBD	TBD	TBD	TBD
W-MRK-015	40.080602	-82.007525	No	PEM	0.01	24	1	79	None	TBD	TBD	TBD	TBD
W-MRK-016	40.084324	-82.011773	No	PEM	0.10	22	1	81	None	TBD	TBD	TBD	TBD
W-TW-001	39.870346	-81.898676	No	PSS	0.89	43	2	3	3	TBD	TBD	TBD	TBD
	39.869947	-81.898673		PEM	0.75			3	3	TBD	TBD	TBD	TBD
W-TW-002	39.878695	-81.902635	No	PEM	0.05	41	2	7	None	TBD	TBD	TBD	TBD
W-TW-003	39.872777	-81.89888	No	PSS	1.97	48	2	4	4	TBD	TBD	TBD	TBD
	39.873333	-81.898941		PEM	0.17			4	4	TBD	TBD	TBD	TBD
W-TW-004	39.883848	-81.906471	Yes	PEM	0.02	41	2	8	None	TBD	TBD	TBD	TBD
W-TW-005	39.892989	-81.913146	No	PEM	1.20	56	2	10	None	TBD	TBD	TBD	TBD
W-TW-006	39.886803	-81.908556	Yes	PEM	0.05	46	2	9	None	TBD	TBD	TBD	TBD
W-TW-007	39.885887	-81.907902	Yes	PEM	0.02	56	2	9	None	TBD	TBD	TBD	TBD
W-TW-008	39.91888	-81.932354	No	PUB	0.23	23	1	21	None	TBD	TBD	TBD	TBD
W-TW-009	39.920528	-81.933712	No	PUB	0.09	25	1	22	None	TBD	TBD	TBD	TBD
W-TW-010	39.961169	-81.941216	No	PEM	0.11	42	2	37	None	TBD	TBD	TBD	TBD
W-TW-011	39.927391	-81.938693	No	PEM	0.29	29	1	25	None	TBD	TBD	TBD	TBD
W-TW-012	39.930938	-81.940498	No	PUB	0.07	55	2	26	None	TBD	TBD	TBD	TBD
	39.930768	-81.940693		PFO	0.03	55		26	None	TBD	TBD	TBD	TBD
W-TW-013	39.939617	-81.940296	No	PEM	0.22	64	2	29	None	TBD	TBD	TBD	TBD
W-TW-014	39.942359	-81.94019	No	PEM	1.37	45	2	30	None	TBD	TBD	TBD	TBD
W-TW-015	39.983553	-81.949899	Yes	PEM	0.10	33	1	45A	None	TBD	TBD	TBD	TBD
W-TW-016	39.978133	-81.947491	No	PEM	0.12	42	2	44	None	TBD	TBD	TBD	TBD

Wetland ID	Location		Isolated?	Habitat Type	Delineated Area (acre)	ORAM		Nearest Structure # (Existing / Proposed)	Existing Structure # in Wetland	Proposed Structure # in Wetland	Structure Installation Method	Proposed Impacts	
	Latitude	Longitude				Score	Category					Temporary Matting Area (acre)	Permanent Impact Area (acre)
W-TW-017	39.989354	-81.95246	No	PEM	1.07	39	2	48	None	TBD	TBD	TBD	TBD
W-TW-018	39.997598	-81.95631	No	PUB	0.23	30	1	51	None	TBD	TBD	TBD	TBD
W-WRL-001	40.020445	-81.965182	No	PEM	0.05	21	1	57	None	TBD	TBD	TBD	TBD
W-WRL-002	40.001993	-81.95831	No	PEM	1.29	23	1	52	None	TBD	TBD	TBD	TBD
W-WRL-003	40.03052	-81.969284	No	PSS	0.22	41	2	60	None	TBD	TBD	TBD	TBD
	40.03026	-81.969076	No	PEM	0.15								
W-WRL-004	40.046222	-81.979415	No	PEM	0.02	21	1	66	None	TBD	TBD	TBD	TBD
P-MRK-001	40.07003	-81.99516	No	Pond	0.05	N/A	N/A	N/A	None	TBD	TBD	TBD	TBD
P-MRK-002	40.03626	-81.97162	No	Pond	0.57	N/A	N/A	N/A	None	TBD	TBD	TBD	TBD
P-TW-001	39.96757	-81.94273	No	Pond	0.15	N/A	N/A	N/A	None	TBD	TBD	TBD	TBD
P-WRL-001	40.02966	-81.9688	No	Pond	1.06	N/A	N/A	N/A	None	TBD	TBD	TBD	TBD
P-WRL-002	40.02482	-81.96688	No	Pond	0.18	N/A	N/A	N/A	None	TBD	TBD	TBD	TBD
				Total:	**15.19**							**TBD**	**TBD**

3.2 STREAM DELINEATION

During the field survey on July 10, 11, 12, 13, 14, 24, 25, 26 and August 16, 17, and 23, 2023, AECOM identified 15 perennial, 30 intermittent, and ten ephemeral streams within the Project survey area. A summary of the delineated streams is provided below in **Table 4**. Photographs of the delineated stream resource are provided in **Appendix C**.

AECOM has provided a provisional determination that the delineated streams within the Project Survey Area appear to be jurisdictional (i.e., WOTUS), based on their observed or presumed confluence with downstream waters. Final jurisdictional status can only be determined by the USACE and AECOM assessments are provisional. A summary of the delineated features is provided in **Table 4**.

TABLE 4 - SUMMARY OF DELINEATED STREAMS WITHIN PROJECT SURVEY AREA

Stream ID	Location		Stream Type	Stream Name	Delineated Length (feet)	Bankfull Width (feet)	OHWM Width (feet)	Field Evaluation			Ohio EPA 401 Eligibility	Stream Crossing?	Proposed Impacts	
	Latitude	Longitude						Method	Score	Classification / Rating / OAC Designation			Fill Type	Area (acre)
S-MRK-002	40.09710	-82.02700	Intermittent	UNT to Muskingum River	366	5.5	5.5	HHEI	40	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-003	40.09689	-82.02613	Intermittent	UNT to Muskingum River	617	5.5	5.5	HHEI	40	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-004	40.09344	-82.02274	Perennial	UNT to Muskingum River	161	11.0	11	HHEI	67	Class III PHW	Ineligible	No	TBD	TBD
S-MRK-005	40.08999	-82.01866	Intermittent	UNT to Muskingum River	119	7.5	7.5	HHEI	41	Class II PHW	Ineligible	No	TBD	TBD
	40.08786	-82.01618	Intermittent	UNT to Muskingum River	210	7.5	6	HHEI	41	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-006	40.05991	-81.98728	Intermittent	UNT to Muskingum River	179	6.0	5	HHEI	42	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-007	40.06042	-81.98746	Intermittent	UNT to Muskingum River	267	5.0	12	HHEI	50	Class III PHW	Ineligible	No	TBD	TBD
S-MRK-008	40.06261	-81.98952	Perennial	UNT to Beech Run	26	12.0	5.5	HHEI	68	Class III PHW	Ineligible	No	TBD	TBD
S-MRK-009	40.06395	-81.99049	Ephemeral	UNT to Muskingum River	263	5.0	6	HHEI	29	Class I PHW	Ineligible	No	TBD	TBD
S-MRK-010	40.07204	-81.99720	Intermittent	UNT to Muskingum River	110	6.0	7	HHEI	33	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-011	40.07559	-82.00143	Intermittent	UNT to Muskingum River	192	7.0	5	HHEI	49	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-012	40.07610	-82.00198	Ephemeral	UNT to Muskingum River	552	5.0	8.5	HHEI	27	Class I PHW	Ineligible	No	TBD	TBD
S-MRK-013	40.07870	-82.00505	Perennial	UNT to Muskingum River	163	8.5	4	HHEI	51	Class III PHW	Ineligible	No	TBD	TBD
S-MRK-014	40.07923	-82.00567	Ephemeral	UNT to Muskingum River	335	4.0	13	HHEI	32	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-015	40.08041	-82.00717	Perennial	UNT to Muskingum River	215	13.0	3.5	HHEI	67	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-016	40.08237	-82.00953	Ephemeral	UNT to Muskingum River	117	3.5	5	HHEI	40	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-017	40.08335	-82.01071	Intermittent	UNT to Muskingum River	115	5.0	9.5	HHEI	38	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-018	40.08561	-82.01352	Intermittent	UNT to Muskingum River	74	9.5	3.5	HHEI	55	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-019	40.08672	-82.01465	Ephemeral	UNT to Muskingum River	206	3.5	3.5	HHEI	24	Class I PHW	Ineligible	No	TBD	TBD
S-MRK-020	40.08782	-82.01606	Intermittent	UNT to Muskingum River	108	3.5	5	HHEI	37	Class II PHW	Ineligible	No	TBD	TBD
S-MRK-021	40.03931	-81.97252	Intermittent	UNT to Muskingum River	146	5.0	5	HHEI	51	Class III PHW	Ineligible	No	TBD	TBD
S-MRK-022	40.09710	-82.02700	Intermittent	UNT to Muskingum River	366	5.0	7	HHEI	30	Modified Class II PHW	Ineligible	No	TBD	TBD
S-TW-001	39.86743	-81.89892	Intermittent	UNT to Salt Creek	139	7.0	1	HHEI	68	Modified Class III PHW	Ineligible	No	TBD	TBD
S-TW-002	39.87872	-81.90252	Intermittent	UNT to Salt Creek	132	1.0	3	HHEI	15	Modified Class I PHW	Ineligible	No	TBD	TBD
S-TW-003	39.87472	-81.89944	Intermittent	UNT to Salt Creek	60	3.0	1	HHEI	19	Class II PHW	Ineligible	No	TBD	TBD
S-TW-004	39.88326	-81.90590	Ephemeral	UNT to Flat Run	112	1.0	1	HHEI	14	Class I PHW	Possibly Eligible	No	TBD	TBD
S-TW-005	39.89651	-81.91576	Ephemeral	UNT to Boggs Creek	115	1.0	1.5	HHEI	6	Class I PHW	Ineligible	No	TBD	TBD
S-TW-006	39.88698	-81.90846	Ephemeral	UNT to Flat Run	4	1.5	3	HHEI	10	Class I PHW	Possibly Eligible	No	TBD	TBD
S-TW-007	39.90930	-81.92530	Intermittent	UNT to Boggs Creek	162	3.0	1.5	HHEI	25	Class II PHW	Eligible	No	TBD	TBD

Stream ID	Location		Stream Type	Stream Name	Delineated Length (feet)	Bankfull Width (feet)	OHWM Width (feet)	Field Evaluation			Ohio EPA 401 Eligibility	Stream Crossing?	Proposed Impacts	
	Latitude	Longitude						Method	Score	Classification / Rating / OAC Designation			Fill Type	Area (acre)
S-TW-008	39.90859	-81.92482	Intermittent	UNT to Boggs Creek	206	1.5	7	HHEI	15	Class II PHW	Eligible	No	TBD	TBD
S-TW-009	39.90789	-81.92421	Intermittent	UNT to Boggs Creek	187	7.0	2	HHEI	22	Class II PHW	Eligible	No	TBD	TBD
S-TW-010	39.90382	-81.92120	Intermittent	UNT to Boggs Creek	126	2.0	5.5	HHEI	13	Class I PHW	Eligible	No	TBD	TBD
S-TW-011	39.90033	-81.91858	Perennial	UNT to Boggs Creek	138	5.5	2	HHEI	62	Class II PHW	Eligible	No	TBD	TBD
S-TW-012	39.91188	-81.92724	Intermittent	UNT to Boggs Creek	207	2.0	8	HHEI	12	Class I PHW	Eligible	No	TBD	TBD
S-TW-013	39.91397	-81.92874	Perennial	UNT to Boggs Creek	161	8.0	1	HHEI	55	Class II PHW	Eligible	No	TBD	TBD
S-TW-014	39.92073	-81.93367	Ephemeral	UNT to Boggs Creek	95	1.0	3	HHEI	23	Class I PHW	Eligible	No	TBD	TBD
S-TW-015	39.92112	-81.93398	Ephemeral	UNT to Boggs Creek	339	3.0	12	HHEI	41	Class II PHW	Eligible	No	TBD	TBD
S-TW-016	39.92685	-81.93828	Perennial	UNT to Boggs Creek	117	12.0	1	HHEI	80	Class II PHW	Eligible	No	TBD	TBD
S-TW-017	39.96286	-81.94127	Intermittent	UNT to Boggs Creek	133	1.0	2	HHEI	21	Class II PHW	Eligible	No	TBD	TBD
S-TW-018	39.93406	-81.94048	Intermittent	UNT to Boggs Creek	128	2.0	3	HHEI	13	Class I PHW	Eligible	No	TBD	TBD
S-TW-019	39.94185	-81.94024	Perennial	UNT to Boggs Creek	221	3.0	13	HHEI	26	Class I PHW	Eligible	No	TBD	TBD
S-TW-020	39.93739	-81.94040	Perennial	UNT to Boggs Creek	148	13.0	4	HHEI	47	Modified Class II PHW	Eligible	No	TBD	TBD
S-TW-021	39.98039	-81.94829	Intermittent	UNT to Muskingum River	77	4.0	3	HHEI	15	Modified Class I PHW	Ineligible	No	TBD	TBD
S-TW-022	39.97835	-81.94755	Perennial	UNT to Muskingum River	119	3.0	4.5	HHEI	53	Class II PHW	Ineligible	No	TBD	TBD
S-TW-023	39.97209	-81.94467	Perennial	UNT to Little Salt Creek	149	4.5	16	HHEI	47	Class III PHW	Eligible	No	TBD	TBD
S-TW-024 x1	39.87133	-81.89877	Perennial	Salt Creek	116	N/A	N/A	Chapter 3745-1	N/A	WWH	Ineligible	No	TBD	TBD
S-TW-024 x2	39.87016	-81.89865	Perennial	Salt Creek	330	N/A	N/A	Chapter 3745-1	N/A	WWH	Ineligible	No	TBD	TBD
S-TW-025	39.86540	-81.90303	Perennial	Muskingum River	233	N/A	N/A	Chapter 3745-1	N/A	WWH	Ineligible	No	TBD	TBD
S-TW-026	39.89255	-81.91243	Perennial	Indian Run	340	N/A	N/A	Chapter 3745-1	N/A	WWH	Eligible	No	TBD	TBD
S-WRL-001	40.02166	-81.96577	Perennial	Blount Run	159	N/A	N/A	Chapter 3745-1	N/A	WWH	Ineligible	No	TBD	TBD
S-WRL-002	40.01746	-81.96407	Intermittent	UNT to Blount Run	307	10.8	2	HHEI	60	Class II PHW	Ineligible	No	TBD	TBD
S-WRL-003	40.01307	-81.96224	Intermittent	UNT to Blount Run	385	2.9	3	HHEI	41	Class II PHW	Ineligible	No	TBD	TBD
S-WRL-004	40.00955	-81.96098	Intermittent	UNT to Muskingum River	121	3.0	3	HHEI	40	Class II PHW	Ineligible	No	TBD	TBD
S-WRL-005	40.00849	-81.96068	Intermittent	UNT to Muskingum River	486	2.0	2	HHEI	55	Modified Class II PHW	Ineligible	No	TBD	TBD
S-WRL-006	40.03078	-81.96943	Intermittent	UNT to Muskingum River	209	1.5	4	HHEI	60	Modified Class II PHW	Ineligible	No	TBD	TBD
S-WRL-007	40.05005	-81.98281	Perennial	UNT to Muskingum River	131	N/A	N/A	Chapter 3745-1	N/A	WWH	Ineligible	No	TBD	TBD
S-WRL-008	40.04410	-81.97596	Intermittent	UNT to Beech Run	145	20.0	4	HHEI	66	Modified Class II PHW	Ineligible	No	TBD	TBD
				Total:	**11,144**									**TBD**

3.2.1 OEPA STREAM ELIGIBILITY

The Project occurs across eight watersheds, designated by 401 WQC eligibility, as listed in **Table 5**. Two watersheds are listed as "eligible", two as "possible eligible" and the other four as "ineligible." OEPA stream eligibility mapping for the Project vicinity is provided on **Figure 4**.

TABLE 5 – SUMMARY OF WATERSHED 401 WQC ELIGIBILITY WITHIN THE PROJECT SURVEY AREA

HUC-12	Watershed	401 WQC Eligibility	Number of Stream Assessments
050400040302	Monroe Basin-Muskingum River	Ineligible	0
050400040305	Blount Run-Muskingum River	Ineligible	31
050400040305	Blount Run-Muskingum River	Possibly Eligible	0
050400040601	Little Salt Creek	Eligible	1
050400040606	Outlet Salt Creek	Ineligible	4
050400040802	Flat Run-Muskingum River	Possibly Eligible	2
050400040604	Boggs Creek	Eligible	17
050400040803	Duncan Run-Muskingum River	Ineligible	0
050400040802	Flat Run-Muskingum River	Ineligible	0
		Total	**55**

3.3 FEMA 100 YEAR FLOODPLAINS

Mapped FEMA designated 100-year floodplains and floodways are displayed on **Figure 2**. Multiple regulated FEMA 100-year floodplains and FEMA regulated floodways are located within the Project survey area (FEMA, 2010).

3.4 PONDS

During the field surveys, AECOM identified five ponds within the Project survey area. A summary of ponds identified within the Project survey area is provided in **Table 3** and photographs of each feature are provided within **Appendix D**.

3.5 UPLAND DRAINAGE FEATURES PONDS

During the field survey, 30 UDFs were identified within the Project survey area. The extent of the UDFs is displayed on **Figures 2 and 3** and photographs are provided within **Appendix E**.

3.6 VEGETATIVE COMMUNITIES

AECOM ecologists conducted a general habitat survey in conjunction with the stream and wetland field surveys. As described in **Table 6**, below, the Project area contains landscaped area, urban, old field, pasture/hay fields, scrub-shrub, agricultural row crops, woodland and wetlands/streams. Habitat descriptions applicable to the Project are provided below. Vegetative communities are depicted visually on aerial photography in **Figure 5**. Representative photographs of the vegetative communities in the Project survey area are provided as **Appendix F**.

TABLE 6 - VEGETATIVE COMMUNITIES WITHIN THE PROJECT SURVEY AREA

Vegetative Community	Description	Approximate Acreage Within the Project Survey Area	Approximate Percentage Within the Project Survey Area
Agricultural Row Crops	Grassland and/or herbaceous cover alongside roads, field borders, and abandoned fields, as the initial stages of recolonization by plants following disturbance, and are infrequently mowed areas dominated by grasses, forbs, and occasional woody species. This community type is typically short-lived, giving way progressively to shrub and forest communities unless periodically re-disturbed, in which case they remain as old fields.	11.4	5.5%
Landscaped Area	Landscaped areas, including residential properties and commercial properties, were observed within the Project vicinity. These landscaped areas within the Project survey area and adjacent areas are frequently mowed grasses and forbs.	16.8	7.6%
Old Field	Grassland and/or herbaceous cover alongside roads, field borders, and abandoned fields, as the initial stages of recolonization by plants following disturbance, and are infrequently mowed areas dominated by grasses, forbs, and occasional woody species. This community type is typically short-lived, giving way progressively to shrub and forest communities unless periodically re-disturbed, in which case they remain as old fields.	13.4	6.1%
Pasture/Hay Fields	Shrub-Scrub habitats represent the successional stage between old-field and second growth forest, and often emerge in recently harvested forests responding to the lightness of the remaining canopy. Dominant species consist of herbaceous communities similar to that of old field habitat with 30% or greater coverage of woody species that are not trees (including sapling trees generally <3” dbh and <20’ in height).	58.9	26.4%
Scrub Shrub	Scrub-shrub habitats represent the successional stage between old-field and second growth forest, and often emerge in recently harvested forests responding to the lightness of the remaining canopy. Dominant species consist of herbaceous communities similar to that of old field habitat with 30% or greater coverage of woody species that are not trees (including sapling trees generally <3” dbh and <20’ in height).	87.9	40.0%

Vegetative Community	Description	Approximate Acreage Within the Project Survey Area	Approximate Percentage Within the Project Survey Area
Urban	Urban areas are areas developed with residential and commercial land uses, including roads, buildings and parking lots. These areas are generally devoid of significant woody and herbaceous vegetation.	13.8	6.3%
Wetlands/Streams	Streams and wetlands were observed both within and beyond the survey area for the Project.	15.2	6.9%
Woodland	Woodlands (floodplain, upland, successional-mixed, etc) are present along the Project survey area. Woody species dominating these areas included Box elder (*Acer negundo*), Red maple (*Acer rubrum*), and Black Walnut (*Juglans nigra*)	2.7	1.2%
	Totals:	**220**	**100%**

3.7 RARE, THREATENED AND ENDANGERED SPECIES AGENCY COORDINATION

Protected Species Agency Consultation –

On December 8, 2022, coordination letters were sent to USFWS and the ODNR Ohio Natural Heritage Program (ONHP) and Division of Wildlife (DOW), seeking an environmental review for the Project for potential impacts to threatened and endangered species.

Responses were received from the USFWS on January 26, 2023, and from the ODNR on January 10, 2023. According to a response letter received from the USFWS, two federally listed bat species were identified within range of the Project area. Regarding state threatened and endangered species that may occur within the Project vicinity, 19 species were listed by the ODNR.

Correspondence letters from the USFWS and ODNR for Project are included as **Appendix G. Table 7** provides a list of species of concern identified by the agencies as potentially occurring within the vicinity of the Project. Photographs of the habitat within the Project area are provided as **Appendix F**.

TABLE 7
ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA

Common Name (Scientific Name)	State Status	Federal Status	Typical Habitat	Habitat Observed	Avoidance Dates	Agency Comments	Potential Impacts
Mammals							
Indiana Bat (*Myotis sodalis*)	Endangered	Endangered	Summer habitat During spring/summer, this bat species roost in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. Hibernaculum(a) During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitat Within the Project survey area, trees were identified along edge of existing right-of-way that may provide suitable habitat for the species. Hibernaculum(a) No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project. Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance)*.	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). Hibernaculum(a) The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat Potential summer roosting habitat is present within the Project area and seasonal tree clearing, between October 1 and March 31, is recommended. Hibernaculum(a) No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
Northern Long-eared Bat (*Myotis septentrionalis*)	Endangered	Endangered	Summer habitat During spring/summer, this bat species roost in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. Hibernaculum(a) During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitat Within the Project survey area, trees were identified along edge of existing right-of-way that may provide suitable habitat for the species. Hibernaculum(a) No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project. Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance)*.	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). Hibernaculum(a) The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat Potential summer roosting habitat is present within the Project area and seasonal tree clearing, between October 1 and March 31, is recommended. Hibernaculum(a) No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
Little brown bat (*Myotis lucifugus*)	Endangered	NA	Summer habitat During spring/summer, this bat species roost in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. Hibernaculum(a) During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitat Within the Project survey area, trees were identified along edge of existing right-of-way that may provide suitable habitat for the species. Hibernaculum(a) No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project. Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance)*.	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). Hibernaculum(a) The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat Potential summer roosting habitat is present within the Project area and seasonal tree clearing, between October 1 and March 31, is recommended. Hibernaculum(a) No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.

TABLE 7
ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA

Common Name (Scientific Name)	State Status	Federal Status	Typical Habitat	Habitat Observed	Avoidance Dates	Agency Comments	Potential Impacts
Tricolored bat (*Perimyotis subflavus*)	Endangered	Proposed	Summer habitat During spring/summer, this bat species roost in trees behind loose, exfoliating bark, in crevices and cavities, or in leaves. Hibernaculum(a) During winter, this species hibernates in humid mines, caves, and occasionally man-made structures.	Summer habitat Within the Project survey area, trees were identified along edge of existing right-of-way that may provide suitable habitat for the species. Hibernaculum(a) No mine openings and/or known caves are located within 0.25 miles of Project area and USFWS did not identify known hibernacula within 5-miles of the Project. Field evaluations did not identify any potential hibernaculum(a) within the Project area (2023 Joint Guidance)*.	April 1 – September 30	Summer habitat ODNR and USFWS recommends adherence to Avoidance Dates for Tree Clearing Activities (April 1 – September 30). Hibernaculum(a) The ODNR DOW recommends a desktop habitat assessment to be conducted to identify potential hibernacula within 0.25 miles of the Project area. If habitat assessment finds potential hibernaculum within 0.25 miles, a revised seasonal tree clearing restriction (March 15 to November 15) is recommended (2023 Joint Guidance)*. If absence or no tree cutting or subsurface impacts are proposed, the Project is not likely to impact this species.	Summer habitat Potential summer roosting habitat is present within the Project area and seasonal tree clearing, between October 1 and March 31, is recommended. Hibernaculum(a) No impacts to winter hibernacula were identified due to absence of caves, mines, or portals within 0.25-miles of the Project.
Amphibians							
Eastern Hellbender (Cryptobranchus	Endangered	Species of Concern	Perennial Streams with large flat rocks	Yes, multiple perennial streams with flat rocks were observed within the study area, and no in-water work is proposed	N/A	If in-water work is proposed in the Muskingum River or Salt Creek, the DOW requires a habitat suitability survey. .	No in-water work is proposed in the Muskingum River or Salt Fork; therefore, no further coordination required.
Eastern spadefoot toad (*Scaphiopus holbrookii*)	Endangered	None	This species is limited to soft, sandy soils in riverine flood plains and is isolated to the flood plains of the Ohio, Hocking, Muskingum, and Scioto Rivers. Breeding habitats may include flooded agricultural fields or other water holding depressions.	Yes, multiple water holding depressions with sandy soils were observed within the study area, and no in-water work is proposed	N/A	Due to the location, the type of habitat within the Project area, and the type of work proposed, this Project is not likely to impact this species.	No
Fish							
Northern madtom (Noturus stigmosus)	Endangered	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	March 15 – June 30	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
American eel (Anguilla rostrata)	Threatened	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	March 15 – June 30	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Mountain madtom (Noturus eleutherus)	Threatened	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	March 15 – June 30	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Blue sucker (Cycleptus elongatus)	Threatened	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	March 15 – June 30	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Paddlefish (Polydon spathula)	Threatened	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	March 15 – June 30	If no in-water work is proposed, impacts to this species are not likely.	No in-water work is proposed; therefore, no further coordination required.

TABLE 7
ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA

Common Name (Scientific Name)	State Status	Federal Status	Typical Habitat	Habitat Observed	Avoidance Dates	Agency Comments	Potential Impacts
Channel darter (Percina copelandi)	Threatened	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	March 15 – June 30	If no in-water work is proposed, impacts to this species are not likely.	No in-water work is proposed; therefore, no further coordination required.
Mussels							
Fanshell (Cyprogenia stegaria)	Endangered	Endangered	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely.	No in-water work is proposed; therefore, no further coordination required.
Snuffbox (Eplioblasma triquetra)	Endangered	Endangered	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Sheepnose (Plethobasus cyphyus)	Endangered	Endangered	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Rabbitsfoot (Quadrula cylindrica)	Threatened	Threatened	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Long-Solid (Fusconaia maculate)	Endangered	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Sharp-ridged pocketbook (Lampsilis ovata)	Endangered	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Ohio pigtoe (Pleurobema cordatum)	Endangered	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Wartyback (Quadrula nodulata)	Endangered	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.
Salamander Mussel (Simpsonaias ambigua)	Threatened	None	Perennial Streams	Yes, multiple perennial streams observed within the study area, and no in-water work is proposed	N/A	If no in-water work is proposed, impacts to this species are not likely	No in-water work is proposed; therefore, no further coordination required.

TABLE 7
ODNR AND USFWS LISTED SPECIES WITHIN THE PROJECT SURVEY AREA

Common Name (Scientific Name)	State Status	Federal Status	Typical Habitat	Habitat Observed	Avoidance Dates	Agency Comments	Potential Impacts
Birds							
Northern Harrier (*Circus hudsonius*)	Endangered	None	This species hunts over grasslands and nests can be found in large marshes and grasslands of 2-acres or greater in size.	Yes, several pasture/hay fields > 2 acres in size were identified within the Project survey area (See Figure 5).	April 15 - July 31	Habitat should be avoided during the bird's nesting period between April 15 through July 31. If habitat will not be impacted, this Project will not likely impact species.	Potential habitat should be avoided during the nesting period, unless coordinated with ODNR.

*2023 Joint Guidance – Refers to the 2023 ODNR DOW and USFWS Joint Guidance for Bat Surveys and Tree Clearing, a copy of the guidance is provided within **Appendix H** of this memo.

Protected Species Agency Summary –

Based on general observations during the ecological field survey, forested areas were only identified along the edge of the existing rights-of-way and tree clearing is not anticipated to be required for this Project. If tree clearing were to become part of the Project scope of work, the ODNR and the USFWS recommends implementations of seasonal tree clearing between October 1 and March 31 to avoid adverse effects to Indiana bat, northern long-eared bat, little brown bat, and tricolored bat. If trees must be cut during the summer months, the ODNR recommends that a mist net survey could be completed between June 1 and August 15. If summer tree clearing is needed, additional coordination will be completed with the ODNR and the USFWS.

AECOM completed a desktop review for potential hibernaculum in accordance with the 2023 Ohio ODNR DOW and the USFWS Joint Guidance for Bat Surveys and Tree Clearing within 0.25 miles of the Project area and no caves, mines, and/or karst features were identified. As per ODNR and USFWS guidance, further coordination regarding potential hibernaculum is only necessary if the habitat assessment finds potential habitat within 0.25 miles of the Project survey area. Therefore, no further coordination is necessary with either the ODNR and/or the USFWS regarding the listed bat species. Results of the desktop habitat assessment are included in **Appendix A**.

No impacts are anticipated to occur to any fish species, mussel, or amphibian species as no in-water work is proposed as part of the Project.

The ODNR has provided guidance that open grasslands and wet meadow marshes, at a minimum of 2 acres, should be considered potential nesting habitat for the northern harrier. The Project Area is situated just east of the city of Zanesville and the general surrounding landscape is heavily dominated by large agricultural fields and/or grazing pastures, interspersed with woodland habitat. Six fields that meet ODNR's definition were identified within the Project survey area and assessed as follows:

- Immediately south of existing structure 14, on the south side of Mast Road, is an approximately 20-acre Pasture/Hay Field tightly bordered by wooded habitat on nearly all sides (Figure 5, Sheet 43 of 49). This field is considered unlikely to provide favorable nesting conditions due to the proximity of the forested edges, thus creating the “edge effect”, which increases the chances of nest predation.

- An approximately 58-acre Pasture/Hay field is present near existing structures 15-16 (Figure 5, Sheet 41-42 of 49). The field is loosely surrounded by wooded habitat. This area may provide suitable nesting habitat.

- Near existing structure 20, an approximately 13-acre field with old field habitat is present (Figure 5, Sheet 11 of 49) and bordered on all sides by wooded habitat. Additionally, the field is intersected by a private drive. Due to the field being closely bordered by wooded habitat, which increases chances of nest predation, and the proximity to residential features, it is considered unlikely to provide suitable nesting conditions.

- An approximately 20-acre Pasture/Hay field is present near existing structure 42 (Figure 5, Sheet 39 of 49). The field is bordered by Adamsville Road to the north, wooded habitat to the east and south, and residential property/structures to the west. Based on aerial imagery and review of photographs captured during the field visit, the field appears to be rather heavily grazed. Therefore, due to the proximity to residential disturbances and the apparent heavy grazing regime, the area is considered unlikely to provide suitable nesting opportunities.

- An approximately 40-acre field with old field habitat is present near existing structures 48-49 (Figure 5, Sheet 23 of 49). Based on aerial review, the eastern portion of the field, outside of the Project study area, appears to possess a maintenance regime, such as mowing. The field is bordered by agricultural land to the north and west, and commercial development to the south and east. Due to the proximity to commercial disturbances and the apparent maintenance regime within a large portion of the field, the area is considered unlikely to provide suitable nesting opportunities.

- A large, approximately 128-acre, Pasture/Hay Field is present near existing structure 52 and possesses connectivity to several other large open fields to the east (Figure 5, Sheets 20-22 of 49). This area may provide suitable nesting habitat.

4.0 SUMMARY

The ecological survey of the Project survey area identified 37 wetlands, 55 streams, 30 upland drainage features, and five ponds. Twenty-three wetlands were assigned ORAM Category 1, and 14 wetlands were assigned ORAM Category 2. AECOM identified 15 perennial, 30 intermittent, and ten ephemeral streams within the Project survey area. AECOM has preliminary determined that the assessed streams and wetlands within the Project survey area appear to be jurisdictional (i.e., WOTUS).

The reported results of the ecological survey conducted by AECOM on this Project are limited to the areas within the Project survey area provided in **Figure 3**. Areas that fall outside of the Project survey area were not evaluated in the field and not included in the reporting of the survey.

Of the 22 state and/or federally listed threatened and endangered species within range of the Project survey area, none of the species or their critical habitat were identified for the fish or the bird species. Trees along the edge of the existing right-of-way may provide suitable habitat for the bat species; however, no tree clearing is anticipated to be required for this Project. Therefore, no further coordination is anticipated to be required to the USFWS and/or ODNR.

The field survey results presented herein apply to the existing and reasonably foreseeable site conditions at the time of our assessment. They cannot apply to site changes of which AECOM is unaware and has not had the opportunity to review. Changes in the condition of a property may occur with time due to natural processes or human impacts at the project site or on adjacent properties. Changes in applicable standards may also occur as a result of legislation or the expansion of knowledge over time. Accordingly, the findings of this report may be invalidated, wholly or in part, by changes beyond the control of AECOM.

5.0 REFERENCES

Cowardin, L.M., V. Carter, F.C. Golet and E.T. LaRoe. 1979. *Classification of Wetlands and Deepwater Habitats of the United States.* Office of Biological Services, U.S. Fish and Wildlife Service, Washington, D.C.

Environmental Laboratory. 1987. *United States. Corps of Engineers Wetlands Delineation Manual.* Technical Report Y-87-1, U.S. Army Engineer Waterways Experiment Station: Vicksburg, Mississippi.

Federal Emergency Management Agency. 2018. National Flood Hazard Layer, Licking & Franklin County, Ohio. https://msc.fema.gov/portal. Published July 6, 2010.

Mack, John J. 2001. *Ohio Rapid Assessment Method for Wetlands v. 5.0, User's Manual and Scoring Forms. OEPA Technical Report WET/2001-1*. Ohio Environmental Protection Agency, Division of Surface Water, 401/Wetland Ecology Unit, Columbus, Ohio.

Ohio Department of Transportation. 2014. Roadway Ditch Characterization Flowchart. From: Ecological Manual, April 2014. Office of Environmental Services.

Ohio Division of Wildlife and United States Fish and Wildlife Service (USFWS) (OH-Field Office). 2023. Joint Guidance for Bat Surveys and Tree Clearing. Published May 2023.

Ohio Environmental Protection Agency (OEPA). 2017. Section 401 Water Quality Certification for the 2017 Nationwide Permits. Appendix D Stream Eligibility Determination Process. Effective March 17, 2017. Ohio Environmental Protection Agency, Division of Surface Water, 401 Water Quality Certification and Isolated Wetland Permitting Section, Columbus, Ohio.

OEPA. 2017. 401 Water Quality Certification for the Nationwide Permits Stream Eligibility Web Map (2017 Reissuance). https://data-oepa.opendata.arcgis.com/datasets/401-water-quality-certification-for-nationwide-permits

OEPA. 2020. *Field Methods for Evaluating Primary Headwater Streams in Ohio*. Version 4.1. Ohio EPA Division of Surface Water, Columbus, Ohio. May 2020. 130 pp.

Rankin, Edward T. 1989. *The Qualitative Habitat Evaluation Index (QHEI*): *Rationale, Methods, and Application*. Ohio EPA Ecological Assessment Section, Division of Surface Water, Columbus, Ohio.

Rankin, Edward T. 2006. *Methods for Assessing Habitat in Flowing Waters: Using the Qualitative Habitat Evaluation Index (QHEI)*. OEPA Ecological Assessment Section, Division of Surface Water, Columbus, Ohio.

United States Army Corps of Engineers (USACE). 2005. Regulatory Guidance Letter No. 05-05: Guidance on Ordinary High Water Mark Identification.

U.S. Army Corps of Engineers. 2012. *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountain and Piedmont Region (Version 2.0)*, ed. J. S. Wakeley, R. W. Lichvar, J. F. Berkowitz, and C. V. Noble. ERDC/EL TR-12-9. Vicksburg, MS: U.S. Army Engineer Research and Development Center.

USACE. 2020. *National Wetland Plant List*, version 3.5. Engineer Research and Development Center. Cold Regions Research and Engineering Laboratory, Hanover, NH. http://wetland_plants.usace.army.mil/

United States Department of Agriculture (USDA) Natural Resources Conservation Service (NRCS). 2023a. National Hydric Soils List. http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/use/hydric/. Accessed December 2023.

USDA, NRCS. 2023b. Web Soil Survey (GIS Shapefile). http://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm. Accessed December 2023.

USFWS. 2023. National Wetlands Inventory Geodatabase for Ohio. Available online at http://www.fws.gov/wetlands/Data/Mapper.html. Accessed December 2023.

United States Geological Survey. 2016. National Hydrography Dataset, Ohio Statewide Geodatabase. Published August 2016. Earth Science Information Center, USGS, Reston, VA.

JACKSON TOWNSHIP
CASS TOWNSHIP
JEFFERSON TOWNSHIP
ADAMS TOWNSHIP
MONROE TOWNSHIP
LICKING COUNTY
40.097881
-82.02803
MADISON TOWNSHIP
Toboso
LICKING TOWNSHIP
Dresden
MUSKINGUM TOWNSHIP
Adamsville
Otsego
Bloomfield
SALEM TOWNSHIP
HIGHLAND TOWNSHIP
WASHINGTON TOWNSHIP
FALLS TOWNSHIP
MUSKINGUM COUNTY
PERRY TOWNSHIP
UNION TOWNSHIP
HOPEWELL TOWNSHIP
Zanesville East
New Concord
Gratiot
Zanesville West
Norwich
SPRINGFIELD TOWNSHIP
PERRY COUNTY
WAYNE TOWNSHIP
SALT CREEK TOWNSHIP
RICH HILL TOWNSHIP
MADISON TOWNSHIP
NEWTON TOWNSHIP
39.865325
-81.903612
BRUSH CREEK TOWNSHIP
Philo
HARRISON TOWNSHIP
Ruraldale
Cumberland
Fultonham
Crooksville
BLUE ROCK TOWNSHIP



Legend

- Ohio Philo Transmission Line
- Ohio USGS 7.5' Topographic Quadrangle
- Township Boundary
- County Boundary

N

0 5,000 10,000 20,000

Feet

Philo - Ohio Central 138kV Project

FIGURE 1
PROJECT OVERVIEW

DATE: 12/12/2023	1 INCH = 10,000 FEET
CREATED BY: AJH	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/7/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig1.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfB: Alford silt loam, 2 to 8 percent slopes

AfC2: Alford silt loam, 8 to 15 percent slopes, eroded

BeD2: Berks channery silt loam, 15 to 25 percent slopes, eroded

CsD: Coshocton silt loam, 15 to 25 percent slopes

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

FcA: Fitchville silt loam, 0 to 3 percent slopes

GfC2: Glenford silt loam, 8 to 15 percent slopes

Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 1 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BkF: Berks-Westmoreland complex, 40 to 70 percent slopes

CsD: Coshocton silt loam, 15 to 25 percent slopes

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

GdC2: Gilpin silt loam, 8 to 15 percent slopes

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 2 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- NFHL Floodway (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BkF: Berks-Westmoreland complex, 40 to 70 percent slopes

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

GdB: Gilpin silt loam, 3 to 8 percent slopes

GdC2: Gilpin silt loam, 8 to 15 percent slopes

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 3 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- NFHL Floodway (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BkF: Berks-Westmoreland complex, 40 to 70 percent slopes

Cb: Chagrin loam, rarely flooded

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

KeB: Keene silt loam, 3 to 8 percent slopes

McD2: Markland-Glenford complex, 15 to 35 percent slopes, eroded

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

WhC2: Wellston silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 4 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- NFHL Floodway (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BkF: Berks-Westmoreland complex, 40 to 70 percent slopes

Cb: Chagrin loam, rarely flooded

CsD: Coshocton silt loam, 15 to 25 percent slopes

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

GfB: Glenford silt loam, 3 to 8 percent slopes

McD2: Markland-Glenford complex, 15 to 35 percent slopes, eroded

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

RoF: Rodman gravelly sandy loam, 25 to 70 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 5 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- Delineated Pond
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

Bhk4F: Bethesda channery silt loam, 25 to 70 percent slopes, unreclaimed, highwall

BkF: Berks-Westmoreland complex, 40 to 70 percent slopes

CsD: Coshocton silt loam, 15 to 25 percent slopes

KeC2: Keene silt loam, 6 to 15 percent slopes, eroded

WtC2: Westmoreland silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 6 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	[redacted]

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- Delineated Pond
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BhPXF: Bethesda-Pits, surface mine complex, 8 to 25 percent slopes, unreclaimed

Bhk4F: Bethesda channery silt loam, 25 to 70 percent slopes, unreclaimed, highwall

CsD: Coshocton silt loam, 15 to 25 percent slopes

KeC2: Keene silt loam, 6 to 15 percent slopes, eroded

WtC2: Westmoreland silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 7 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BhPXF: Bethesda-Pits, surface mine complex, 8 to 25 percent slopes, unreclaimed

CsD: Coshocton silt loam, 15 to 25 percent slopes

KeC2: Keene silt loam, 6 to 15 percent slopes, eroded

WhC2: Wellston silt loam, 8 to 15 percent slopes

WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 8 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 9 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfB: Alford silt loam, 2 to 8 percent slopes

AfC2: Alford silt loam, 8 to 15 percent slopes, eroded

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 10 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd

UDF-WRL-014
Str 68
Str 67
UDF-WRL-015
S-WRL-006
Intermittent
050400040305
Blount
Run-Muskingum River
MUSKINGUM
TOWNSHIP
MUSKINGUM
COUNTY
AfB
AfC2
BeE
Me
WhC2
WuD2
AaC2
ChB
Uh



Legend

- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AaC2: Aaron silt loam, 8 to 15 percent slopes, eroded

AfB: Alford silt loam, 2 to 8 percent slopes

AfC2: Alford silt loam, 8 to 15 percent slopes, eroded

ChB: Chili gravelly loam, 3 to 8 percent slopes

Uh: Udorthents, sandy-skeletal, steep

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 11 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- NFHL Floodway (FEMA)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BkF: Berks-Westmoreland complex, 40 to 70 percent slopes

ChB: Chili gravelly loam, 3 to 8 percent slopes

Tf: Tioga fine sandy loam, occasionally flooded

Uh: Udorthents, sandy-skeletal, steep

W: Water

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 12 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- NFHL 100-Year Floodplain (FEMA)
- NFHL Floodway (FEMA)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BkF: Berks-Westmoreland complex, 40 to 70 percent slopes

Tf: Tioga fine sandy loam, occasionally flooded

W: Water

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 13 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated Pond
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CsD: Coshocton silt loam, 15 to 25 percent slopes

GfB: Glenford silt loam, 3 to 8 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 14 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- Delineated PSS Wetland
- Delineated Pond
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

GfB: Glenford silt loam, 3 to 8 percent slopes

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

RaB: Rawson silt loam, 2 to 6 percent slopes

RhE: Rigley-Coshocton complex, 25 to 40 percent slopes

W: Water

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 15 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated Pond
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BeD2: Berks channery silt loam, 15 to 25 percent slopes, eroded

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

RaB: Rawson silt loam, 2 to 6 percent slopes

RfC: Rigley loam, 8 to 15 percent slopes

RgD: Rigley channery loam, 15 to 25 percent slopes

RhE: Rigley-Coshocton complex, 25 to 40 percent slopes

W: Water

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 16 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- Delineated Pond
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfC2: Alford silt loam, 8 to 15 percent slopes, eroded

KeC2: Keene silt loam, 6 to 15 percent slopes, eroded

Lk: Lindside silt loam, 0 to 3 percent slopes, occasionally flooded

RfC: Rigley loam, 8 to 15 percent slopes

RgD: Rigley channery loam, 15 to 25 percent slopes

RhE: Rigley-Coshocton complex, 25 to 40 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 17 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfC2: Alford silt loam, 8 to 15 percent slopes, eroded

Bhk4B: Bethesda channery silt loam, 0 to 8 percent slopes, unreclaimed, highwall

Bhs4F: Bethesda channery silt loam, 25 to 70 percent slopes, unreclaimed

CsD: Coshocton silt loam, 15 to 25 percent slopes

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

KeC2: Keene silt loam, 6 to 15 percent slopes, eroded

RgD: Rigley channery loam, 15 to 25 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 18 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

RgD: Rigley channery loam, 15 to 25 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 19 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtC2: Westmoreland silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 20 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

Uk: Udorthents-Pits complex

WtC2: Westmoreland silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 21 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Project Survey Area
- HUC 12 (USGS)
- Delineated PUB Wetland
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

FaB: Fairpoint silty clay loam, 1 to 15 percent slopes

Uk: Udorthents-Pits complex

WhB: Wellston silt loam, 3 to 8 percent slopes

WtC2: Westmoreland silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 22 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Structure
- Ohio Philo Transmission Line
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

FaB: Fairpoint silty clay loam, 1 to 15 percent slopes

Ud: Udorthents, loamy, hilly

WhB: Wellston silt loam, 3 to 8 percent slopes

ZnB: Zanesville silt loam, 3 to 8 percent slopes

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 23 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PUB Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

FaB: Fairpoint silty clay loam, 1 to 15 percent slopes

WhB: Wellston silt loam, 3 to 8 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 24 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

KeB: Keene silt loam, 3 to 8 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 25 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

Bhv1B: Bethesda silt loam, 0 to 8 percent slopes, reclaimed

FaD: Fairpoint silty clay loam, 15 to 25 percent slopes

GfC2: Glenford silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 26 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfB: Alford silt loam, 2 to 8 percent slopes

GfC2: Glenford silt loam, 8 to 15 percent slopes

Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

ZnB: Zanesville silt loam, 3 to 8 percent slopes

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 27 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated Pond
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

ZnB: Zanesville silt loam, 3 to 8 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 28 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfB: Alford silt loam, 2 to 8 percent slopes

Bhs4F: Bethesda channery silt loam, 25 to 70 percent slopes, unreclaimed

FaB: Fairpoint silty clay loam, 1 to 15 percent slopes

Ud: Udorthents, loamy, hilly

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 29 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

Bhs4D: Bethesda channery silt loam, 8 to 25 percent slopes, unreclaimed

Bhs4F: Bethesda channery silt loam, 25 to 70 percent slopes, unreclaimed

FaB: Fairpoint silty clay loam, 1 to 15 percent slopes

FaD: Fairpoint silty clay loam, 15 to 25 percent slopes

Ud: Udorthents, loamy, hilly

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 30 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

FaB: Fairpoint silty clay loam, 1 to 15 percent slopes

FaD: Fairpoint silty clay loam, 15 to 25 percent slopes

LpC2: Lowell silt loam, moderately wet, 8 to 15 percent slopes

Ud: Udorthents, loamy, hilly

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 31 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Structure
- Ohio Philo Transmission Line
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

GdC2: Gilpin silt loam, 8 to 15 percent slopes

LpC2: Lowell silt loam, moderately wet, 8 to 15 percent slopes

Ud: Udorthents, loamy, hilly

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 32 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

GdC2: Gilpin silt loam, 8 to 15 percent slopes

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

Ud: Udorthents, loamy, hilly

WmB: Westgate silt loam, 2 to 6 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 33 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CsD: Coshocton silt loam, 15 to 25 percent slopes

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

RaB: Rawson silt loam, 2 to 6 percent slopes

RfC: Rigley loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 34 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CsD: Coshocton silt loam, 15 to 25 percent slopes

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

RaB: Rawson silt loam, 2 to 6 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 35 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PFO Wetland
- Delineated PUB Wetland
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BeE: Berks channery silt loam, 25 to 35 percent slopes

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

WtD2: Westmoreland silt loam, 15 to 25 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 36 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

BeE: Berks channery silt loam, 25 to 35 percent slopes

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

GdC2: Gilpin silt loam, 8 to 15 percent slopes

GfC2: Glenford silt loam, 8 to 15 percent slopes

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

RgD: Rigley channery loam, 15 to 25 percent slopes

WhC2: Wellston silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 37 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Upland Drainage Feature
- Project Survey Area
- HUC 12 (USGS)
- Delineated PUB Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

GdC2: Gilpin silt loam, 8 to 15 percent slopes

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 38 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PUB Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes

FaB: Fairpoint silty clay loam, 1 to 15 percent slopes

FaD: Fairpoint silty clay loam, 15 to 25 percent slopes

GdC2: Gilpin silt loam, 8 to 15 percent slopes

Lm: Lobdell loam, channery substratum, occasionally flooded

WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 39 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

Lm: Lobdell loam, channery substratum, occasionally flooded

WmC2: Westgate silt loam, 6 to 15 percent slopes, eroded

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 40 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

GdC2: Gilpin silt loam, 8 to 15 percent slopes

Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded

WmC2: Westgate silt loam, 6 to 15 percent slopes, eroded

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 41 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd

KeC2
WuD2
GdC2
S-TW-010
Intermittent
WuE2
WhC2
ZnC2
GdC2
WuE2
Str 15
MUSKINGUM
COUNTY
WAYNE
TOWNSHIP
WuD2
050400040604
Boggs Creek
Ne
S-TW-011
Perennial
WuE2
WuD2
WuD2
WhC2
Str
14
ZnC2



Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded

ZnC2: Zanesville silt loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 42 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

GfB: Glenford silt loam, 3 to 8 percent slopes

GfC2: Glenford silt loam, 8 to 15 percent slopes

WmC2: Westgate silt loam, 6 to 15 percent slopes, eroded

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 43 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)
- Hydric SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfC2: Alford silt loam, 8 to 15 percent slopes, eroded

CcB: Chavies loam, 2 to 6 percent slopes

FcA: Fitchville silt loam, 0 to 3 percent slopes

FcB: Fitchville silt loam, 3 to 8 percent slopes

GfC2: Glenford silt loam, 8 to 15 percent slopes

MbC2: Markland silty clay loam, 6 to 15 percent slopes, eroded

Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 44 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfB: Alford silt loam, 2 to 8 percent slopes

AfC2: Alford silt loam, 8 to 15 percent slopes, eroded

LaC: Lakin loamy fine sand, 8 to 15 percent slopes

MbC2: Markland silty clay loam, 6 to 15 percent slopes, eroded

RaB: Rawson silt loam, 2 to 6 percent slopes

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 45 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

LaC: Lakin loamy fine sand, 8 to 15 percent slopes

WaB: Watertown sandy loam, 1 to 8 percent slopes

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 46 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

AfC2: Alford silt loam, 8 to 15 percent slopes, eroded

BeE: Berks channery silt loam, 25 to 35 percent slopes

BkF: Berks-Westmoreland complex, 40 to 70 percent slopes

CcB: Chavies loam, 2 to 6 percent slopes

JtA: Jimtown loam, 0 to 3 percent slopes

WaB: Watertown sandy loam, 1 to 8 percent slopes

WaC: Watertown sandy loam, 8 to 15 percent slopes

WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded

WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 47 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	AECOM

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- Delineated PSS Wetland
- NFHL 100-Year Floodplain (FEMA)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CcB: Chavies loam, 2 to 6 percent slopes

Hay1AO: Haymond silt loam, 0 to 3 percent slopes, occasionally flooded

JtA: Jimtown loam, 0 to 3 percent slopes

Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded

Ta: Tioga fine sandy loam, rarely flooded

WaC: Watertown sandy loam, 8 to 15 percent slopes

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 48 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Culvert
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- NHD Line (USGS)
- Project Survey Area
- HUC 12 (USGS)
- Delineated PEM Wetland
- Delineated PSS Wetland
- NFHL 100-Year Floodplain (FEMA)
- NFHL Floodway (FEMA)
- SSURGO Soil Map Unit (NRCS)

Soil Map Unit Description

CeB: Chili loam, 3 to 8 percent slopes

Ds: Dumps and Pits, mine

Hay1AO: Haymond silt loam, 0 to 3 percent slopes, occasionally flooded

Lk: Lindside silt loam, 0 to 3 percent slopes, occasionally flooded

Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded

W: Water

WuC2: Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 2
SHEET 49 OF 49
SOIL MAP AND
NATIONAL WETLANDS INVENTORY MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig2.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 1 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-MRK-004
Perennial

CASS
TOWNSHIP

MUSKINGUM
COUNTY

S-MRK-005
Intermittent

S-MRK-006
Intermittent

S-MRK-021
Intermittent

83

82

LICKING
COUNTY

GUERNSEY
COUNTY

MUSKINGUM
COUNTY

PERRY COUNTY

NOBLE
COUNTY

Legend

- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 2 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

CASS TOWNSHIP

MADISON TOWNSHIP

MUSKINGUM COUNTY

MUSKINGUM TOWNSHIP

Muskingum River

S-MRK-021
Intermittent

S-MRK-006
Intermittent

S-MRK-020
Intermittent

S-MRK-019
Ephemeral

W-MRK-016
PEM

S-MRK-018
Intermittent

81

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 3 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 4 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 5 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 6 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

W-MRK-011
PEM

75

P-MRK-001

W-MRK-009
PEM

W-MRK-010
PEM

W-MRK-008
PEM

MUSKINGUM
TOWNSHIP

MUSKINGUM
COUNTY

74

W-MRK-007
PEM

73



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 7 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

W-MRK-007
PEM

S-MRK-010
Intermittent

S-MRK-009
Ephemeral

MUSKINGUM
TOWNSHIP

MUSKINGUM
COUNTY

73

72

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 8 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 9 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

UDF-WRL-017
UDF-WRL-013
UDF-WRL-016
70
69
UDF-WRL-014
MUSKINGUM TOWNSHIP
MUSKINGUM COUNTY



Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 10 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

UDF-WRL-014

MUSKINGUM COUNTY

MUSKINGUM TOWNSHIP

S-WRL-006 Intermittent

68

67

UDF-WRL-015

Legend

- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 11 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 12 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

MUSKINGUM TOWNSHIP

Muskingum River

S-WRL-007
Perennial

WASHINGTON TOWNSHIP

65

64

MUSKINGUM COUNTY

S-MRK-022
Intermittent

Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 13 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-MRK-022
Intermittent

63

62

P-MRK-002

UDF-WRL-006

UDF-WRL-007

WASHINGTON TOWNSHIP

MUSKINGUM COUNTY

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 14 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated PSS Wetland
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 15 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 16 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

P-WRL-002
UDF-WRL-011
UDF-WRL-012
UDF-WRL-001
S-WRL-001
Perennial
W-WRL-001
PEM
UDF-WRL-002
Blount Run
58
57
MUSKINGUM
COUNTY
WASHINGTON
TOWNSHIP

Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 17 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 18 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 19 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 20 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 21 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- Project Survey Area
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 22 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 23 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 24 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 25 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

UDF-TW-009

S-TW-021
Intermittent

S-TW-022
Perennial

W-TW-016
PEM

44

WASHINGTON
TOWNSHIP

MUSKINGUM
COUNTY

Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 26 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd





Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 27 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-023
Perennial

41

P-TW-001

40

WASHINGTON
TOWNSHIP

MUSKINGUM
COUNTY



Legend

- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 28 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 29 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 30 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 31 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 32 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 33 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 34 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-020
Perennial

S-TW-018
Intermittent

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

28

27



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 35 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	AECOM

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PFO Wetland
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 36 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 37 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- Project Survey Area
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 38 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

W-TW-008
PUB

21

20

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

S-TW-013
Perennial

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 39 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 40 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-008
Intermittent

S-TW-009
Intermittent

17

16

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

UDF-TW-004

S-TW-010
Intermittent

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 41 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-010
Intermittent

S-TW-011
Perennial

15

14

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 42 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 43 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 44 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 45 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

W-TW-004
PEM

S-TW-004
Ephemeral

8

7

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

SALT CREEK
TOWNSHIP

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 46 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

SALT CREEK TOWNSHIP

WAYNE TOWNSHIP

MUSKINGUM COUNTY

S-TW-002
Intermittent

W-TW-002
PEM

S-TW-003
Intermittent

7

6

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 47 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-003
Intermittent

W-TW-003
PSS

W-TW-003
PEM

Salt Creek

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

S-TW-024 x1
Perennial

W-TW-001
PEM

W-TW-001
PSS

S-TW-024 x2
Perennial

W-TW-001
PEM

4

3

222 220 212 206 218 216 214 210 208 204

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated PSS Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 48 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated PSS Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 49 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 1 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-MRK-004
Perennial

CASS
TOWNSHIP

MUSKINGUM
COUNTY

S-MRK-005
Intermittent

S-MRK-006
Intermittent

S-MRK-021
Intermittent

83

82

LICKING
COUNTY

GUERNSEY
COUNTY

MUSKINGUM
COUNTY

PERRY COUNTY

NOBLE
COUNTY

Legend

- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 2 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

CASS TOWNSHIP

MADISON TOWNSHIP

MUSKINGUM COUNTY

MUSKINGUM TOWNSHIP

Muskingum River

S-MRK-021
Intermittent

S-MRK-006
Intermittent

S-MRK-020
Intermittent

S-MRK-019
Ephemeral

W-MRK-016
PEM

S-MRK-018
Intermittent

81

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 3 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 4 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 5 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 6 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

W-MRK-011
PEM

75

P-MRK-001

W-MRK-009
PEM

W-MRK-010
PEM

W-MRK-008
PEM

MUSKINGUM
TOWNSHIP

MUSKINGUM
COUNTY

74

W-MRK-007
PEM

73



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 7 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

W-MRK-007
PEM

S-MRK-010
Intermittent

S-MRK-009
Ephemeral

MUSKINGUM
TOWNSHIP

MUSKINGUM
COUNTY

73

72

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Intermittent Stream
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 8 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 9 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

UDF-WRL-017
UDF-WRL-013
UDF-WRL-016
70
69
UDF-WRL-014
MUSKINGUM TOWNSHIP
MUSKINGUM COUNTY



Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 10 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

UDF-WRL-014

MUSKINGUM COUNTY

MUSKINGUM TOWNSHIP

S-WRL-006 Intermittent

68

67

UDF-WRL-015

Legend

- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 11 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 12 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

MUSKINGUM TOWNSHIP

Muskingum River

S-WRL-007
Perennial

WASHINGTON TOWNSHIP

65

64

MUSKINGUM COUNTY

S-MRK-022
Intermittent

Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 13 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-MRK-022
Intermittent

63

62

P-MRK-002

UDF-WRL-006

UDF-WRL-007

WASHINGTON TOWNSHIP

MUSKINGUM COUNTY

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 14 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated PSS Wetland
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 15 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 16 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

P-WRL-002
UDF-WRL-011
UDF-WRL-012
UDF-WRL-001
S-WRL-001
Perennial
W-WRL-001
PEM
UDF-WRL-002
Blount Run
58
57
MUSKINGUM
COUNTY
WASHINGTON
TOWNSHIP

Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 17 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 18 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 19 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 20 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 21 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- Project Survey Area
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 22 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 23 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 24 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 25 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

UDF-TW-009

S-TW-021
Intermittent

S-TW-022
Perennial

W-TW-016
PEM

44

WASHINGTON
TOWNSHIP

MUSKINGUM
COUNTY

Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 26 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd





Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 27 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-023
Perennial

41

P-TW-001

40

WASHINGTON
TOWNSHIP

MUSKINGUM
COUNTY



Legend

- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated Pond

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 28 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 29 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 30 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Upland Drainage Feature
- Contours (2ft)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 31 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 32 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 33 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 34 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-020
Perennial

S-TW-018
Intermittent

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

28

27



Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 35 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	AECOM

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd





Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PFO Wetland
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 36 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 37 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- Project Survey Area
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 38 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

W-TW-008
PUB

21

20

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

S-TW-013
Perennial

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PUB Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 39 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 40 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-008
Intermittent

S-TW-009
Intermittent

17

16

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

UDF-TW-004

S-TW-010
Intermittent

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 41 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-010
Intermittent

S-TW-011
Perennial

15

14

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

Legend

- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 42 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 43 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 44 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 45 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

W-TW-004
PEM

S-TW-004
Ephemeral

8

7

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

SALT CREEK
TOWNSHIP

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Ephemeral Stream
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 46 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

SALT CREEK TOWNSHIP

WAYNE TOWNSHIP

MUSKINGUM COUNTY

S-TW-002
Intermittent

W-TW-002
PEM

S-TW-003
Intermittent

7

6

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Contours (2ft)
- Project Survey Area
- Delineated PEM Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 47 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd

S-TW-003
Intermittent

W-TW-003
PSS

W-TW-003
PEM

Salt Creek

WAYNE
TOWNSHIP

MUSKINGUM
COUNTY

S-TW-024 x1
Perennial

W-TW-001
PEM

W-TW-001
PSS

S-TW-024 x2
Perennial

W-TW-001
PEM

4

3

222 220 212 206 218 216 214 210 208 204

Legend

- Wetland Data Point
- Upland Data Point
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated PSS Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 48 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Legend

- Wetland Data Point
- Upland Data Point
- Culvert
- Structure
- Ohio Philo Transmission Line
- Delineated Intermittent Stream
- Delineated Perennial Stream
- Delineated Upland Drainage Feature
- Contours (2ft)
- NHD Line (USGS)
- Project Survey Area
- Delineated PEM Wetland
- Delineated PSS Wetland

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 3
SHEET 49 OF 49
WETLAND DELINEATION AND
STREAM ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.:60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig3.mxd



Philo - Ohio Central 138kV Project

FIGURE 4
STREAM ELIGIBILTY MAP

DATE: 12/7/2023	1 INCH = 10,000 FEET
CREATED BY: AH	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/7/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig4.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 1 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-79

83

PH-78

MUSKINGUM COUNTY

82

PH-77



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 2 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 3 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-75

80

MUSKINGUM
COUNTY

79

PH-74



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 4 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 5 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 6 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 7 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-69

73

MUSKINGUM
COUNTY

PH-68

72

PH-67



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 8 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-67

MUSKINGUM COUNTY

71

PH-66



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 9 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Agriculture Row-Crop
- Old Field
- Pasture/Hay Field
- Woodland; Woodlands

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 10 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Agriculture Row-Crop
- Landscaped
- Old Field
- Scrub/Shrub
- Wetlands/Streams
- Woodland; Woodlands

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 11 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Agriculture Row-Crop
- Landscaped
- Old Field
- Scrub/Shrub
- Urban
- Wetlands/Streams
- Woodland; Woodlands

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 12 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-61

65

MUSKINGUM
COUNTY

PH-60

64



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Old Field
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams
- Woodland; Woodlands

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 13 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 14 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-58

61

MUSKINGUM
COUNTY

PH-57

60



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 15 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

60

MUSKINGUM COUNTY

PH-56

59



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Old Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 16 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Old Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 17 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-54

56

MUSKINGUM COUNTY

PH-53

55



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 18 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 19 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area
- Suitable NOHA Nesting Habitat

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 20 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	AECOM

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-50

52

MUSKINGUM
COUNTY

PH-49



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area
- Suitable NOHA Nesting Habitat

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 21 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area
- Suitable NOHA Nesting Habitat

Vegetative Communities Type

- Agriculture Row-Crop
- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 22 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Agriculture Row-Crop
- Old Field

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 23 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Old Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 24 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Urban

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 25 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Old Field
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 26 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 27 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-40

41

MUSKINGUM COUNTY

PH-39

40



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 28 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Old Field
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 29 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-37

37

MUSKINGUM COUNTY

36

PH-36



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Old Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 30 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-36

35

MUSKINGUM COUNTY

PH-35

34



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Old Field
- Scrub/Shrub
- Urban

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 31 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	AECOM

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Scrub/Shrub

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 32 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 33 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-32

30

PH-31

MUSKINGUM COUNTY

29

29A



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Agriculture Row-Crop
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 34 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Agriculture Row-Crop
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 35 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams
- Woodland; Woodlands

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 36 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECOI2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams
- Woodland; Woodlands

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 37 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 38 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	AECOM

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 39 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Agriculture Row-Crop
- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 40 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area
- Suitable NOHA Nesting Habitat

Vegetative Communities Type

- Agriculture Row-Crop
- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 41 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-17

15

MUSKINGUM
COUNTY

PH-16

14



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area
- Suitable NOHA Nesting Habitat

Vegetative Communities Type

- Landscaped
- Old Field
- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 42 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-16
14
PH-15
PH-14
13
MUSKINGUM COUNTY
12
PH-13



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Old Field
- Pasture/Hay Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 43 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Agriculture Row-Crop
- Landscaped
- Old Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 44 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Old Field
- Pasture/Hay Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 45 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

PH-8

8

PH-7

MUSKINGUM
COUNTY

7

PH-6



Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Old Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 46 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Old Field
- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 47 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Scrub/Shrub
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 48 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd





Legend

- Structure
- Photograph Location
- Ohio Philo Transmission Line
- Project Survey Area

Vegetative Communities Type

- Landscaped
- Old Field
- Scrub/Shrub
- Urban
- Wetlands/Streams

N

0 100 200 400

Feet

Philo - Ohio Central 138kV Project

FIGURE 5
SHEET 49 OF 49
VEGETATIVE COMMUNITIES
ASSESSMENT MAP

DATE: 12/12/2023	1 INCH = 200 FEET
CREATED BY: CJT	CHECKED BY: JH
JOB NO.: 60697721	

Date Saved: 12/11/2023
Document Path: X:\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60697721_AEP_Philo_Ohio_ECO\2_MXDs\3_WDR\PhiloOhio_WDR_Fig5_.mxd

APPENDIX A

DESKTOP ASSESSMENT FOR WINTER BAT HABITAT

American Electric Power
8600 Smith's Mill RoadNew
Albany, OH 43054;
ajtoohey@ aep.com

December 8, 2022

Attention: Mr. John Kessler
Ohio Department of Natural Resources
2045 Morse Road, Building E-2
Columbus, Ohio 43229-6693

Via email: environmentalreviewrequest@dnr.state.oh.us; NHDRequest@dnr.state.oh.us

Reference: Philo – Ohio Central 138 kV Transmission Line Project,
Muskingum County, Ohio

Dear Mr. Kessler:
AEP Ohio Transmission Company, Inc. (AEP), is formally requesting that the Ohio Department of Natural Resources (ODNR) is requesting an Environmental Review and Natural Heritage Database Request for the proposed Philo – Ohio Central 138 kV Transmission Line Project (Project) located in Muskingum County, Ohio.

The Project consists of a rebuild on centerline of 17.9-miles of portions of the existing Philo – Howard 138kV transmission line located in Muskingum County, Ohio. The Project is located on USGS QUAD Adamsville, Dresden, Philo and Zanesville East, Ohio U.S. Geologic Survey 7.5' topographical quadrangles as displayed on the Project Topographic Overview Map (Figure 1).

AECOM completed a desktop review of publicly available data to identify abandoned underground mines within 0.25-mile of the Project area. The data sources utilized include USGS topographical maps, aerial photography, and ODNR's Division of Mineral Resources and Geological Survey Data for Known Mining Activity and Karst Geology/Sinkholes as shown on Figure 1 and 2. Based on the available desktop resources, several underground and historic surface mines, and no karst features are located within 0.25-mile of the Project

Please provide us with the results of the ODNR's environmental review, including results of the ODNR Natural Heritage Database search, at your earliest convenience. If you have questions or need additional information regarding the Project, please contact me at the phone number or email below. Thank you for your assistance with this request.

Sincerely,

Brian Miller
Project Manager VIII
Phone: (412-667-9172); brian.miller@aecom.com

CC: Amy J. Toohey
Environmental Specialist-Consultant
Phone: (614-565-1480); ajtoohey@aep.com

Attachments: Figure 1 – Topographic Project Overview;
Figure 2 – Aerial Project Overview;
Natural Heritage Data Request Form;
Electronic Shapefiles(.shp)

Perryton
Trinway
Conesville
Wills Creek
Plainfield
Bloomfield
Toboso
Dresden
Adamsville
Otsego
LICKING COUNTY
MUSKINGUM COUNTY
40.097881,
-82.028030
Gratiot
Zanesville West
Zanesville East
Norwich
New Concord
PERRY COUNTY
MUSKINGUM COUNTY
Crooksville
Fultonham
Philo
Ruraldale
Cumberland
MUSKINGUM COUNTY
GUERNSEY COUNTY
39.865325,
-81.903612

Legend

- Karst - Suspect - Not Visited
- Abandoned Underground Mine Opening
- Abandoned Underground Mines - Point of Unknown Extent
- Philo - Ohio Central 138 kV Transmission Line
- Quarter Mile Review Boundary
- Abandoned Underground Mine
- Abandoned Underground Mines - Partially Known Extent
- Surface Mine - Inactive Coal Mining Operation
- Historic Surface Coal Mines
- Underground Mine Extent
- Ohio USGS 7.5' Topographic Quadrangle
- Industrial Mineral Mining Operation
- County Boundary

N

0 1 2 4

Miles

Philo - Ohio Central 138-kV Transmission Line Rebuild Project

FIGURE 1
TOPOGRAPHIC PROJECT OVERVIEW

DATE: 11/30/2022	1 INCH = 10,560 FEET
CREATED BY: PMH	CHECKED BY:
JOB NO.: 60697721	[redacted]

Date Saved: 11/30/2022
Document Path: Z:\Cincinnati-USCNC02\DCS\GISArcMap_GeoDB_Projects\ENV\60686045_AEP_Philo_Ohio_Central_Rebuild\2_MXDs\1_Agency_Coordination\Philo_Ohio_ODNR_Fig1_Topo_Overview.mxd

Perryton
Trinway
Conesville
Wills Creek
Plainfield
Bloomfield
Toboso
Dresden
Adamsville
Otsego
LICKING COUNTY
MUSKINGUM COUNTY
40.097881,
-82.028030
Gratiot
Zanesville
West
Zanesville
East
Norwich
New
Concord
PERRY COUNTY
MUSKINGUM COUNTY
Crooksville
Fultonham
Philo
Ruraldale
Cumberland
MUSKINGUM COUNTY
GUERNSEY COUNTY
39.865325,
-81.903612

Legend

- Karst - Suspect - Not Visited
- Abandoned Underground Mine Opening
- Abandoned Underground Mines - Point of Unknown Extent
- Philo - Ohio Central 138 kV Transmission Line
- Quarter Mile Review Boundary
- Abandoned Underground Mine
- Abandoned Underground Mines - Partially Known Extent
- Surface Mine - Inactive Coal Mining Operation
- Historic Surface Coal Mines
- Underground Mine Extent
- Industrial Mineral Mining Operation
- Ohio USGS 7.5' Topographic Quadrangle
- County Boundary

N

0 1 2 4

Miles

Philo - Ohio Central 138-kV Transmission Line Rebuild Project

FIGURE 2
AERIAL PROJECT OVERVIEW

DATE: 11/30/2022	1 INCH = 10,560 FEET
CREATED BY: PMH	CHECKED BY:
JOB NO.: 60697721	[redacted]

Date Saved: 11/30/2022
Document Path: Z:\Cincinnati-USCNC02\DCS\GIS\ArcMap_GeoDB_Projects\ENV\60686045_AEP_Philo_Ohio_Central_Rebuild\2_MXDs\1_Agency_Coordination\Philo_Ohio_ODNR_Fig2_Aerial_Overview.mxd

APPENDIX B

U.S. ARMY CORPS OF ENGINEERS WETLAND DETERMINATION DATA FORMS

OEPA WETLAND ORAM FORMS

DELINEATED FEATURES PHOTOGRAPHS (WETLANDS)

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskigum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-002 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 3N **R** 8W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** concave **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.097451 **Long.:** -82.02758 **Datum:** NAD83

Soil Map Unit Name: GfC2: Glenford silt loam, 8 to 15 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located within a hillside depression on the existing transmission line right-of-way. Depression is collecting water from hillside spring seeps and surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Onoclea sensibilis.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-002 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Onoclea sensibilis	50	☑	35.7%	FACW
2. Juncus effusus	25	☑	17.9%	FACW
3. Microstegium vimineum	20	☐	14.3%	FAC
4. Verbesina alternifolia	15	☐	10.7%	FAC
5. Phalaris arundinacea	15	☐	10.7%	FACW
6. Agrimonia parviflora	15	☐	10.7%	FACW
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	140	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	105	x 2 =	210	
FAC species	35	x 3 =	105	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	140	(A)	315	(B)

Prevalence Index = B/A = 2.250

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-002 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/2	80	10YR 5/8	20	C	M,PL	Silty Clay Loam	10% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**MRK, RBL**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-002**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	**40.097451, -82.02758**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-002		
Wetland Size (delineated acres):	0.75	Wetland Size (Estimated total acres):	2.95

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located within a hillside depression on the existing transmission line right-of-way. Depression is collecting water from hillside spring seeps and surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Onoclea sensibilis.

Final score:	23	Category:	1

Wetland ID:	W-MRK-002

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-002

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-MRK-002

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-MRK-002

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-002

Site:	Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	7/10/2023

Field ID:

W-MRK-002 PEM

Delineated acres:	0.75
Total acres:	2.95

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

6.0 (max 14 pts.) | 8.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

10.0 (max 30 pts.) | 18.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

8.0 (max 20 pts.) | 26.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

26.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-002

Site:	Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	7/10/2023

Field ID:

W-MRK-002 PEM

26.0
subtotal this page

0.0 max 10 pts. **26.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-3.0 max 20pts. **23.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [x] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

23.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-MRK-002

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	6		
	Metric 3. Hydrology	10		
	Metric 4. Habitat	8		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-3		
	TOTAL SCORE	23		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-002

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskigum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-002-003 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 3N **R** 8W

Landform (hillslope, terrace, etc.): Footslope **Local relief (concave, convex, none):** convex **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.096574 **Long.:** -82.026368 **Datum:** NAD83

Soil Map Unit Name: BeD2: Berks channery silt loam, 15 to 25 percent slopes, eroded **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Upland data point for W-MRK-002 and W-MRK-003. Upland data was collected within the existing transmission line right-of-way which is surrounded by scrub-shrub.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-002-003 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rubus allegheniensis	25	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	25	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Solidago canadensis	100	☑	83.3%	FACU
2. Verbesina alternifolia	10	☐	8.3%	FAC
3. Phleum pratense	10	☐	8.3%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	120	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	10	x 3 =	30	
FACU species	135	x 4 =	540	
UPL species	0	x 5 =	0	
Column Totals:	145	(A)	570	(B)

Prevalence Index = B/A = 3.931

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-002-003 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/3	100					Silt Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskigum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-003 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 3N **R** 8W

Landform (hillslope, terrace, etc.): Footslope **Local relief (concave, convex, none):** concave **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.096402 **Long.:** -82.026132 **Datum:** NAD83

Soil Map Unit Name: BeD2: Berks channery silt loam, 15 to 25 percent slopes, eroded **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located at the toe slope of a hillside within a large depression. Area is collecting surface runoff from the surrounding hillsides. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Leersia oryzoides.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-003 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Leersia oryzoides	50	☑	30.3%	OBL
2. Juncus effusus	40	☑	24.2%	FACW
3. Onoclea sensibilis	25	☐	15.2%	FACW
4. Impatiens capensis	20	☐	12.1%	FACW
5. Carex lurida	10	☐	6.1%	OBL
6. Carex scoparia	10	☐	6.1%	FACW
7. Scirpus cyperinus	10	☐	6.1%	FACW
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	165	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	60	x 1 =	60	
FACW species	105	x 2 =	210	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	165	(A)	270	(B)

Prevalence Index = B/A = 1.636

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-003 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/1	80	7.5YR	4/6	20	C	M,PL	Silty Clay Loam	10% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

An indicator of hydric soil was observed.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**MRK, RBL**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-001, W-MRK-003**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	**40.096859, -82.02504 and 40.096402, -82.026132**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-001, W-MRK-003		
Wetland Size (delineated acres):	0.05	Wetland Size (Estimated total acres):	2.80

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located at the toe slope of a hillside within a large depression. Area is collecting surface runoff from the surrounding hillsides. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Leersia oryzoides.

Final score:	23	Category:	1

Wetland ID:	W-MRK-001, W-MRK-003

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-001, W-MRK-003

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-MRK-001, W-MRK-003

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-MRK-001, W-MRK-003

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-001, W-MRK-003

Site:	Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	7/10/2023

Field ID:

W-MRK-001 PEM, W-MRK-003 PEM

Delineated acres:	0.05
Total acres:	2.80

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

6.0 (max 14 pts.) | 8.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

7.0 (max 30 pts.) | 15.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 24.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

24.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-001, W-MRK-003

Site:	Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	7/10/2023

Field ID:

W-MRK-001 PEM, W-MRK-003 PEM

24.0 subtotal this page

0.0 max 10 pts. **24.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-1.0 max 20pts. **23.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [2] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

23.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-MRK-001, W-MRK-003

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	6		
	Metric 3. Hydrology	7		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-1		
	TOTAL SCORE	23		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-001, W-MRK-003

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskigum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-004 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 3N **R** 8W

Landform (hillslope, terrace, etc.): Footslope **Local relief (concave, convex, none):** concave **Slope:** 1.0 **% /** 0.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.093922 **Long.:** -82.023434 **Datum:** NAD83

Soil Map Unit Name: WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located in a depression at the toe-of-slope. Depression is collecting surface runoff from the surrounding area and road drainage from a connected ditch. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Apocynum canabinum.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-004 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1. Salix nigra	10	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	10	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Apocynum cannabinum	50	☑	38.5%	FACU
2. Phragmites australis	20	☑	15.4%	FACW
3. Toxicodendron radicans	20	☑	15.4%	FAC
4. Phalaris arundinacea	15	☐	11.5%	FACW
5. Scirpus atrovirens	15	☐	11.5%	OBL
6. Carex vulpinoidea	10	☐	7.7%	OBL
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	130	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	35	x 1 =	35	
FACW species	35	x 2 =	70	
FAC species	20	x 3 =	60	
FACU species	50	x 4 =	200	
UPL species	0	x 5 =	0	
Column Totals:	140	(A)	365	(B)

Prevalence Index = B/A = 2.607

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-004 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	90	10YR	4/6	10	C	PL	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

An indicator of hydric soil was observed.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**MRK, RBL**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-004**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**40.093922 -82.023434**
USGS Quad Name:	**Desden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-004		
Wetland Size (delineated acres):	0.34	Wetland Size (Estimated total acres):	1.40

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located in a depression at the toe-of-slope. Depression is collecting surface runoff from the surrounding area and road drainage from a connected ditch. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Apocynum canabinum.

Final score:	19	Category:	1

Wetland ID:	W-MRK-004

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-004

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-MRK-004

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-MRK-004

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-004

Site:	Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	7/10/2023

Field ID:

W-MRK-004 PEM

Delineated acres:	0.34
Total acres:	1.40

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

6.0 (max 14 pts.) | 8.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

7.0 (max 30 pts.) | 15.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

7.0 (max 20 pts.) | 22.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

22.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-004

Site:	Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	7/10/2023

Field ID:

W-MRK-004 PEM

22.0 subtotal this page

0.0 max 10 pts. | **22.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-3.0 max 20pts. | **19.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [x] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

19.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-MRK-004

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	6		
	Metric 3. Hydrology	7		
	Metric 4. Habitat	7		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-3		
	TOTAL SCORE	19		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-004

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskigum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-004-005 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 3N **R** 8W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 3.0 **% /** 1.7 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.093600 **Long.:** -82.022918 **Datum:** NAD83

Soil Map Unit Name: Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Upland data point for W-MRK-004 and W-MRK-005. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-004-005 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Elaeagnus umbellata	15	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	15	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Lotus corniculatus	60	☑	42.9%	FACU
2. Phleum pratense	40	☑	28.6%	FACU
3. Apocynum cannabinum	20	☐	14.3%	FACU
4. Plantago major	10	☐	7.1%	FACU
5. Galium mollugo	10	☐	7.1%	FACU
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	140	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	140	x 4 =	560	
UPL species	15	x 5 =	75	
Column Totals:	155	(A)	635	(B)

Prevalence Index = B/A = 4.097

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-004-005 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	5/4	80	10YR	5/8	20	C	M	Silty Clay Loam	25% mixed rock

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskigum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-005 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 3N **R** 8W

Landform (hillslope, terrace, etc.): Footslope **Local relief (concave, convex, none):** concave **Slope:** 1.0 **% /** 0.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.093636 **Long.:** -82.022768 **Datum:** NAD83

Soil Map Unit Name: Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located within a depression along the edge of a roadway fill slope. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Carex vulpinoidea.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-005 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rosa multiflora	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	10	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Carex vulpinoidea	50	☑	40.0%	OBL
2. Phalaris arundinacea	25	☑	20.0%	FACW
3. Agrimonia parviflora	20	☐	16.0%	FACW
4. Apocynum cannabinum	20	☐	16.0%	FACU
5. Solidago rugosa	10	☐	8.0%	FAC
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	125	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	50	x 1 =	50	
FACW species	45	x 2 =	90	
FAC species	10	x 3 =	30	
FACU species	30	x 4 =	120	
UPL species	0	x 5 =	0	
Column Totals:	135	(A)	290	(B)

Prevalence Index = B/A = 2.148

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-005 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/2	80	10YR 5/6	20	C	PL	Silty Clay Loam	10% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

An indicator of hydric soil was observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**MRK, RBL**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-005**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.093636, -82.022768**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-005		
Wetland Size (delineated acres):	0.02	Wetland Size (Estimated total acres):	0.05

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located within a depression along the edge of a roadway fill slope. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Carex vulpinoidea.

Final score:	16	Category:	1

Wetland ID:	W-MRK-005

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-005

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-MRK-005

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-MRK-005

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-005

Site:	Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	7/10/2023

Field ID:

W-MRK-005 PEM

Delineated acres:	0.02
Total acres:	0.05

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

6.0 (max 14 pts.) | 6.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

7.0 (max 30 pts.) | 13.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

7.0 (max 20 pts.) | 20.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

20.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-005

Site:	Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	7/10/2023

Field ID:

W-MRK-005 PEM

20.0
subtotal this page

0.0 max 10 pts. | **20.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-4.0 max 20pts. | **16.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

16.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-MRK-005

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	6		
	Metric 3. Hydrology	7		
	Metric 4. Habitat	7		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-4		
	TOTAL SCORE	16		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-005

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-006 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** concave **Slope:** 3.0 **% /** 1.7 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.060779 **Long.:** -81.987908 **Datum:** NAD83

Soil Map Unit Name: CsD: Coshocton silt loam, 15 to 25 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located within a hillside depression on the existing transmission line right-of-way. Water follows the depression down slope and dissipates into the upland forest. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Carex vulpinoidea.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-006 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Salix nigra	2	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	2	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Carex vulpinoidea	50	☑	41.7%	OBL
2. Carex lurida	25	☑	20.8%	OBL
3. Eupatorium perfoliatum	25	☑	20.8%	FACW
4. Scirpus atrovirens	15	☐	12.5%	OBL
5. Scirpus cyperinus	5	☐	4.2%	FACW
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	120	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	92	x 1 =	92	
FACW species	30	x 2 =	60	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	122	(A)	152	(B)

Prevalence Index = B/A = 1.246

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-006 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5Y	5/1	85	10YR	5/8	15	C	M,PL	Clay	5% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-006 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 5.0 **% /** 2.9 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.060803 **Long.:** -81.988064 **Datum:** NAD83

Soil Map Unit Name: CsD: Coshocton silt loam, 15 to 25 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point for W-MRK-006. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-006 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1. Acer negundo	20	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	20	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1. Ailanthus altissima	25	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	25	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rubus allegheniensis	40	☑	40.0%	FACU
2. Elaeagnus umbellata	40	☑	40.0%	UPL
3. Rosa multiflora	20	☑	20.0%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	100	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dryopteris marginalis	25	☑	45.5%	FACU
2. Verbesina alternifolia	25	☑	45.5%	FAC
3. Impatiens capensis	5	☐	9.1%	FACW
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	55	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 7 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 28.6% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	5	x 2 =	10	
FAC species	45	x 3 =	135	
FACU species	110	x 4 =	440	
UPL species	40	x 5 =	200	
Column Totals:	200	(A)	785	(B)

Prevalence Index = B/A = 3.925

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-006 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-6	10YR	5/3	80	10YR	5/8	20	C	M	Silty Clay Loam	
6-16	10YR	6/3	90	10YR	5/8	10	C	M	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicator present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**MRK, RBL**
Date:	**8/16/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-006**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**40.060779, -81.987909**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/16/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-006		
Wetland Size (delineated acres):	0.04	Wetland Size (Estimated total acres):	0.04

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located within a hillside depression on the existing transmission line right-of-way. Water follows the depression down slope and dissipates into the upland forest. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Carex vulpinoidea.

Final score:	20	Category:	1

Wetland ID:	W-MRK-006

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-006

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-MRK-006

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-MRK-006

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-006

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-006 PEM

Delineated acres:	0.04
Total acres:	0.04

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 (max 14 pts.) | 2.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

10.0 (max 30 pts.) | 12.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

7.0 (max 20 pts.) | 19.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

19.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-006

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-006 PEM

19.0 subtotal this page

0.0 max 10 pts. **19.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

1.0 max 20pts. **20.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

20.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-MRK-006

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	10		
	Metric 4. Habitat	7		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	1		
	TOTAL SCORE	20		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-006

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-007 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Ridgetop **Local relief (concave, convex, none):** concave **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.066382 **Long.:** -81.992182 **Datum:** NAD83

Soil Map Unit Name: BhPXF: Bethesda-Pits, surface mine complex, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located within a ridgetop depression on the existing transmission line right-of-way. Depression is collecting surface runoff from the surrounding area. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Phalaris arundinacea.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-007 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Phalaris arundinacea	75	☑	62.5%	FACW
2. Dichanthelium clandestinum	15	☐	12.5%	FAC
3. Microstegium vimineum	15	☐	12.5%	FAC
4. Solidago gigantea	5	☐	4.2%	FACW
5. Scirpus cyperinus	5	☐	4.2%	FACW
6. Eupatorium perfoliatum	5	☐	4.2%	FACW
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	120		= Total Cover	
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	90	x 2 =	180	
FAC species	30	x 3 =	90	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	120	(A)	270	(B)

Prevalence Index = B/A = 2.250

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-007 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5Y	5/1	75	10YR	5/8	25	C	M,PL	Silty Clay Loam	10% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-007 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Ridgetop **Local relief (concave, convex, none):** convex **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.066562 **Long.:** -81.992412 **Datum:** NAD83

Soil Map Unit Name: BhPXF: Bethesda-Pits, surface mine complex, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Upland data point for W-MRK-007. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ○ No ◉
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-007 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rubus allegheniensis	70	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	70	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Microstegium vimineum	40	☑	42.1%	FAC
2. Eutrochium maculatum	15	☑	15.8%	FACW
3. Dactylis glomerata	15	☑	15.8%	FACU
4. Ambrosia artemisiifolia	15	☑	15.8%	FACU
5. Daucus carota	10	☐	10.5%	UPL
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	95	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 40.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	15	x 2 =	30	
FAC species	40	x 3 =	120	
FACU species	100	x 4 =	400	
UPL species	10	x 5 =	50	
Column Totals:	165	(A)	600	(B)

Prevalence Index = B/A = 3.636

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-007 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/2	50	10YR 6/8	50			Silty Clay Loam	Co Matrix

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicator present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**MRK, RBL**
Date:	**8/16/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-007**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.066384, -81.992187**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/16/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-007		
Wetland Size (delineated acres):	0.07	Wetland Size (Estimated total acres):	0.07

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located within a ridgetop depression on the existing transmission line right-of-way. Depression is collecting surface runoff from the surrounding area. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Phalaris arundinacea.

Final score:	12	Category:	1

Wetland ID:	W-MRK-007

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-007

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-MRK-007

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-MRK-007

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-007

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-007 PEM

Delineated acres:	0.07
Total acres:	0.07

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 (max 14 pts.) | 2.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

7.0 (max 30 pts.) | 9.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

7.0 (max 20 pts.) | 16.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

16.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-007

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-007 PEM

16.0
subtotal this page

0.0 max 10 pts. | **16.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-4.0 max 20pts. | **12.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

12.0 TOTAL (Max 100 pts)

1 Category

Wetland ID:	W-MRK-007

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	7		
	Metric 4. Habitat	7		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-4		
	TOTAL SCORE	12		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-007

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-008 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** concave **Slope:** 4.0 **% /** 2.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.069042 **Long.:** -81.994374 **Datum:** NAD83

Soil Map Unit Name: CsD: Coshocton silt loam, 15 to 25 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located in a hillside depression on the existing transmission line right-of-way. Water follows the depression downslope and dissipates into the upland forest to the east. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Microstegium vimineum.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-008 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Microstegium vimineum	75	☑	62.5%	FAC
2. Phalaris arundinacea	15	☐	12.5%	FACW
3. Carex lurida	15	☐	12.5%	OBL
4. Dichanthelium clandestinum	5	☐	4.2%	FAC
5. Scirpus cyperinus	5	☐	4.2%	FACW
6. Eutrochium maculatum	5	☐	4.2%	FACW
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	120	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	15	x 1 =	15
FACW species	25	x 2 =	50
FAC species	80	x 3 =	240
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	120 (A)		305 (B)

Prevalence Index = B/A = 2.542

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-008 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	75	10YR	5/8	25	C	M,PL	Silty Clay Loam	15% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-008-009-010 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 4.0 **% /** 2.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.069296 **Long.:** -81.994626 **Datum:** NAD83

Soil Map Unit Name: CsD: Coshocton silt loam, 15 to 25 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point for W-MRK-008, W-MRK-009 and W-MRK-010. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-008-009-010 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Microstegium vimineum	50	☑	43.5%	FAC
2. Sorghum halepense	30	☑	26.1%	FACU
3. Onoclea sensibilis	10	☐	8.7%	FACW
4. Polystichum acrostichoides	10	☐	8.7%	FACU
5. Achillea millefolium	10	☐	8.7%	FACU
6. Verbesina alternifolia	5	☐	4.3%	FAC
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	115		= Total Cover	
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	10	x 2 =	20	
FAC species	55	x 3 =	165	
FACU species	50	x 4 =	200	
UPL species	0	x 5 =	0	
Column Totals:	115	(A)	385	(B)

Prevalence Index = B/A = 3.348

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-008-009-010 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/4	100					Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicator present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**MRK, RBL**
Date:	**8/16/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-008**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.069048,-81.994381**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/16/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-008		
Wetland Size (delineated acres):	0.35	Wetland Size (Estimated total acres):	0.35

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located in a hillside depression on the existing transmission line right-of-way. Water follows the depression downslope and dissipates into the upland forest to the east. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Microstegium vimineum.

Final score:	16	Category:	1

Wetland ID:	W-MRK-008

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-008

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-MRK-008

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-MRK-008

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-008

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-008 PEM

Delineated acres:	0.35
Total acres:	0.35

Metric 1. Wetland Area (size).

2.0 | 2.0 (max 6 pts | subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 | 4.0 (max 14 pts. | subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

10.0 | 14.0 (max 30 pts. | subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

6.0 | 20.0 (max 20 pts. | subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

20.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-008

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-008 PEM

20.0
subtotal this page

0.0 max 10 pts. | **20.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-4.0 max 20pts. | **16.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

16.0 TOTAL (Max 100 pts)

1 Category

Wetland ID:	W-MRK-008

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	10		
	Metric 4. Habitat	6		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-4		
	TOTAL SCORE	16		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-008

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-009 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** concave **Slope:** 4.0 **% /** 2.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.069744 **Long.:** -81.994812 **Datum:** NAD83

Soil Map Unit Name: Bhk4F: Bethesda channery silt loam, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☑ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland originates at a culvert outlet that discharges from W-MRK-010. Water follows the depression down slope and dissipates into the upland forest. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Microstegium vimineum. Vegetation has been recently mowed.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☑ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is drainage from wetland W-MRK-010.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-009 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Microstegium vimineum	50	☑	90.9%	FAC
2. Onoclea sensibilis	5	☐	9.1%	FACW
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	55	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	5	x 2 =	10	
FAC species	50	x 3 =	150	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	55	(A)	160	(B)

Prevalence Index = B/A = 2.909

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-009 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	85	10YR	5/8	15	C	M,PL	Silty Clay Loam	5% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**MRK, RBL**
Date:	**8/16/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-009, W-MRK-010**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	**40.06975,-81.994811 / 40.069781, -81.995071**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/16/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-009, W-MRK-010		
Wetland Size (delineated acres):	0.05	Wetland Size (Estimated total acres):	1.00

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

W-MRK-009 PEM wetland originates at a culvert outlet that discharges from W-MRK-010. Water follows the depression down slope and dissipates into the upland forest. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Microstegium vimineum. Vegetation has been recently mowed. W-MRK-010 PEM wetland is located within a swale that is directing overflow from a pond outside of the study area across the right-of-way to a culvert. Water drains to wetland W-MRK-009. The wetland boundary follows edge of swale.

Final score:	20	Category:	1

Wetland ID:	W-MRK-009, W-MRK-010

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-009, W-MRK-010

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-MRK-009, W-MRK-010

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-MRK-009, W-MRK-010

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-009, W-MRK-010

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-009 PEM, W-MRK-010 PEM

Delineated acres:	0.05
Total acres:	1.00

Metric 1. Wetland Area (size).

2.0 | 2.0 (max 6 pts | subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 | 4.0 (max 14 pts. | subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

10.0 | 14.0 (max 30 pts. | subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

8.0 | 22.0 (max 20 pts. | subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

22.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-009, W-MRK-010

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-009 PEM, W-MRK-010 PEM

22.0
subtotal this page

0.0 max 10 pts. | **22.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-2.0 max 20pts. | **20.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [x] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [1] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

20.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-MRK-009, W-MRK-010

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	10		
	Metric 4. Habitat	8		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-2		
	TOTAL SCORE	20		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

7/28/2025 1:38:26 PM

in

Case No(s). 25-0679-EL-BLN

Summary: Application Part 1 LON Philo-Howard electronically filed by Hector Garcia-Santana on behalf of AEP Ohio Transmission Company, Inc..

Wetland ID:	W-MRK-009, W-MRK-010

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-010 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Swale **Local relief (concave, convex, none):** concave **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.069772 **Long.:** -81.99507 **Datum:** NAD83

Soil Map Unit Name: Bhk4F: Bethesda channery silt loam, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located within a swale that is directing overflow from a pond outside of the study area across the right-of-way to a culvert. Water drains to wetland W-MRK-009. The wetland boundary follows edge of swale.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☑ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☑ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is pond drainage.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-010 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Microstegium vimineum	75	☑	78.9%	FAC
2. Scirpus cyperinus	10	☐	10.5%	FACW
3. Dichanthelium clandestinum	10	☐	10.5%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	95	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	10	x 2 =	20	
FAC species	85	x 3 =	255	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	275	(B)

Prevalence Index = B/A = 2.895

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-010 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	80	10YR	5/8	20	C	PL	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicator present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-011 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** concave **Slope:** 3.0 **% /** 1.7 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.071031 **Long.:** -81.995846 **Datum:** NAD83

Soil Map Unit Name: Bhk4F: Bethesda channery silt loam, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located in a depression that is collecting water from hillside spring seeps. Water drains to the forest edge and continues outside of the current study area. The wetland boundary follows edge of depression.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-011 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Scirpus cyperinus	75	☑	68.2%	FACW
2. Persicaria sagittata	25	☑	22.7%	OBL
3. Typha angustifolia	5	☐	4.5%	OBL
4. Persicaria pensylvanica	5	☐	4.5%	FACW
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	110	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	30	x 1 =	30	
FACW species	80	x 2 =	160	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	110	(A)	190	(B)

Prevalence Index = B/A = 1.727

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-011 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/2	75	10YR 5/8	25	C	M,PL	Sandy Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-011 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.071122 **Long.:** -81.99606 **Datum:** NAD83

Soil Map Unit Name: Bhk4F: Bethesda channery silt loam, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Upland data point for W-MRK-011. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-011 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Microstegium vimineum	30	☑	30.0%	FAC
2. Sorghum halepense	20	☑	20.0%	FACU
3. Dactylis glomerata	20	☑	20.0%	FACU
4. Asclepias syriaca	10	☐	10.0%	FACU
5. Achillea millefolium	10	☐	10.0%	FACU
6. Dichanthelium clandestinum	10	☐	10.0%	FAC
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	40	x 3 =	120	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	360	(B)

Prevalence Index = B/A = 3.600

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-011 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/3	50	10YR 5/8	50			Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicator present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**MRK, RBL**
Date:	**8/16/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-011**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.071035, -81.995843**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/16/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-011		
Wetland Size (delineated acres):	0.02	Wetland Size (Estimated total acres):	0.35

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located in a depression that is collecting water from hillside spring seeps. Water drains to the forest edge and continues outside of the current study area. The wetland boundary follows edge of depression.

Final score:	25	Category:	1

Wetland ID:	W-MRK-011

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-011

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-MRK-011

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-MRK-011

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-011

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-011 PEM

Delineated acres:	0.02
Total acres:	0.35

Metric 1. Wetland Area (size).

2.0 / 2.0 (max 6 pts / subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 / 4.0 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

10.0 / 14.0 (max 30 pts. / subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

8.0 / 22.0 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

22.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-011

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-011 PEM

22.0
subtotal this page

0.0 max 10 pts. | **22.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

3.0 max 20pts. | **25.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [1] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [1] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

25.0 TOTAL (Max 100 pts)

1 Category

Wetland ID:	W-MRK-011

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	10		
	Metric 4. Habitat	8		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	3		
	TOTAL SCORE	25		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-011

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-012 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Ridgetop **Local relief (concave, convex, none):** concave **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.073519 **Long.:** -81.999132 **Datum:** NAD83

Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located within a ridgetop depression on the existing transmission line right-of-way. Depression is collecting surface runoff which dissipates into the surrounding uplands. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Microstegium vimineum.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-012 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1. Liriodendron tulipifera	5	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	5	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Microstegium vimineum	75	☑	55.6%	FAC
2. Scirpus cyperinus	20	☐	14.8%	FACW
3. Dichanthelium clandestinum	20	☐	14.8%	FAC
4. Juncus effusus	10	☐	7.4%	FACW
5. Euthamia graminifolia	10	☐	7.4%	FAC
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	135	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	30	x 2 =	60
FAC species	105	x 3 =	315
FACU species	5	x 4 =	20
UPL species	0	x 5 =	0
Column Totals:	140 (A)		395 (B)

Prevalence Index = B/A = 2.821

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-012 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	75	10YR	5/8	25	C	M,PL	Silty Clay Loam	15% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-012 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Ridgetop **Local relief (concave, convex, none):** convex **Slope:** 3.0 **% /** 1.7 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.073712 **Long.:** -81.999352 **Datum:** NAD83

Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point for W-MRK-012. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-012 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1. Liriodendron tulipifera	40	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	40	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Andropogon virginicus	75	☑	60.0%	FACU
2. Juncus tenuis	15	☐	12.0%	FAC
3. Achillea millefolium	10	☐	8.0%	FACU
4. Dryopteris marginalis	10	☐	8.0%	FACU
5. Ambrosia artemisiifolia	10	☐	8.0%	FACU
6. Fragaria virginiana	5	☐	4.0%	FACU
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	125	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	15	x 3 =	45
FACU species	150	x 4 =	600
UPL species	0	x 5 =	0
Column Totals:	165 (A)		645 (B)

Prevalence Index = B/A = 3.909

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-012 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-8	10YR 4/3	100					Silty Clay Loam	
8-16	10YR 5/4	95	10YR 5/8	5	C	M	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicator present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**MRK, RBL**
Date:	**8/16/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-012**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.07352, -81.999133**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/16/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-012		
Wetland Size (delineated acres):	0.03	Wetland Size (Estimated total acres):	0.03

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located within a ridgetop depression on the existing transmission line right-of-way. Depression is collecting surface runoff which dissipates into the surrounding uplands. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Microstegium vimineum.

Final score:	12	Category:	1

Wetland ID:	W-MRK-012

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-012

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-MRK-012

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-MRK-012

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-012

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-012 PEM

Delineated acres:	0.03
Total acres:	0.03

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 (max 14 pts.) | 2.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

7.0 (max 30 pts.) | 9.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

7.0 (max 20 pts.) | 16.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

16.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-012

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-012 PEM

16.0
subtotal this page

0.0 max 10 pts. | **16.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-4.0 max 20pts. | **12.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

12.0 TOTAL (Max 100 pts)

1 Category

Wetland ID:	W-MRK-012

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	7		
	Metric 4. Habitat	7		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-4		
	TOTAL SCORE	12		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-012

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-013 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** concave **Slope:** 4.0 **% /** 2.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.075188 **Long.:** -82.000974 **Datum:** NAD83

Soil Map Unit Name: BkF: Berks-Westmoreland complex, 40 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located within a hillside depression beginning at a spring seep. Water follows the depression down the slope and dissipates into an upland portion of the existing transmission line right-of-way. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Eupatorium perfoliatum.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-013 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Eupatorium perfoliatum	60	☑	38.7%	FACW
2. Scirpus cyperinus	30	☑	19.4%	FACW
3. Onoclea sensibilis	30	☑	19.4%	FACW
4. Carex vulpinoidea	15	☐	9.7%	OBL
5. Mentha arvensis	10	☐	6.5%	FACW
6. Juncus effusus	10	☐	6.5%	FACW
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	155	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15	
FACW species	140	x 2 =	280	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	155	(A)	295	(B)

Prevalence Index = B/A = 1.903

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-013 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/1	75	10YR	5/8	25	C	M,PL	Silty Clay	10% oxidized rhizospheres

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-013 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 4.0 **% /** 2.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.075377 **Long.:** -82.001301 **Datum:** NAD83

Soil Map Unit Name: BkF: Berks-Westmoreland complex, 40 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point for W-MRK-013. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-013 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1. Liriodendron tulipifera	20	☑	66.7%	FACU
2. Elaeagnus umbellata	10	☑	33.3%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	30	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Solidago canadensis	90	☑	98.9%	FACU
2. Toxicodendron radicans	1	☐	1.1%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	91	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	1	x 3 =	3
FACU species	110	x 4 =	440
UPL species	10	x 5 =	50
Column Totals:	121 (A)		493 (B)

Prevalence Index = B/A = 4.074

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-013 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-4	10YR 5/3	100					Silty Clay Loam	
4-16	10YR 5/4	100					Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicator present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**MRK, RBL**
Date:	**8/16/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-013**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.075199, -82.000984**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/16/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-013		
Wetland Size (delineated acres):	0.12	Wetland Size (Estimated total acres):	0.12

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located within a hillside depression beginning at a spring seep. Water follows the depression down the slope and dissipates into an upland portion of the existing transmission line right-of-way. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Eupatorium perfoliatum.

Final score:	20	Category:	1

Wetland ID:	W-MRK-013

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-013

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-MRK-013

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-MRK-013

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-013

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-013 PEM

Delineated acres:	0.12
Total acres:	0.12

Metric 1. Wetland Area (size).

1.0 / 1.0 (max 6 pts / subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 / 3.0 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

10.0 / 13.0 (max 30 pts. / subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

7.0 / 20.0 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

20.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-013

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-013 PEM

20.0
subtotal this page

0.0 max 10 pts. | **20.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

0.0 max 20pts. | **20.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

20.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-MRK-013

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	10		
	Metric 4. Habitat	7		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	0		
	TOTAL SCORE	20		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-013

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-014 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Floodplain **Local relief (concave, convex, none):** concave **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.076063 **Long.:** -82.001913 **Datum:** NAD83

Soil Map Unit Name: RoF: Rodman gravelly sandy loam, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located on the floodplain of watercourse S-MRK-013. Wetland is seasonally flooded by the stream. The wetland boundary follows edge of stream, toe-of-slope, and hydrophytic vegetation dominated by Dichanthelium clandestinum.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is surface runoff and seasonal flooding.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-014 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dichanthelium clandestinum	75	☑	50.0%	FAC
2. Solidago gigantea	15	☑	10.0%	FACW
3. Juncus effusus	10	☐	6.7%	FACW
4. Onoclea sensibilis	10	☐	6.7%	FACW
5. Setaria pumila	10	☐	6.7%	FAC
6. Impatiens capensis	10	☐	6.7%	FACW
7. Mentha arvensis	10	☐	6.7%	FACW
8. Rumex crispus	5	☐	3.3%	FAC
9. Verbesina alternifolia	5	☐	3.3%	FAC
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	150	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	55	x 2 =	110	
FAC species	95	x 3 =	285	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	150	(A)	395	(B)

Prevalence Index = B/A = 2.633

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present around perimeter of pond.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-014 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	80	10YR	5/8	20	C	M,PL	Sandy Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-014 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 8.0 **% /** 4.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.07651 **Long.:** -82.002487 **Datum:** NAD83

Soil Map Unit Name: RoF: Rodman gravelly sandy loam, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point for W-MRK-014. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-014 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Elaeagnus umbellata	40	☑	47.1%	UPL
2. Rosa multiflora	25	☑	29.4%	FACU
3. Lonicera morrowii	20	☑	23.5%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	85	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Verbesina alternifolia	70	☑	50.0%	FAC
2. Dichanthelium clandestinum	25	☑	17.9%	FAC
3. Microstegium vimineum	25	☑	17.9%	FAC
4. Impatiens capensis	20	☐	14.3%	FACW
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	140	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	20	x 2 =	40	
FAC species	120	x 3 =	360	
FACU species	45	x 4 =	180	
UPL species	40	x 5 =	200	
Column Totals:	225	(A)	780	(B)

Prevalence Index = B/A = 3.467

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-014 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/3	100					Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicator present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**MRK, RBL**
Date:	**8/16/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-014**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.076059, -82.001912**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/16/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-014		
Wetland Size (delineated acres):	0.13	Wetland Size (Estimated total acres):	1.30

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located on the floodplain of watercourse S-MRK-013. Wetland is seasonally flooded by the stream. The wetland boundary follows edge of stream, toe-of-slope, and hydrophytic vegetation is dominated by Dichanthelium clandestinum.

Final score:	28	Category:	1

Wetland ID:	W-MRK-014

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-014

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-MRK-014

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-MRK-014

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-014

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-014 PEM

Delineated acres:	0.13
Total acres:	1.30

Metric 1. Wetland Area (size).

1.0 (max 6 pts) | 1.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 (max 14 pts.) | 3.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

16.0 (max 30 pts.) | 19.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [x] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

8.0 (max 20 pts.) | 27.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

27.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-014

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/16/2023

Field ID:

W-MRK-014 PEM

27.0 subtotal this page

0.0 max 10 pts. | **27.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

1.0 max 20pts. | **28.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

28.0 TOTAL (Max 100 pts)

1 Category

Wetland ID:	W-MRK-014

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	16		
	Metric 4. Habitat	8		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	1		
	TOTAL SCORE	28		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-014

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 17-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-015 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 8W

Landform (hillslope, terrace, etc.): Bench **Local relief (concave, convex, none):** concave **Slope:** 2.0 **% /** 63.4 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.080596 **Long.:** -82.007512 **Datum:** NAD83

Soil Map Unit Name: CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

This PEM wetland is located within a depression on a hillside bench in the existing transmission line right-of-way. Depression is collecting water from a hillside spring seep. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Microstegium vimineum.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☑ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ◉	No ○	Depth (inches): 8	**Wetland Hydrology Present?** Yes ○ No ◉
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches): 2	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-015 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Microstegium vimineum	40	☑	30.8%	FAC
2. Persicaria sagittata	30	☑	23.1%	OBL
3. Scirpus cyperinus	20	☐	15.4%	FACW
4. Typha angustifolia	20	☐	15.4%	OBL
5. Onoclea sensibilis	10	☐	7.7%	FACW
6. Eupatorium perfoliatum	5	☐	3.8%	FACW
7. Eutrochium maculatum	5	☐	3.8%	FACW
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	130	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	50	x 1 =	50	
FACW species	40	x 2 =	80	
FAC species	40	x 3 =	120	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	130	(A)	250	(B)

Prevalence Index = B/A = 1.923

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-015 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5Y	5/1	80	10YR	5/6	20	C	M	Clay	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 17-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-015 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 8W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 4.0 **% /** 2.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.080793 **Long.:** -82.007458 **Datum:** NAD83

Soil Map Unit Name: CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point for W-MRK-015. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	
Water Table Present?	Yes ○ No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-015 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1. Liriodendron tulipifera	25	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	25	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1. Liriodendron tulipifera	25	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	25	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Elaeagnus umbellata	15	☑	50.0%	UPL
2. Rubus allegheniensis	15	☑	50.0%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dactylis glomerata	60	☑	48.0%	FACU
2. Solidago canadensis	25	☑	20.0%	FACU
3. Daucus carota	10	☐	8.0%	UPL
4. Dichanthelium clandestinum	10	☐	8.0%	FAC
5. Onoclea sensibilis	10	☐	8.0%	FACW
6. Achillea millefolium	10	☐	8.0%	FACU
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	125	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	10	x 2 =	20	
FAC species	10	x 3 =	30	
FACU species	160	x 4 =	640	
UPL species	25	x 5 =	125	
Column Totals:	205	(A)	815	(B)

Prevalence Index = B/A = 3.976

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-015 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/4	100					Silt Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**MRK, RBL**
Date:	**8/17/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-015**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**40.080599, -82.007512**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/17/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-015		
Wetland Size (delineated acres):	0.01	Wetland Size (Estimated total acres):	0.01

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located within a depression on a hillside bench in the existing transmission line right-of-way. Depression is collecting water from a hillside spring seep. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Microstegium vimineum.

Final score:	24	Category:	1

Wetland ID:	W-MRK-015

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-015

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-MRK-015

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-MRK-015

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-015

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/17/2023

Field ID:

W-MRK-015 PEM

Delineated acres:	0.01
Total acres:	0.01

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 (max 14 pts.) | 2.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

15.0 (max 30 pts.) | 17.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [x] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

8.0 (max 20 pts.) | 25.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

25.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-015

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/17/2023

Field ID:

W-MRK-015 PEM

25.0
subtotal this page

0.0 max 10 pts. | **25.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-1.0 max 20pts. | **24.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [x] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [1] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

24.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-MRK-015

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	15		
	Metric 4. Habitat	8		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-1		
	TOTAL SCORE	24		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-015

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 17-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-016 PEM**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 8W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** concave **Slope:** 4.0 **% /** 2.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.084348 **Long.:** -82.011861 **Datum:** NAD83

Soil Map Unit Name: BkF: Berks-Westmoreland complex, 40 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This PEM wetland is located in a hillside depression associated with hillside spring seeps. Water follows the depression down slope and dissipates into the adjacent upland forest. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Dichanthelium clandestinum.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☑ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-016 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dichanthelium clandestinum	60	☑	37.5%	FAC
2. Microstegium vimineum	30	☑	18.8%	FAC
3. Euthamia graminifolia	25	☐	15.6%	FAC
4. Phalaris arundinacea	20	☐	12.5%	FACW
5. Carex vulpinoidea	15	☐	9.4%	OBL
6. Solidago gigantea	10	☐	6.3%	FACW
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	160	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15	
FACW species	30	x 2 =	60	
FAC species	115	x 3 =	345	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	160	(A)	420	(B)

Prevalence Index = B/A = 2.625

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-016 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	5/2	80	10YR	5/8	20	C	M,PL	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soil indicators present at data point.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 17-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **W-MRK-016 UPL**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 8W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 4.0 **% /** 2.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.084725 **Long.:** -82.012279 **Datum:** NAD83

Soil Map Unit Name: GdC2: Gilpin silt loam, 8 to 15 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Upland data point for W-MRK-016. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-MRK-016 UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rubus allegheniensis	50	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	50	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dryopteris marginalis	50	☑	33.3%	FACU
2. Dichanthelium clandestinum	40	☑	26.7%	FAC
3. Microstegium vimineum	20	☐	13.3%	FAC
4. Solidago canadensis	20	☐	13.3%	FACU
5. Dactylis glomerata	10	☐	6.7%	FACU
6. Ambrosia artemisiifolia	10	☐	6.7%	FACU
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	150	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	60	x 3 =	180	
FACU species	140	x 4 =	560	
UPL species	0	x 5 =	0	
Column Totals:	200	(A)	740	(B)

Prevalence Index = B/A = 3.700

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation present at data point.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-MRK-016 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/4	100					Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators present at data point.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**MRK, RBL**
Date:	**8/17/2023**
Affiliation:	**AECOM**
Address:	**707 Grant Street, 5th Floor, Pittsburgh, PA 15219**
Phone Number:	**814-516-1130**
e-mail address:	matthew.kline@aecom.com
Name of Wetland:	**W-MRK-016**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**40.084359, -82.011855**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC12 050400040305 Blount Run-Muskingum River**
Site Visit:	**8/17/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-MRK-016		
Wetland Size (delineated acres):	0.10	Wetland Size (Estimated total acres):	0.10

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located in a hillside depression associated with hillside spring seeps. Water follows the depression down slope and dissipates into the adjacent upland forest. The wetland boundary follows edge of depression and hydrophytic vegetation is dominated by Dichanthelium clandestinum.

Final score:	22	Category:	1

Wetland ID:	W-MRK-016

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-MRK-016

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-MRK-016

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-MRK-016

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-MRK-016

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/17/2023

Field ID:

W-MRK-016 PEM

Delineated acres:	0.10
Total acres:	0.10

Metric 1. Wetland Area (size).

1.0 (max 6 pts) | 1.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 (max 14 pts.) | 3.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 (max 30 pts.) | 17.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

7.0 (max 20 pts.) | 24.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [x] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

24.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-MRK-016

Site:	AEP Philo-Ohio Central	Rater(s):	MRK, RBL	Date:	8/17/2023

Field ID:

W-MRK-016 PEM

24.0
subtotal this page

0.0 max 10 pts. | **24.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-2.0 max 20pts. | **22.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [x] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

22.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-MRK-016

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	7		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-2		
	TOTAL SCORE	22		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-MRK-016

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskigum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **UPL-MRK-001**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 3N **R** 8W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** convex **Slope:** 3.0 **% /** 1.7 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.089089 **Long.:** -82.017683 **Datum:** NAD83

Soil Map Unit Name: WhC2: Wellston silt loam, 8 to 15 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

Upland data point collected to characterize the site within the existing transmission line right-of-way. ROW is surrounded by forest land.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: UPL-MRK-001

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dryopteris marginalis	50	☑	34.5%	FACU
2. Anthoxanthum odoratum	25	☑	17.2%	FACU
3. Onoclea sensibilis	20	☐	13.8%	FACW
4. Microstegium vimineum	20	☐	13.8%	FAC
5. Polystichum acrostichoides	15	☐	10.3%	FACU
6. Dichanthelium clandestinum	15	☐	10.3%	FAC
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	145	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	20	x 2 =	40	
FAC species	35	x 3 =	105	
FACU species	90	x 4 =	360	
UPL species	0	x 5 =	0	
Column Totals:	145	(A)	505	(B)

Prevalence Index = B/A = 3.483

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: UPL-MRK-001

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc[2]	Texture	Remarks
0-5	10YR	4/3	100						Silt Loam	
5-16	10YR	5/4	75	10YR	4/3	25	C	M	Silty Clay	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains [2] Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 23-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **UPL-MRK-002**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** **R**

Landform (hillslope, terrace, etc.): Ridgetop **Local relief (concave, convex, none):** convex **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** **Long.:** **Datum:** NAD83

Soil Map Unit Name: **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉	
Wetland Hydrology Present?	Yes ○ No ◉	

Remarks:

Upland data point collected to characterize the site. Upland data was collected within a pasture/hayfield.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	
Water Table Present?	Yes ○ No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: UPL-MRK-002

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Solanum carolinense	40	☑	29.6%	FACU
2. Trifolium repens	30	☑	22.2%	FACU
3. Phleum pratense	25	☐	18.5%	FACU
4. Dactylis glomerata	25	☐	18.5%	FACU
5. Vernonia noveboracensis	5	☐	3.7%	FACW
6. Centaurea nigra	5	☐	3.7%	UPL
7. Cichorium intybus	5	☐	3.7%	FACU
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	135	= Total Cover		
Woody Vine Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	5	x 2 =	10	
FAC species	0	x 3 =	0	
FACU species	125	x 4 =	500	
UPL species	5	x 5 =	25	
Column Totals:	135	(A)	535	(B)

Prevalence Index = B/A = 3.963

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: UPL-MRK-002

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/4	100					Silt Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-001-PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 29 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Bench **Local relief (concave, convex, none):** concave **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.87034673 **Long.:** -81.89867629 **Datum:** NAD83

Soil Map Unit Name: Ne: Newark silt loam, 0 to 3 percent slopes, frequently flooded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This sample point is representative of the PEM portion of a PEM/PFO wetland complex. The PEM portion of the wetland is located on bench/floodplain area above Salt Creek and surrounded by woodland.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☑ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ◉	No ○	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

PEM sits above Salt Creek. The water table is high when checking soils. As the wetland continues north it changes habitat type to PFO. Hydrology is present from rainfall and runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-001-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.		☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Phalaris arundinacea	90	☑	90.0%	FACW
2. Onoclea sensibilis	5	☐	5.0%	FACW
3. Dioscorea villosa	5	☐	5.0%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	95	x 2 =	190	
FAC species	5	x 3 =	15	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	205	(B)

Prevalence Index = B/A = 2.050

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-001-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/2	90	10YR 4/4	10	C	M	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-001-PSS**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 29 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** concave **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.87034673 **Long.:** -81.89867629 **Datum:** NAD83

Soil Map Unit Name: Hay1AO: Haymond silt loam, 0 to 3 percent slopes, occasionally flooded **NWI classification:** PFO1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

PSS portion of a PSS/PEM wetland complex. The PSS portion of the wetland is located next to Salt Creek and adjacent to a PEM in the same hydrological setting.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ○ No ◉
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Hydrology present by means of runoff and rainfall.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-001-PSS

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Aesculus flava	5	☐	5.9%	FACU
2. Acer negundo	40	☑	47.1%	FAC
3. Juglans cinerea	40	☑	47.1%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	85	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Phalaris arundinacea	50	☑	50.0%	FACW
2. Lysimachia nummularia	8	☐	8.0%	FACW
3. Elymus virginicus	10	☑	10.0%	FACW
4. Amphicarpaea bracteata	7	☐	7.0%	FAC
5. Urtica dioica	10	☑	10.0%	FACU
6. Solidago canadensis	5	☐	5.0%	FACU
7. Impatiens capensis	10	☑	10.0%	FACW
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	78	x 2 =	156	
FAC species	47	x 3 =	141	
FACU species	60	x 4 =	240	
UPL species	0	x 5 =	0	
Column Totals:	185	(A)	537	(B)

Prevalence Index = B/A = 2.903

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation was present at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-001-PSS

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc [2]	Texture	Remarks
0-16	10YR	5/2	90	10YR	4/4	10	C	M	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains [2] Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-001-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 29 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** **Slope:** % / °

Subregion (LRR or MLRA): LRR N **Lat.:** 39.8699478 **Long.:** -81.89867316 **Datum:** NAD83

Soil Map Unit Name: WuC2: Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is representative of the upland old field areas that surround wetland W-TW-001.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No presence of Hydrology.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-001-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Solidago canadensis	30	☑	30.0%	FACU
2. Dichanthelium clandestinum	30	☑	30.0%	FAC
3. Daucus carota	30	☑	30.0%	UPL
4. Eutrochium purpureum	10	☐	10.0%	FAC
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 33.3% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	40	x 3 =	120	
FACU species	30	x 4 =	120	
UPL species	30	x 5 =	150	
Column Totals:	100	(A)	390	(B)

Prevalence Index = B/A = 3.900

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-001-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 3/2	100					Silty Clay	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-001**
Vegetation Communit(ies):	**PEM, PFO**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.869947, -81.898673 and 39.870346, -81.898676**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-001		
Wetland Size (delineated acres):	1.17	Wetland Size (Estimated total acres):	1.17

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.



Comments, Narrative Discussion, Justification of Category Changes:

PEM is located on bench/floodplain area above Salt Creek and surrounded by woodland.

Final score:	35	Category:	Modified 2

Wetland ID:	W-TW-001

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-001

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-001

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-TW-001

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-001

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-001 PEM/PFO

Delineated acres:	0.75
Total acres:	0.75

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

9.0 (max 14 pts.) | 11.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 (max 30 pts.) | 25.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

12.0 (max 20 pts.) | 37.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

37.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-001

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-001 PEM/PFO

37.0 subtotal this page

0.0 max 10 pts. **37.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

-2.0 max 20pts. **35.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [1] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [x] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

35.0 **TOTAL (Max 100 pts)**

Modified 2 **Category**

Wetland ID:	W-TW-001

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	9		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	12		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	-2		
	TOTAL SCORE	35		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-001

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-002-PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 30 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 1.5 **% /** 0.9 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.87869561 **Long.:** -81.9026358 **Datum:** NAD83

Soil Map Unit Name: BkF: Berks-Westmoreland complex, 40 to 70 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is representative of a PEM wetland located at the base of two very steep hillsides slopes, surrounded by old growth field and scrub shrub.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ◉ No ○	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ◉ No ○	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Presence of Hydrology due to precipation and rainoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-002-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1. Sassafras albidum	10	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	10	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rosa multiflora	15	☑	50.0%	FACU
2. Salix nigra	5	☐	16.7%	OBL
3. Rhus glabra	10	☑	33.3%	UPL
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	30	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Carex vulpinoidea	30	☑	30.0%	OBL
2. Impatiens capensis	5	☐	5.0%	FACW
3. Dichanthelium clandestinum	30	☑	30.0%	FAC
4. Scirpoides holoschoenus	20	☑	20.0%	OBL
5. Solidago canadensis	10	☐	10.0%	FACU
6. Typha angustifolia	5	☐	5.0%	OBL
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	60	x 1 =	60	
FACW species	5	x 2 =	10	
FAC species	30	x 3 =	90	
FACU species	35	x 4 =	140	
UPL species	10	x 5 =	50	
Column Totals:	140	(A)	350	(B)

Prevalence Index = B/A = 2.500

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation was not the dominant type of vegetation observed at the project survey area.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-002-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/2	80	10YR 3/2	20	C	M	Sandy Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-002-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 30 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 2.0 **% /** 63.4 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.87840333 **Long.:** -81.90228576 **Datum:** NAD83

Soil Map Unit Name: AfC2: Alford silt loam, 8 to 15 percent slopes, eroded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is representative of the upland areas upslope of W-TW-002.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No presence of Hydrology.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-002-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dichanthelium clandestinum	50	☑	55.6%	FAC
2. Melilotus alba	20	☑	22.2%	FACU
3. Sorghum halepense	5	☐	5.6%	FACU
4. Achillea millefolium	5	☐	5.6%	FACU
5. Rubus idaeus ssp. strigosus	10	☐	11.1%	FAC
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	90	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	60	x 3 =	180	
FACU species	30	x 4 =	120	
UPL species	0	x 5 =	0	
Column Totals:	90	(A)	300	(B)

Prevalence Index = B/A = 3.333

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No hydrophytic vegetation was present at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-002-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/4	90	10YR 6/6	10	C	M	Sandy Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-002**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.878695, -81.902635**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-002		
Wetland Size (delineated acres):	0.05	Wetland Size (Estimated total acres):	0.05

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM is located in the right-of-way with landscaped fields to the north of the wetland.

Final score:	37	Category:	Modified 2

Wetland ID:	W-TW-002

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-002

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-002

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-002

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-002

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-002 PEM

Delineated acres:	0.05
Total acres:	0.05

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

4.0 (max 14 pts.) | 4.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

17.0 (max 30 pts.) | 21.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [x] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

14.0 (max 20 pts.) | 35.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

35.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-002

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-002 PEM

35.0
subtotal this page

0.0 max 10 pts. | **35.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

2.0 max 20pts. | **37.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

37.0 **TOTAL (Max 100 pts)**

Modified 2 **Category**

Wetland ID:	W-TW-002

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	4		
	Metric 3. Hydrology	17		
	Metric 4. Habitat	14		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	2		
	TOTAL SCORE	37		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-002

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-003-PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 29 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Bench **Local relief (concave, convex, none):** flat **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.87333346 **Long.:** -81.8989412 **Datum:**

Soil Map Unit Name: Hay1AO: Haymond silt loam, 0 to 3 percent slopes, occasionally flooded **NWI classification:** PEM1A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

PEM located between Salt Creek and adjacent to PSS with shared hydrology

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

Source of hydrology comes from rainfall and runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-003-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Phalaris arundinacea	90	☑	90.0%	FACW
2. Boehmeria cylindrica	5	☐	5.0%	FACW
3. Solidago canadensis	5	☐	5.0%	FACU
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	95	x 2 =	190	
FAC species	0	x 3 =	0	
FACU species	5	x 4 =	20	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	210	(B)

Prevalence Index = B/A = 2.100

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-003-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/2	90	10YR 4/4	10	C	M	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-003-PSS**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 29 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Floodplain **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.87277706 **Long.:** -81.8989412 **Datum:** NAD83

Soil Map Unit Name: WaC: Watertown sandy loam, 8 to 15 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉	
Wetland Hydrology Present?	Yes ○ No ◉	

Remarks:

This sample point is representative of a PSS wetland located at base of steep slope >5%. Adjacent to the PEM that is connected by way of hydrology.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Source of hydrology comes from rainfall and runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-003-PSS

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Acer negundo	10	☑	66.7%	FAC
2. Robinia pseudoacacia	5	☑	33.3%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	15	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Phalaris arundinacea	70	☑	82.4%	FACW
2. Pilea pumila	5	☐	5.9%	FACW
3. Verbesina alternifolia	5	☐	5.9%	FAC
4. Rubus idaeus ssp. strigosus	5	☐	5.9%	FAC
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	85	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1. Vitis riparia	10	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	10	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	85	x 2 =	170	
FAC species	20	x 3 =	60	
FACU species	5	x 4 =	20	
UPL species	0	x 5 =	0	
Column Totals:	110	(A)	250	(B)

Prevalence Index = B/A = 2.273

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-003-PSS

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	90	10YR	5/6	10	C	M	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-003-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 29 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** **Slope:** 0.0 % / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 39.87411461 **Long.:** -81.89912502 **Datum:** NAD83

Soil Map Unit Name: WaC: Watertown sandy loam, 8 to 15 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

This is a representative upland point located on slope near the PSS/PEM wetland complex.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches):	
Water Table Present?	Yes ○	No ◉	Depth (inches):	**Wetland Hydrology Present?** Yes ○ No ◉
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches):	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

No presence of Hydrology.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-003-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1. Juglans nigra	30	☑	66.7%	FACU
2. Ailanthus altissima	15	☑	33.3%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	45	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rubus idaeus	15	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	15	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1. Celastrus orbiculata	30	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	30	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 25.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	15	x 3 =	45	
FACU species	45	x 4 =	180	
UPL species	30	x 5 =	150	
Column Totals:	90	(A)	375	(B)

Prevalence Index = B/A = 4.167

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

No indicators of hydrophytic vegetation were observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-003-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 3/2	100					Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-003**
Vegetation Communit(ies):	**PSS/PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.872777, -81.898880**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-003		
Wetland Size (delineated acres):	2.14	Wetland Size (Estimated total acres):	2.14

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This wetland is a PSS/PEM wetland complex is abutting to Salt Creek, and located at base of a steep slope >5%.

Final score:	38	Category:	Modified 2

Wetland ID:	W-TW-003

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-003

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-003

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-003

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-003

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-003 PEM

Delineated acres:	2.14
Total acres:	2.14

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

9.0 (max 14 pts.) | 11.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 (max 30 pts.) | 25.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

11.0 (max 20 pts.) | 36.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [x] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

36.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-003

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-003 PEM

36.0
subtotal this page

0.0 max 10 pts. | **36.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

2.0 max 20pts. | **38.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

38.0 TOTAL (Max 100 pts)

Modified 2 Category

Wetland ID:	W-TW-003

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	9		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	11		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	2		
	TOTAL SCORE	38		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-003

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-004-PEM**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** **Slope:** 8.7 **% /** 5.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.88386867 **Long.:** -81.90644603 **Datum:** NAD83

Soil Map Unit Name: WuE2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ◉ No ○		
Wetland Hydrology Present?	Yes ◉ No ○		

Remarks:

This sample point is representative of a PEM wetland on a hillside with woodlands and scrub shrub habitat.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☑ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ◉ No ○	Depth (inches):	0
Water Table Present?	Yes ◉ No ○	Depth (inches):	6
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-004-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Ligustrum japonicum	10	☑	50.0%	UPL
2. Sambucus nigra ssp. canadensis	10	☑	50.0%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	20	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dichanthelium clandestinum	5	☐	5.0%	FAC
2. Leersia oryzoides	15	☐	15.0%	OBL
3. Impatiens capensis	10	☐	10.0%	FACW
4. Carex vulpinoidea	50	☑	50.0%	OBL
5. Solidago canadensis	20	☑	20.0%	FACU
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	65	x 1 =	65	
FACW species	10	x 2 =	20	
FAC species	15	x 3 =	45	
FACU species	20	x 4 =	80	
UPL species	10	x 5 =	50	
Column Totals:	120	(A)	260	(B)

Prevalence Index = B/A = 2.167

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-004-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/1	100					Silt loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-004-UPL**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.8838 **Long.:** -81.90635349 **Datum:** NAD83

Soil Map Unit Name: WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This representative upland point was taken upslope on the east/south side of PEM wetland.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-004-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Elaeagnus umbellata	10	☑	28.6%	UPL
2. Ligustrum japonicum	10	☑	28.6%	UPL
3. Rhus glabra	15	☑	42.9%	UPL
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	35	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Amphicarpaea bracteata	75	☑	75.0%	FAC
2. Solidago canadensis	5	☐	5.0%	FACU
3. Rubus pensilvanicus	15	☐	15.0%	FAC
4. Impatiens capensis	5	☐	5.0%	FACW
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 25.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	5	x 2 =	10	
FAC species	90	x 3 =	270	
FACU species	5	x 4 =	20	
UPL species	35	x 5 =	175	
Column Totals:	135	(A)	475	(B)

Prevalence Index = B/A = 3.519

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-004-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/4	100					Sandy Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-004**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.883848, -81.906471**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-004		
Wetland Size (delineated acres):	0.02	Wetland Size (Estimated total acres):	0.02

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland on hillside with Woodlands and scrub shrub.

Final score:	34	Category:	1 or 2 Gray Zone

Wetland ID:	W-TW-004

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-004

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-TW-004

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-004

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-004

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-004 PEM

Delineated acres:	0.02
Total acres:	0.02

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

4.0 (max 14 pts.) | 4.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 (max 30 pts.) | 18.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

14.0 (max 20 pts.) | 32.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

32.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-004

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-004 PEM

32.0 subtotal this page

0.0 max 10 pts. | **32.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

2.0 max 20pts. | **34.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

34.0 TOTAL (Max 100 pts)

1 or 2 Gray Zone Category

Wetland ID:	W-TW-004

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	4		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	14		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	2		
	TOTAL SCORE	34		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-004

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-005-PEM**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Floodplain **Local relief (concave, convex, none):** flat **Slope:** 1.0 **% /** 0.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.89298921 **Long.:** -81.91314635 **Datum:** NAD83

Soil Map Unit Name: FcB: Fitchville silt loam, 3 to 8 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This sample point is representative of a PEM wetland located at base of a hillside near Indian Run.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-005-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Sambucus nigra ssp. canadensis	10	☑	50.0%	FAC
2. Ligustrum japonicum	10	☑	50.0%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	20	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Carex vulpinoidea	50	☑	50.0%	OBL
2. Solidago canadensis	20	☑	20.0%	FACU
3. Impatiens capensis	10	☐	10.0%	FACW
4. Leersia oryzoides	10	☐	10.0%	OBL
5. Dichanthelium clandestinum	10	☐	10.0%	FAC
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	60	x 1 =	60	
FACW species	10	x 2 =	20	
FAC species	20	x 3 =	60	
FACU species	20	x 4 =	80	
UPL species	10	x 5 =	50	
Column Totals:	120	(A)	270	(B)

Prevalence Index = B/A = 2.250

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-005-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-6	10YR 4/3	80	7.5YR 4/4	20	C	M	Clay Loam	
6-16	10YR 5/1	85	7.5YR 4/4	15	C	M	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-005-UPL**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** flat **Slope:** 1.0 **% /** 0.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.8918587 **Long.:** -81.91228783 **Datum:** NAD83

Soil Map Unit Name: FcB: Fitchville silt loam, 3 to 8 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○	No ◉	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This sample point is representative of the upland areas upslope of W-TW-005.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No primary or secondary indicators of wetland hydrology were present at the time of survey.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-005-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0		= Total Cover	
Woody Vine Stratum (Plot size: 5' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 0 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	0	(A)	0	(B)

Prevalence Index = B/A = 0.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

All vegetation present is planted corn.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-005-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type [1]	Redox Features Loc[2]	Texture	Remarks
0-16	10YR 4/3	100					Sandy Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains [2] Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-005**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.892989, -81.913146**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-005		
Wetland Size (delineated acres):	1.20	Wetland Size (Estimated total acres):	1.20

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland located at base of hillside. Abuts Indian Run.

Final score:	44	Category:	Modified 2

Wetland ID:	W-TW-005

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-005

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-005

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-005

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-005

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-005 PEM

Delineated acres:	1.20
Total acres:	1.20

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

4.0 (max 14 pts.) | 6.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

22.0 (max 30 pts.) | 28.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [x] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [x] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [x] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

12.0 (max 20 pts.) | 40.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [x] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

40.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-005

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-005 PEM

40.0
subtotal this page

0.0 max 10 pts. | **40.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

4.0 max 20pts. | **44.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [x] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

44.0 **TOTAL (Max 100 pts)**

Modified 2 **Category**

Wetland ID:	W-TW-005

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	4		
	Metric 3. Hydrology	22		
	Metric 4. Habitat	12		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	4		
	TOTAL SCORE	44		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-005

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-006-PEM**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** flat **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.88682499 **Long.:** -81.90854886 **Datum:** NAD83

Soil Map Unit Name: RaB: Rawson silt loam, 2 to 6 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

This sample point is representative of a PEM wetland at the base of two slopes (scrub scrub) with an ephemeral stream to the north.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ○ No ◉
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-006-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Carex lurida	25	☑	25.0%	OBL
2. Carex vulpinoidea	15	☐	15.0%	OBL
3. Leersia oryzoides	25	☑	25.0%	OBL
4. Solidago canadensis	15	☐	15.0%	FACU
5. Impatiens capensis	20	☑	20.0%	FACW
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100		= Total Cover	
Woody Vine Stratum (Plot size: 5' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	65	x 1 =	65	
FACW species	20	x 2 =	40	
FAC species	0	x 3 =	0	
FACU species	15	x 4 =	60	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	165	(B)

Prevalence Index = B/A = 1.650

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation was present at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-006-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/2	85	7.5YR 4/6	15	C	M		

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-007/006 -UPL**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 3.0 **% /** 1.7 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.88593851 **Long.:** -81.90795564 **Datum:** NAD83

Soil Map Unit Name: WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is a representative upland point on a hillside between two Pem wetlands W-TW-006 and W-TW-007.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No indicators of wetland hydrology were identified at the time of survey.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-007/006 -UPL

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Quercus rubra	25	☑	50.0%	FACU
2. Magnolia acuminata	25	☑	50.0%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	50	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Ligustrum japonicum	50	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	50	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Impatiens capensis	50	☑	71.4%	FACW
2. Polystichum acrostichoides	20	☑	28.6%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	70	= Total Cover		
Woody Vine Stratum (Plot size: 5' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 20.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	50	x 2 =	100	
FAC species	0	x 3 =	0	
FACU species	70	x 4 =	280	
UPL species	50	x 5 =	250	
Column Totals:	170	(A)	630	(B)

Prevalence Index = B/A = 3.706

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-007/006 -UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 6/4	100					Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-006**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	**39.886803, -81.908556**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-006		
Wetland Size (delineated acres):	0.05	Wetland Size (Estimated total acres):	0.05

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland at base of two slopes with ephemeral stream north.

Final score:	13	Category:	1

Wetland ID:	W-TW-006

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-006

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-TW-006

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-006

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-006

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-006 PEM

Delineated acres:	0.05
Total acres:	0.05

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

3.0 (max 14 pts.) | 3.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

0.0 (max 30 pts.) | 3.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

8.0 (max 20 pts.) | 11.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [x] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

11.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-006

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-006 PEM

11.0
subtotal this page

0.0 max 10 pts. | **11.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

2.0 max 20pts. | **13.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [x] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

13.0 TOTAL (Max 100 pts)

1 Category

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

Wetland ID:	W-TW-006

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	3		
	Metric 3. Hydrology	0		
	Metric 4. Habitat	8		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	2		
	TOTAL SCORE	13		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-006

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-007-PEM**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** flat **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.88588758 **Long.:** -81.90790291 **Datum:** NAD83

Soil Map Unit Name: WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ◉ No ○		
Wetland Hydrology Present?	Yes ◉ No ○		

Remarks:

This sample point is representative of a PEM wetland at base/valley of two slopes in scrub/shrub habitat.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-007-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1. Platanus occidentalis	25	☑	100.0%	FACW
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	25		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Carex vulpinoidea	25	☑	25.0%	OBL
2. Solidago canadensis	10	☐	10.0%	FACU
3. Impatiens capensis	15	☑	15.0%	FACW
4. Amphicarpaea bracteata	15	☑	15.0%	FAC
5. Leersia oryzoides	15	☑	15.0%	OBL
6. Dichanthelium clandestinum	20	☑	20.0%	FAC
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100		= Total Cover	
Woody Vine Stratum (Plot size: 5' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 6 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	40	x 1 =	40	
FACW species	40	x 2 =	80	
FAC species	35	x 3 =	105	
FACU species	10	x 4 =	40	
UPL species	0	x 5 =	0	
Column Totals:	125	(A)	265	(B)

Prevalence Index = B/A = 2.120

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-007-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-4	10YR	4/1	95	10YR	4/6	5	C	M	Sandy Loam	
4-17	10YR	4/2	80	10YR	4/6	25	C	M	Sandy Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-007**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.885887, -81.907902**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-007		
Wetland Size (delineated acres):	0.02	Wetland Size (Estimated total acres):	0.02

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland at base/valley of two slopes.

Final score:	35	Category:	Modified 2

Wetland ID:	W-TW-007

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-007

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-TW-007

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-007

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-007

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-007 PEM

Delineated acres:	0.02
Total acres:	0.02

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

8.0 (max 14 pts.) | 8.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 (max 30 pts.) | 22.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 31.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

31.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-007

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-007 PEM

31.0
subtotal this page

0.0 max 10 pts. | **31.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

4.0 max 20pts. | **35.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [x] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

35.0 TOTAL (Max 100 pts)

Modified 2 Category

Wetland ID:	W-TW-007

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	8		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	4		
	TOTAL SCORE	35		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-007

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 12-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-008-PUB**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 9 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Shoreline **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.06904174 **Long.:** -81.99437757 **Datum:** NAD83

Soil Map Unit Name: CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes **NWI classification:** PUBGh

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?**	Yes ◉ No ○
Hydric Soil Present?	Yes ◉ No ○		
Wetland Hydrology Present?	Yes ◉ No ○		

Remarks:

Designated as a NWI. PUB is surrounded by pature with fenced off residence to the west and forest on the east of the ROW

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☑ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ◉	No ○	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Source of hydrology is from surface runoff from residence and pasture field west of the PUB

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-008-PUB

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Typha angustifolia	65	☑	65.0%	OBL
2. Carex vulpinoidea	5	☐	5.0%	OBL
3. Schoenoplectus acutus var. acutus	15	☐	15.0%	OBL
4. Leersia oryzoides	15	☐	15.0%	OBL
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100		= Total Cover	
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	100	x 1 =	100	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	100	(B)

Prevalence Index = B/A = 1.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-008-PUB

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

Due to wetland classified as PUB, no soil composition sampled.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 12-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-008/009-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 9 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 1.0 **% /** 0.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.06930022 **Long.:** -81.99462665 **Datum:** NAD83

Soil Map Unit Name: CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is a representative pland data point collected to characterize the upland conditions for W-TW-008 and W-TW-009 site within the existing transmission line right-of-way. ROW has residences to west and forest to east and data point was taken within a hayfield.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-008/009-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Poa pratensis	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-008/009-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-10	2.5Y	5/4	100						Loam	
10-16	10YR	5/6	100						Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No indicators of hydric soil were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/12/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-008**
Vegetation Communit(ies):	**PUB**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.918880, -81.932354**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/12/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-008		
Wetland Size (delineated acres):	0.23	Wetland Size (Estimated total acres):	0.23

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PUB is located on bench/floodplain area above Salt Creek and surrounded by woodland.

Final score:	22	Category:	1

Wetland ID:	W-TW-008

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-008

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-008

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-008

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-008

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/12/2023

Field ID:

W-TW-008 PUB

Delineated acres:	0.23
Total acres:	0.23

Metric 1. Wetland Area (size).

1.0 / 1.0 (max 6 pts / subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

3.0 / 4.0 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

6.0 / 10.0 (max 30 pts. / subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [x] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [x] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

12.0 / 22.0 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [x] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [x] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

22.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-008

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/12/2023

Field ID:

W-TW-008 PUB

22.0
subtotal this page

0.0 max 10 pts. | **22.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

0.0 max 20pts. | **22.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [ ] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [1] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [x] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

22.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-TW-008

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	3		
	Metric 3. Hydrology	6		
	Metric 4. Habitat	12		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	0		
	TOTAL SCORE	22		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-008

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 12-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-009-PUB**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 9 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Shoreline **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.06974465 **Long.:** -81.99480651 **Datum:** NAD83

Soil Map Unit Name: CtE: Coshocton-Westmoreland silt loams, 25 to 40 percent slopes **NWI classification:** PUBGx

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

This sample point is representative of a the PUB wetland W-TW-009 and is surrounded by pasture with fenced off residence to the west and forest on the east of the ROW.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☑ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ◉	No ○	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Source of hydrology is from surface runoff from residence and pasture field west of the PUB

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-009-PUB

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Typha angustifolia	50	☑	50.0%	OBL
2. Schoenoplectus acutus var. acutus	15	☐	15.0%	OBL
3. Leersia oryzoides	10	☐	10.0%	OBL
4. Carex lurida	25	☑	25.0%	OBL
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100		= Total Cover	
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	100	x 1 =	100	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	100	(B)

Prevalence Index = B/A = 1.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-009-PUB

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Due to wetland classified as PUB, no soil composition sampled.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**TW, AJH**
Date:	**7/12/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-009**
Vegetation Communit(ies):	**PUB**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	**39.920528, -81.933712**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/12/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-009		
Wetland Size (delineated acres):	0.09	Wetland Size (Estimated total acres):	0.09

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PUB is located within the right-of-way surrounded by pasture with woodlands at the northern edge.

Final score:	20	Category:	1

Wetland ID:	W-TW-009

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-009

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-009

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-009

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-009

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/12/2023

Field ID:

W-TW-009 PEM

Delineated acres:	0.09
Total acres:	0.09

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

4.0 (max 14 pts.) | 4.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

8.0 (max 30 pts.) | 12.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

7.0 (max 20 pts.) | 19.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [x] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [x] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

19.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-009

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/12/2023

Field ID:

W-TW-009 PEM

19.0
subtotal this page

0.0 max 10 pts. | **19.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

1.0 max 20pts. | **20.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [ ] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [0] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

20.0 TOTAL (Max 100 pts)

1 Category

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

Wetland ID:	W-TW-009

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	4		
	Metric 3. Hydrology	8		
	Metric 4. Habitat	7		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	1		
	TOTAL SCORE	20		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-009

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 12-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-010-PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** **T** 1N **R** 7W

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** concave **Slope:** % / °

Subregion (LRR or MLRA): LRR N **Lat.:** 40.06976988 **Long.:** -81.99506745 **Datum:** NAD83

Soil Map Unit Name: Bhs4F: Bethesda channery silt loam, 25 to 70 percent slopes, unreclaimed **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☑ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?**	Yes ◉ No ○
Hydric Soil Present?	Yes ◉ No ○		
Wetland Hydrology Present?	Yes ◉ No ○		

Remarks:

This sample point is representative of the PEM wetland W-TW-010 and is split by road sharing connective Hydrology by way of culvert and ground water.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Multiple secondary indicators of wetland hydrology were observed at the time of survey.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-010-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Typha angustifolia	35	☑	35.0%	OBL
2. Carex lurida	15	☑	15.0%	OBL
3. Leersia oryzoides	15	☑	15.0%	OBL
4. Impatiens capensis	5	☐	5.0%	FACW
5. Eupatorium perfoliatum	5	☐	5.0%	FACW
6. Schoenoplectus acutus var. acutus	10	☐	10.0%	OBL
7. Dichanthelium clandestinum	10	☐	10.0%	FAC
8. Carex vulpinoidea	5	☐	5.0%	OBL
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100		= Total Cover	
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	80	x 1 =	80	
FACW species	10	x 2 =	20	
FAC species	10	x 3 =	30	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	130	(B)

Prevalence Index = B/A = 1.300

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-010-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-8	5Y	4/2	80	10YR	4/6	20	C	M	Clay	
8-16	5YR	4/1	75	10YR	4/8	30	C	M	Clay	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☒ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 12-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-010-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** **T** 1N **R** 7W

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** flat **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.06930022 **Long.:** -81.9946266 **Datum:** NAD83

Soil Map Unit Name: Bhs4F: Bethesda channery silt loam, 8 to 25 percent slopes, unreclaimed **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is a representative upland data point collected to characterize the site within the existing transmission line right-of-way.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-010-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Poa pratensis	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100		= Total Cover	
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-010-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-6	2.5Y 5/4	100						mixed matrix due to disturbed soil from road
								Too hard to dig past 6 inches

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-010**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.961169, -81.941216**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-010		
Wetland Size (delineated acres):	0.11	Wetland Size (Estimated total acres):	0.11

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland split by road sharing connective Hydrology by way of culvert and ground water

Final score:	21	Category:	1

Wetland ID:	W-TW-010

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-010

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-010

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-TW-010

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-010

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-010 PEM

Delineated acres:	0.11
Total acres:	0.11

Metric 1. Wetland Area (size).

1.0 (max 6 pts) | 1.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

4.0 (max 14 pts.) | 5.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

0.0 (max 30 pts.) | 5.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [x] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [ ] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [x] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [x] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

12.0 (max 20 pts.) | 17.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [x] farming
- [ ] nutrient enrichment

17.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-010

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-010 PEM

17.0
subtotal this page

0.0 max 10 pts. | **17.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

4.0 max 20pts. | **21.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [x] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [1] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

21.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-TW-010

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	4		
	Metric 3. Hydrology	0		
	Metric 4. Habitat	12		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	4		
	TOTAL SCORE	21		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-010

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-011-PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 9 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Footslope **Local relief (concave, convex, none):** **Slope:** % / °

Subregion (LRR or MLRA): LRR N **Lat.:** 40.07102966 **Long.:** -81.99583928 **Datum:** NAD83

Soil Map Unit Name: Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☑ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?**	Yes ◉ No ○
Hydric Soil Present?	Yes ◉ No ○		
Wetland Hydrology Present?	Yes ◉ No ○		

Remarks:

This sample point is a PEM wetland located at the footslope of a field that at some point was in hay product but is recovering back to wetland. The north side is a hill, south has a old berm which has regenerative vegatation near the road. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Acorus calamus.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

The source of hydrology is surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-011-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Acorus calamus	30	☑	30.0%	OBL
2. Schoenoplectus acutus var. acutus	30	☑	30.0%	OBL
3. Onoclea sensibilis	30	☑	30.0%	FACW
4. Poa pratensis	10	☐	10.0%	FACU
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	60	x 1 =	60	
FACW species	30	x 2 =	60	
FAC species	0	x 3 =	0	
FACU species	10	x 4 =	40	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	160	(B)

Prevalence Index = B/A = 1.600

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-011-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 4/2	80	7.5YR 4/6	20	C	M	Silty Clay	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-011-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 9 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.07112543 **Long.:** -81.90790291 **Datum:** NAD83

Soil Map Unit Name: GfC2: Glenford silt loam, 8 to 15 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	
Hydric Soil Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○ No ◉	

Remarks:

This sample point was a representative upland data point for W-TW-011 located in typical Row of pasture.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No presence of Hydrology.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-011-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Poa pratensis	90	☑	90.0%	FACU
2. Eutrochium purpureum	10	☐	10.0%	FAC
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	10	x 3 =	30	
FACU species	90	x 4 =	360	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	390	(B)

Prevalence Index = B/A = 3.900

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-011-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5Y	5/4	95	7.5YR	4/6	5	C	M	Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-011**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.927391, -81.938693**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-011		
Wetland Size (delineated acres):	0.29	Wetland Size (Estimated total acres):	0.29

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM is located at the footslope of a field that at some point was in hay product but is recovering back to wetland. The north side is a hill, south has a old berm which has regenerative vegatation near the road. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Acorus calamus.

Final score:	16	Category:	1

Wetland ID:	W-TW-011

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-011

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-TW-011

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-011

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-011

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-011 PEM

Delineated acres:	0.29
Total acres:	0.29

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

3.0 (max 14 pts.) | 5.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

0.0 (max 30 pts.) | 5.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [x] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [ ] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 14.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [x] farming
- [ ] nutrient enrichment

14.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-011

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-011 PEM

14.0
subtotal this page

0.0 max 10 pts. | **14.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

2.0 max 20pts. | **16.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

16.0 TOTAL (Max 100 pts)

1 Category

Wetland ID:	W-TW-011

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	3		
	Metric 3. Hydrology	0		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	2		
	TOTAL SCORE	16		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-011

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-012-PFO**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 2 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.5 **% /** 26.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.07351483 **Long.:** -81.99912652 **Datum:** NAD83

Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉	
Wetland Hydrology Present?	Yes ○ No ◉	

Remarks:

This sample point was a representative data point taken for the PFO wetland W-TW-012 located west of and adjacent to PUB in valley of two slopes.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Source of hydrology is rainwater and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-012-PFO

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Acer negundo	85	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	85	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Symplocarpus foetidus	10	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	10	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	10	x 1 =	10	
FACW species	0	x 2 =	0	
FAC species	85	x 3 =	255	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	95	(A)	265	(B)

Prevalence Index = B/A = 2.789

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-012-PFO

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	85	10YR	4/6	15	C	M	Silt Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-012-PUB**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 2 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Hillslope **Local relief (concave, convex, none):** concave **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.93093891 **Long.:** -81.9404982 **Datum:** NAD83

Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

This sample point is representative of W-TW-012 and is located in a depression in base of two slopes in ROW, surrounded by dense shrub.
The canopy is open 65% and frogs are occupying the PUB portion of the wetland.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ◉	No ○	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ○ No ◉
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Source of hydrology is rainwater and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-012-PUB

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Salix nigra	20	☑	50.0%	OBL
2. Rosa multiflora	20	☑	50.0%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	40	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Leersia oryzoides	20	☑	50.0%	OBL
2. Typha angustifolia	20	☑	50.0%	OBL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	40	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	60	x 1 =	60	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	20	x 4 =	80	
UPL species	0	x 5 =	0	
Column Totals:	80	(A)	140	(B)

Prevalence Index = B/A = 1.750

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-012-PUB

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No soils collected due to the presence of standing water in the PUB.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-012-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 2 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 1.5 **% /** 0.9 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.0737084 **Long.:** -81.99934232 **Datum:** NAD83

Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is a representative data point indicating the surrounding upland areas of W-TW-012, located in pasture.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No primary or secondary indicators of hydrology were identified at the time of survey.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-012-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Poa pratensis	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-012-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-3	2.5Y	4/3	100						Clay Loam	
3-16	10YR	5/6	100						Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-012**
Vegetation Communit(ies):	**PFO/PUB**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	**39.930768, -81.940693 and 39.930938, -81.940498**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-012		
Wetland Size (delineated acres):	0.10	Wetland Size (Estimated total acres):	0.10

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.



Comments, Narrative Discussion, Justification of Category Changes:

PFO wetland located west of and adjacent to PUB in valley of two slopes.

Final score:	43	Category:	Modified 2

Wetland ID:	W-TW-012

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-012

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-012

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-012

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-012

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-012 PFO/PUB

Delineated acres:	0.10
Total acres:	0.10

Metric 1. Wetland Area (size).

1.0 (max 6 pts) | 1.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

7.0 (max 14 pts.) | 8.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

21.0 (max 30 pts.) | 29.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [x] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [x] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [ ] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [x] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 38.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

38.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-012

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-012 PFO/PUB

38.0
subtotal this page

0.0 max 10 pts. | **38.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

5.0 max 20pts. | **43.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [1] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [x] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

43.0 **TOTAL (Max 100 pts)**

Modified 2 **Category**

Wetland ID:	W-TW-012

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	7		
	Metric 3. Hydrology	21		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	5		
	TOTAL SCORE	43		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-012

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-013-PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Floodplain **Local relief (concave, convex, none):** none **Slope:** 0.0 % / 0.0 °

Subregion (LRR or MLRA): LRR N **Lat.:** 39.93961777 **Long.:** -81.94029627 **Datum:** NAD83

Soil Map Unit Name: Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?**	Yes ◉ No ○
Hydric Soil Present?	Yes ◉ No ○		
Wetland Hydrology Present?	Yes ◉ No ○		

Remarks:

This sample point is representative of the PEM wetland W-TW-013 and is located in floodplain and connected to a larger wetland complex located east and north (after a hill). A stream enters from the north area of data point for W-TW-014-PEM.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Source of hydrology comes from another area data point W-TW-014-PEM which is connected to this PEM from the east side of the ROW.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-013-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rosa palustris	10	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	10	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Leersia oryzoides	30	☑	33.3%	OBL
2. Typha angustifolia	10	☐	11.1%	OBL
3. Eupatorium perfoliatum	5	☐	5.6%	FACW
4. Carex lurida	15	☐	16.7%	OBL
5. Impatiens capensis	5	☐	5.6%	FACW
6. Onoclea sensibilis	5	☐	5.6%	FACW
7. Schoenoplectus acutus var. acutus	20	☑	22.2%	OBL
8.		☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	90	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	85	x 1 =	85	
FACW species	15	x 2 =	30	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	115	(B)

Prevalence Index = B/A = 1.150

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-013-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	90	7.5YR	4/6	10	C	M	Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-013-014-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 2.0 **% /** 63.4 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.93961777 **Long.:** -81.94029627 **Datum:** NAD83

Soil Map Unit Name: CsD: Coshocton silt loam, 15 to 25 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is a representative upland of W-W-013 and W-TW-014, located near an active soy field. The area was farmed in the past. To the North, East, and South of the data location is a large PEM wetland complex fed from the north by a perennial stream.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No presence of Hydrology.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-013-014-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Dichanthelium clandestinum	5	☐	5.0%	FAC
2. Parthenocissus quinquefolia	15	☐	15.0%	FACU
3. Poa pratensis	60	☑	60.0%	FACU
4. Lonicera japonica	10	☐	10.0%	FACU
5. Toxicodendron radicans	10	☐	10.0%	FAC
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	15	x 3 =	45	
FACU species	85	x 4 =	340	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	385	(B)

Prevalence Index = B/A = 3.850

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-013-014-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	2.5Y	4/1	80	7.5YR	4/6	20	C	PL		and matrix

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-013**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.939617, -81.940296**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-013		
Wetland Size (delineated acres):	0.22	Wetland Size (Estimated total acres):	0.22

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is surrounded by scrub/shrub habitat with pasture/hay field habitat to the North.

Final score:	33	Category:	1 or 2 Gray Zone

Wetland ID:	W-TW-013

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-013

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-013

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-TW-013

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-013

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-013 PEM

Delineated acres:	0.22
Total acres:	0.22

Metric 1. Wetland Area (size).

1.0 / 1.0 (max 6 pts / subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

4.0 / 5.0 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 / 19.0 (max 30 pts. / subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [x] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [ ] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [x] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [x] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

11.0 / 30.0 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

30.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-013

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-013 PEM

30.0
subtotal this page

0.0 max 10 pts. | **30.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

3.0 max 20pts. | **33.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [0] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [x] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

33.0 **TOTAL (Max 100 pts)**

1 or 2 Gray Zone **Category**

Wetland ID:	W-TW-013

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	4		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	11		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	3		
	TOTAL SCORE	33		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-013

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-014-PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** **T** 1N **R** 7W

Landform (hillslope, terrace, etc.): Floodplain **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.94235976 **Long.:** -81.94019044 **Datum:** NAD83

Soil Map Unit Name: Me: Melvin silt loam, 0 to 3 percent slopes, frequently flooded **NWI classification:** PEM1C

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

This sample is point is representative of the large PEM wetland W-TW-014.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ○ No ◉
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Stream from the west is the source of hydrology for this large wetland complex.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-014-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Typha angustifolia	25	☑	25.0%	OBL
2. Leersia oryzoides	65	☑	65.0%	OBL
3. Persicaria sagittata	10	☐	10.0%	OBL
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	100	x 1 =	100	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	100	(B)

Prevalence Index = B/A = 1.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-014-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/1	90	10YR	4/6	10	C	M	Silty Clay	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-014**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.942359, -81.940190**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-014		
Wetland Size (delineated acres):	1.37	Wetland Size (Estimated total acres):	1.37

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

Large PEM wetland complex which is part of data point W-TW-013-PEM. W-TW-013 is confrimed to be a part of a NWI wetland.

Final score:	45	Category:	2

Wetland ID:	W-TW-014

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-014

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-014

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-TW-014

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-014

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-014 PEM

Delineated acres:	
Total acres:	

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

4.0 (max 14 pts.) | 6.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

25.0 (max 30 pts.) | 31.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [x] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [x] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [x] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [x] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [ ] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [x] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [x] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

14.0 (max 20 pts.) | 45.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [x] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

45.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-014

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-014 PEM

45.0
subtotal this page

0.0 max 10 pts. | **45.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

0.0 max 20pts. | **45.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [0] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [x] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [x] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [1] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

45.0 **TOTAL (Max 100 pts)**

2 **Category**

Wetland ID:	W-TW-014

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	4		
	Metric 3. Hydrology	25		
	Metric 4. Habitat	14		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	0		
	TOTAL SCORE	45		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-014

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-015-PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 1 **T** 12N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** Concave **Slope:** 0.5 **% /** 26.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.08059215 **Long.:** -82.00750652 **Datum:** NAD83

Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ○	No ◉	**Is the Sampled Area within a Wetland?** Yes ○ No ◉
Wetland Hydrology Present?	Yes ○	No ◉	

Remarks:

This sample point is representative of a small sloping PEM depression on a hillside.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○	No ◉	Depth (inches): 0	
Water Table Present?	Yes ○	No ◉	Depth (inches): 0	**Wetland Hydrology Present?** Yes ○ No ◉
Saturation Present? (includes capillary fringe)	Yes ○	No ◉	Depth (inches): 0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

Source of hydrology from rainwater and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-015-PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Leersia oryzoides	30	☑	30.0%	OBL
2. Impatiens capensis	15	☐	15.0%	FACW
3. Schoenoplectus acutus var. acutus	15	☐	15.0%	OBL
4. Typha angustifolia	40	☑	40.0%	OBL
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	85	x 1 =	85	
FACW species	15	x 2 =	30	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	115	(B)

Prevalence Index = B/A = 1.150

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-015-PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/1	95	10YR	4/6	5	C	M	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-015-upl**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 1 **T** 12N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.5 **% /** 0.3 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.08079505 **Long.:** -82.0074489 **Datum:** NAD83

Soil Map Unit Name: ZnC2: Zanesville silt loam, 8 to 15 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point was a representative upland located near structure in ROW. The area looked recently disturbed due to the construction of the pad for the tower.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No presence of Hydrology.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-015-upl

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Erigeron strigosus	50	☑	50.0%	FACU
2. Solidago canadensis	50	☑	50.0%	FACU
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-015-upl

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-6	10YR 5/4	100						disturbed soil due to power pole pad too hard to

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-015**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**39.983553, -81.949899**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-015		
Wetland Size (delineated acres):	1.07	Wetland Size (Estimated total acres):	1.07

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland existed witihin the right-of-way within pasture/hay field habitat.

Final score:	24	Category:	1

Wetland ID:	W-TW-015

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-015

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-TW-015

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-015

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-015

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-015 PEM

Delineated acres:	1.07
Total acres:	1.07

Metric 1. Wetland Area (size).

1.0 / 1.0 (max 6 pts / subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

4.0 / 5.0 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

10.0 / 15.0 (max 30 pts. / subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [x] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

8.0 / 23.0 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

23.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-015

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-015 PEM

23.0
subtotal this page

0.0 max 10 pts. | **23.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

1.0 max 20pts. | **24.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [0] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [x] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

24.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-TW-015

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	4		
	Metric 3. Hydrology	10		
	Metric 4. Habitat	8		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	1		
	TOTAL SCORE	24		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-015

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-016 PEM**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 1 **T** 12N **R** 7W

Landform (hillslope, terrace, etc.): Footslope **Local relief (concave, convex, none):** concave **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.08435164 **Long.:** -82.01185171 **Datum:** NAD83

Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is representative of PEM wetland W-TW-016 and is located at the footslope of the southern hill which is a hay field. To the north is an active railway with a two track that junction on the east side of the right-of-way.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☑ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

The source of hydrology is rainwater and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-016 PEM

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5' radius)				
1. Acorus calamus	50	☑	50.0%	OBL
2. Onoclea sensibilis	2.5	☐	2.5%	FACW
3. Eutrochium purpureum var. purpureum	2.5	☐	2.5%	FAC
4. Leersia oryzoides	20	☑	20.0%	OBL
5. Typha angustifolia	20	☑	20.0%	OBL
6. Symplocarpus foetidus	5	☐	5.0%	OBL
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100		= Total Cover	
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:
OBL species	95	x 1 =	95
FACW species	2.5	x 2 =	5
FAC species	2.5	x 3 =	7.5
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	100 (A)		107.5 (B)

Prevalence Index = B/A = 1.075

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-016 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-16	10YR	4/2	95	10YR	4/6	5	C	M	Silty Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☑ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

The soil profile meet the criteria for having a depleted matrix.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 13-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-016 upl**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 1 **T** 12N **R** 7W

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.08471714 **Long.:** -82.01227202 **Datum:** NAD83

Soil Map Unit Name: GfC2: Glenford silt loam, 8 to 15 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is a representative upland for wetland W-TW-016.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No presence of Hydrology.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-016 upl

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Poa pratensis	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-016 upl

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-6	10YR 4/2	100					Sandy Loam	
6-16	10YR 6/6	100					Sandy Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/10/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-016**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.978133, -81.947491**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/10/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-016		
Wetland Size (delineated acres):	0.12	Wetland Size (Estimated total acres):	0.12

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland at footslope of southern hill which is a hay field. To the north is an active railway with two track that junction on the east side of the ROW.

Final score:	20	Category:	1

Wetland ID:	W-TW-016

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-016

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-TW-016

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-TW-016

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-016

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-016 PEM

Delineated acres:	0.12
Total acres:	0.12

Metric 1. Wetland Area (size).

1.0 / 1.0 (max 6 pts / subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [x] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

3.0 / 4.0 (max 14 pts. / subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

0.0 / 4.0 (max 30 pts. / subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [x] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [x] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [x] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

13.0 / 17.0 (max 20 pts. / subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [x] None or none apparent (9)
- [ ] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [x] farming
- [ ] nutrient enrichment

17.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-016

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/10/2023

Field ID:

W-TW-016 PEM

17.0
subtotal this page

0.0 max 10 pts. | **17.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

3.0 max 20pts. | **20.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [0] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [x] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

20.0 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-TW-016

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	1		
	Metric 2. Buffers and surrounding land use	3		
	Metric 3. Hydrology	0		
	Metric 4. Habitat	13		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	3		
	TOTAL SCORE	20		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-016

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum, OH **Sampling Date:** 14-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-PUB-017**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 8 **T** 1N **R** 7W

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** **Slope:** % / °

Subregion (LRR or MLRA): null **Lat.:** 39.98964245 **Long.:** -81.95280268 **Datum:** NAD83

Soil Map Unit Name: FaB: Fairpoint silty clay loam, 1 to 15 percent slopes **NWI classification:** PUBGh

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

PUB is directly under ROW. Industrial complex is located south while the north, west, and east are prairie. The Little Indian river enters the PUB outside the study area on the west side. Known NWI.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ◉ No ○	Depth (inches):	0	
Water Table Present?	Yes ◉ No ○	Depth (inches):	0	**Wetland Hydrology Present?** Yes ◉ No ○
Saturation Present? (includes capillary fringe)	Yes ◉ No ○	Depth (inches):	0	

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

The source of hydrology is from the Little Indian river located outside of the ROW and study area on the west side.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-PUB-017

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rosa multiflora	25	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	25	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Solidago gigantea	35	☑	70.0%	FACW
2. Schoenoplectus acutus var. acutus	15	☑	30.0%	OBL
3.		☐	0.0%	
4.		☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	50	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1. Toxicodendron radicans	25	☑	100.0%	FAC
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	25	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 75.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15	
FACW species	35	x 2 =	70	
FAC species	25	x 3 =	75	
FACU species	25	x 4 =	100	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	260	(B)

Prevalence Index = B/A = 2.600

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-PUB-017

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

Wetland was classified as a PUB, therefore no soil were documented.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum, OH **Sampling Date:** 14-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-017-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 8 **T** 1N **R** 7W

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): **Lat.:** 39.99007874 **Long.:** -81.95293817 **Datum:** NAD83

Soil Map Unit Name: FaB: Fairpoint silty clay loam, 1 to 15 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is a representative upland taken for wetland W-TW-017 near a road north of the PUB.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No presence of hydrology

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-017-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0		= Total Cover	
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0		= Total Cover	
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0		= Total Cover	
Herb Stratum (Plot size: 5')				
1. Poa pratensis	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100		= Total Cover	
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0		= Total Cover	

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-017-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-7	10YR	5/3	100							fill

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/14/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-017**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.989354, -81.952460**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/14/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-017		
Wetland Size (delineated acres):	1.07	Wetland Size (Estimated total acres):	1.07

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM wetland is located within the right-of-way with the perennial stream Little Salt Creek running through the center.

Final score:	25.5	Category:	1

Wetland ID:	W-TW-017

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-017

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-017

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-TW-017

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-017

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/14/2023

Field ID:

W-TW-017 PUB

Delineated acres:	1.07
Total acres:	1.07

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

3.0 (max 14 pts.) | 5.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

12.5 (max 30 pts.) | 17.5 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [x] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [x] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

6.0 (max 20 pts.) | 23.5 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [x] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [x] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [x] farming
- [ ] nutrient enrichment

23.5 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-017

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/14/2023

Field ID:

W-TW-017 PUB

23.5
subtotal this page

0.0 max 10 pts. | **23.5** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

2.0 max 20pts. | **25.5** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [ ] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [1] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

25.5 **TOTAL (Max 100 pts)**

1 **Category**

Wetland ID:	W-TW-017

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	3		
	Metric 3. Hydrology	12.5		
	Metric 4. Habitat	6		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	2		
	TOTAL SCORE	25.5		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-017

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum, OH **Sampling Date:** 14-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-018-PUB**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 8 **T** 1N **R** 7W

Landform (hillslope, terrace, etc.): **Local relief (concave, convex, none):** **Slope:** 0.0 % / 0.0 °

Subregion (LRR or MLRA): **Lat.:** 39.99768969 **Long.:** -81.95657132 **Datum:** NAD83

Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes **NWI classification:** PUBGh

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉ No ○	**Is the Sampled Area within a Wetland?**	Yes ◉ No ○
Hydric Soil Present?	Yes ◉ No ○		
Wetland Hydrology Present?	Yes ◉ No ○		

Remarks:

This sample point is representative of the PUB wetland W-TW-018 located between two corn fields (north and south). The edge of the PUB is heavily vegetated.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

The source of hydrology is a stream located outside of the ROW and study area on the west side.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-018-PUB

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
1. Salix nigra	50	☑	83.3%	OBL
2. Liriodendron tulipifera	5	☐	8.3%	FACU
3. Populus deltoides	5	☐	8.3%	FAC
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	60	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Rosa multiflora	40	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	40	= Total Cover		
Herb Stratum (Plot size: 5')				
1. Typha angustifolia	5	☐	10.0%	OBL
2. Impatiens capensis	20	☑	40.0%	FACW
3. Leersia oryzoides	25	☑	50.0%	OBL
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	50	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1. Vitis acerifolia	5	☑	33.3%	UPL
2. Persicaria arifolia	10	☑	66.7%	OBL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	15	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	90	x 1 =	90	
FACW species	20	x 2 =	40	
FAC species	5	x 3 =	15	
FACU species	45	x 4 =	180	
UPL species	5	x 5 =	25	
Column Totals:	165	(A)	350	(B)

Prevalence Index = B/A = 2.121

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: EnterID

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

Wetland was classified as a PUB, therefore no soil were documented.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum, OH **Sampling Date:** 14-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **W-TW-018-UPL**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 8 **T** 1N **R** 7W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 0.5 **% /** 0.3 **°**

Subregion (LRR or MLRA): **Lat.:** 39.99792231 **Long.:** -81.95648317 **Datum:** NAD83

Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point was a representative upland for wetland W-TW-018 and was located north of the PUB wetland in a corn field.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No presence of hydrology

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: W-TW-018-UPL

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1. Zea mays	100	☑	100.0%	UPL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	100	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	0	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	100	x 5 =	500	
Column Totals:	100	(A)	500	(B)

Prevalence Index = B/A = 5.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: W-TW-018-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 6/6	100					Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**TW, AJH**
Date:	**7/12/2023**
Affiliation:	**AECOM**
Address:	**564 White Pond Rd**
Phone Number:	**951-212-8736**
e-mail address:	talula.wiater@aecom.com
Name of Wetland:	**W-TW-018**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.

Lat/Long or UTM Coordinate:	**39.997598, -81.956310**
USGS Quad Name:	**Dresden**
County:	**Muskingum**
Township:	**3N**
Section and Subsection:	**8W**
Hydrologic Unit Code:	**HUC 12 - 050400040305**
Site Visit:	**7/12/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-TW-018		
Wetland Size (delineated acres):	0.23	Wetland Size (Estimated total acres):	0.43

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

This PEM is located within the right-of-way, and surrounded by scrub/shrub habitat.

Final score:	30	Category:	1 or 2 Gray Zone

Wetland ID:	W-TW-018

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-TW-018

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-TW-018

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-TW-018

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-TW-018

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/12/2023

Field ID:

W-TW-0018 PUB

Delineated acres:	0.23
Total acres:	0.43

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

2.0 (max 14 pts.) | 4.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 (max 30 pts.) | 18.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [x] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 27.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [x] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [x] Recovered (6)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [x] farming
- [ ] nutrient enrichment

27.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-TW-018

Site:	Philo-Ohio Central	Rater(s):	TW, AJH	Date:	7/12/2023

Field ID:

W-TW-0018 PUB

27.0
subtotal this page

0.0 max 10 pts. | **27.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

3.0 max 20pts. | **30.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [ ] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [2] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [x] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

30.0 TOTAL (Max 100 pts)

1 Category

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

Wetland ID:	W-TW-018

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	2		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	3		
	TOTAL SCORE	30		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-TW-018

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **UPL-TW-001**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** none **Slope:** 3.0 **% /** 1.7 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.90903619 **Long.:** -81.92499888 **Datum:** NAD83

Soil Map Unit Name: WuD2: Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

This sample point is a representative upland data point collected to characterize the site within the existing transmission line right-of-way which was predominantly hay field habitat.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: UPL-TW-001

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Phleum pratense	100	☐	100.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 0 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	0	x 4 =	0	
UPL species	0	x 5 =	0	
Column Totals:	0	(A)	0	(B)

Prevalence Index = B/A = 0.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: UPL-TW-001

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-6	10YR 4/3	100						
6-16	10YR 4/6	100					Clay Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 10-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **UPL-TW-002**

Investigator(s): TW, AJH, RBL **Section, Township, Range:** **S** 19 **T** 13N **R** 12W

Landform (hillslope, terrace, etc.): Flat **Local relief (concave, convex, none):** none **Slope:** 0.0 **% /** 0.0 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.90011091 **Long.:** -81.91856039 **Datum:** NAD83

Soil Map Unit Name: WuE2: Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point collected to characterize the site within the existing transmission line right-of-way, within a hay field.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: UPL-TW-002

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Phleum pratense	100	☑	100.0%	FACU
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	100	x 4 =	400	
UPL species	0	x 5 =	0	
Column Totals:	100	(A)	400	(B)

Prevalence Index = B/A = 4.000

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: UPL-TW-002

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-16	10YR 5/3	100						

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 12-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **UPL-TW-003**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 9 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** **Slope:** 2.0 **% /** 1.1 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.90903619 **Long.:** -81.92499888 **Datum:** NAD83

Soil Map Unit Name: FaB: Fairpoint silty clay loam, 1 to 15 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point collected to characterize the site within the existing transmission line right-of-way, and was located in a clover/hay field.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: UPL-TW-003

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Poa pratensis	60	☑	60.0%	FACU
2. Dalea purpurea	40	☑	40.0%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	60	x 4 =	240	
UPL species	40	x 5 =	200	
Column Totals:	100	(A)	440	(B)

Prevalence Index = B/A = 4.400

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: UPL-TW-003

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)		%	Redox Features Color (moist)		%	Type [1]	Loc²	Texture	Remarks
0-10	2.5Y	5/6	100						Sandy Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo Ohio Central **City/County:** Muskingum **Sampling Date:** 12-Jul-23

Applicant/Owner: AEP **State:** Ohio **Sampling Point:** **UPL-TW-004**

Investigator(s): TW, AJH **Section, Township, Range:** **S** 9 **T** 12N **R** 13W

Landform (hillslope, terrace, etc.): Hillside **Local relief (concave, convex, none):** concave **Slope:** 2.5 **% /** 1.4 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 39.92592593 **Long.:** -81.9376163 **Datum:** NAD83

Soil Map Unit Name: RgD: Rigley channery loam, 15 to 25 percent slopes **NWI classification:** N/A

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ○ No ◉ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ○ No ◉

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ○ No ◉	**Is the Sampled Area within a Wetland?**	Yes ○ No ◉
Hydric Soil Present?	Yes ○ No ◉		
Wetland Hydrology Present?	Yes ○ No ◉		

Remarks:

Upland data point collected to characterize the site within the existing transmission line right-of-way and was located in a clover/hay field.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☐ Surface Water (A1)
- ☐ High Water Table (A2)
- ☐ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☐ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☐ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☐ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☐ Stunted or Stressed Plants (D1)
- ☐ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☐ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ○ No ◉	Depth (inches):	0
Water Table Present?	Yes ○ No ◉	Depth (inches):	0
Saturation Present? (includes capillary fringe)	Yes ○ No ◉	Depth (inches):	0

Wetland Hydrology Present? Yes ○ No ◉

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

null

Remarks:

No source of hydrology was observed.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: UPL-TW-004

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Poa pratensis	60	☑	60.0%	FACU
2. Dalea purpurea	40	☑	40.0%	UPL
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	100	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0	
FACW species	0	x 2 =	0	
FAC species	0	x 3 =	0	
FACU species	60	x 4 =	240	
UPL species	40	x 5 =	200	
Column Totals:	100	(A)	440	(B)

Prevalence Index = B/A = 4.400

Hydrophytic Vegetation Indicators:

- ☐ **Rapid Test for Hydrophytic Vegetation**
- ☐ **Dominance Test is > 50%**
- ☐ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ○ No ◉

Remarks: (Include photo numbers here or on a separate sheet.)

A predominance of hydrophytic vegetation was not observed at the time of survey.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: UPL-TW-004

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks
0-12	10YR 5/6	100					Loam	
12-16	10YR 5/8	100					Loam	

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☐ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ○ No ◉

Remarks:

No hydric soil indicators were observed at the time of survey.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-24-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-001
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Swale Local relief (concave, convex, none): Concave Slope (%): 5
Subregion (LRR or MLRA): LRR N Lat: 40.020456 Long: -81.965231 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ____ No x
Are Vegetation ____, Soil x, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
PEM wetland is located within a depression on the existing transmission line right-of-way. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Microstegium vimineum.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- x Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
The source of hydrology is precipitation/surface runoff.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-001

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1. *Salix nigra*	2	No	OBL
2. *Acer saccharinum*	2	No	FACW
3.			
4.			
5.			
6.			
	4 =Total Cover		
50% of total cover: 2	20% of total cover: 1		
Shrub Stratum (Plot size: 15' radius)			
1. *Rubus occidentalis*	5	Yes	UPL
2. *Sambucus nigra*	3	Yes	FAC
3. *Rhamnus alnifolia*	2	Yes	OBL
4.			
5.			
6.			
	10 =Total Cover		
50% of total cover: 5	20% of total cover: 2		
Herb Stratum (Plot size: 5' radius)			
1. *Microstegium vimineum*	45	Yes	FAC
2. *Eleocharis obtusa*	25	Yes	OBL
3. *Solidago canadensis*	15	No	FACU
4. *Bidens frondosa*	13	No	FACW
5. *Dichanthelium clandestinum*	10	No	FAC
6. *Onoclea sensibilis*	3	No	FACW
7. *Persicaria sagittata*	3	No	OBL
8. *Eupatorium perfoliatum*	2	No	FACW
9.			
10.			
11.			
	116 =Total Cover		
50% of total cover: 58	20% of total cover: 24		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	32	x 1 =	32
FACW species	20	x 2 =	40
FAC species	58	x 3 =	174
FACU species	15	x 4 =	60
UPL species	5	x 5 =	25
Column Totals:	130 (A)		331 (B)
Prevalence Index = B/A =			2.55

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: W-WRL-001

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-22	10YR 5/2	60	10YR 5/6	40	C	M		Silty Clay
								Mixed fill

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- x Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ____

Remarks:

Soils are disturbed by land owner activity, use of equipment and fill materials observed.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-24-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-001-UPL
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Hillslope Local relief (concave, convex, none): Convex Slope (%): 10
Subregion (LRR or MLRA): LRR N Lat: 40.020356 Long: -81.965195 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Upland data point for W-WRL-001. Upland data was collected within the existing transmission line right-of-way which is surrounded by forest land.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-001-UPL

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1. *Rubus occidentalis*	15	Yes	UPL
2.			
3.			
4.			
5.			
6.			
	15 =Total Cover		
50% of total cover: 8	20% of total cover:	3	
Herb Stratum (Plot size: 5' radius)			
1. *Euthamia graminifolia*	30	Yes	FAC
2. *Dichanthelium clandestinum*	35	Yes	FAC
3. *Solidago canadensis*	15	Yes	FACU
4. *Microstegium vimineum*	15	Yes	FAC
5. *Mimulus ringens*	15	Yes	OBL
6. *Juncus effusus*	10	No	FACW
7. *Symphyotrichum ericoides*	5	No	FACU
8. *Houstonia longifolia*	10	No	UPL
9.			
10.			
11.			
	135 =Total Cover		
50% of total cover: 68	20% of total cover:	27	
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 6 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 66.7% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	15	x 1 =	15
FACW species	10	x 2 =	20
FAC species	80	x 3 =	240
FACU species	20	x 4 =	80
UPL species	25	x 5 =	125
Column Totals:	150 (A)		480 (B)

Prevalence Index = B/A = 3.20

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: W-WRL-001-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 5/4	100						Silt Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**WRL, RBL**
Date:	**7/24/2023**
Affiliation:	**AECOM**
Address:	**525 Vine St., Ste. 1800, Cincinnati, OH 45202**
Phone Number:	**513-651-3440**
e-mail address:	bill.leopold@aecom.com
Name of Wetland:	**W-WRL-001**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.020456, -81.965231**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 - 050400040305 - Blount Run-Muskingum River**
Site Visit:	**7/24/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-WRL-001		
Wetland Size (delineated acres):	0.05	Wetland Size (Estimated total acres):	0.05

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland is located within a depression on the existing transmission line right-of-way. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Microstegium vimineum.

Final score:	21	Category:	1

Wetland ID:	W-WRL-001

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-WRL-001

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-WRL-001

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-WRL-001

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-WRL-001

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/24/2023

Field ID:

W-WRL-001 PEM

Delineated acres:	0.05
Total acres:	0.05

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

10.0 (max 14 pts.) | 10.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [x] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

5.0 (max 30 pts.) | 15.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [x] filling/grading
- [ ] road bed/RR track
- [x] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

6.0 (max 20 pts.) | 21.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [x] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [ ] Fair (3)
- [x] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

21.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-WRL-001

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/24/2023

Field ID:

W-WRL-001 PEM

21.0
subtotal this page

0.0 max 10 pts. | **21.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

0.0 max 20pts. | **21.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [x] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [x] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [1] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

21.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-WRL-001

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	10		
	Metric 3. Hydrology	5		
	Metric 4. Habitat	6		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	0		
	TOTAL SCORE	21		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-WRL-001

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-25-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-002 PEM
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Swale Local relief (concave, convex, none): Concave Slope (%): 0
Subregion (LRR or MLRA): LRR N Lat: 40.002155 Long: -81.958203 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
PEM wetland at the end of grassy swale identified as UDF-WRL-005.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- x Surface Water (A1)
- X High Water Table (A2)
- x Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- x Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- x Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes x	No ____	Depth (inches): 1
Water Table Present?	Yes x	No ____	Depth (inches): 12
Saturation Present? (includes capillary fringe)	Yes x	No ____	Depth (inches): 0

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
The source of hydrology is precipitation/surface runoff and groundwater.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-002 PEM

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 5' radius)			
1. *Leersia virginica*	40	Yes	FACW
2. *Carex frankii*	15	Yes	OBL
3. *Juncus effusus*	15	Yes	FACW
4. *Carex vulpinoidea*	10	No	OBL
5. *Agrostis gigantea*	10	No	FACW
6. *Veronica peregrina*	10	No	FAC
7. *Eupatorium perfoliatum*	5	No	FACW
8. *Scirpus cyperinus*	2	No	FACW
9.			
10.			
11.			
	107 =Total Cover		
50% of total cover: 54	20% of total cover: 22		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	25	x 1 =	25
FACW species	72	x 2 =	144
FAC species	10	x 3 =	30
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	107 (A)		199 (B)
Prevalence Index = B/A =			1.86

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

_X_ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation is present in prevalence and predominance

SOIL

Sampling Point: W-WRL-002 PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-13	10YR 5/2	70	10YR 5/6	30	C	M		Clay Loam
13-17	10YR 5/6	60	10YR 5/2	40	C	M		Clay

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- x Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ____

Remarks:

Hydric soils indicators are present

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-25-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-002 UPL
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Swale Local relief (concave, convex, none): Convex Slope (%): 0
Subregion (LRR or MLRA): LRR N Lat: 40.002081 Long: -81.958149 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil x, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No x	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Upland data point for W-WRL-002. Upland data was collected within an upland inclusion in W-WRL-002 PEM.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed. No primary or secondary hydrology indicators present

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

7/28/2025 1:42:00 PM

in

Case No(s). 25-0679-EL-BLN

Summary: Application Part 2, LON Philo-Howard electronically filed by Hector Garcia-Santana on behalf of AEP Ohio Transmission Company, Inc..

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-002 UPL

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 5' radius)			
1. *Festuca arundinacea*	35	Yes	FACU
2. *Plantago lanceolata*	40	Yes	UPL
3. *Juncus tenuis*	20	No	FAC
4. *Daucus carota*	15	No	UPL
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	110 =Total Cover		
50% of total cover: 55	20% of total cover: 22		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	20	x 3 =	60
FACU species	35	x 4 =	140
UPL species	55	x 5 =	275
Column Totals:	110 (A)		475 (B)
Prevalence Index = B/A =			4.32

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation is present within the sample area

SOIL

Sampling Point: W-WRL-002 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 3/6	100						Silt Loam
4-11	10YR 5/8	70	10YR 5/2	30	D	M		Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: shovel refusal

Depth (inches): 11

Hydric Soil Present? **Yes** ___ **No** x

Remarks:

Soils do not meet hydric criteria.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**WRL, RBL**
Date:	**7/25/2023**
Affiliation:	**AECOM**
Address:	**525 Vine St., Ste. 1800, Cincinnati, OH 45202**
Phone Number:	**513-651-3440**
e-mail address:	bill.leopold@aecom.com
Name of Wetland:	**W-WRL-002**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	**40.002152, -81.958212**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 - 050400040305 - Blount Run-Muskingum River**
Site Visit:	**7/25/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-WRL-002		
Wetland Size (delineated acres):	1.29	Wetland Size (Estimated total acres):	1.29

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.



Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland is located within a depression on the existing transmission line right-of-way. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Leersia Virginica. The wetland continues beyond the Survey Area to the east and to the west.

Final score:	23	Category:	1

Wetland ID:	W-WRL-002

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-WRL-002

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-WRL-002

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	***NO** Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-WRL-002

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-WRL-002

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/25/2023

Field ID:

W-WRL-002 PEM

Delineated acres:	1.29
Total acres:	1.29

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

1.0 (max 14 pts.) | 3.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

6.0 (max 30 pts.) | 9.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 18.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

18.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-WRL-002

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/25/2023

Field ID:

W-WRL-002 PEM

18.0
subtotal this page

0.0 max 10 pts. | **18.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

5.0 max 20pts. | **23.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [2] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [1] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

23.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-WRL-002

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	*NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	1		
	Metric 3. Hydrology	6		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	5		
	TOTAL SCORE	23		Category based on score breakpoints: 1

Complete Wetland Categorization Worksheet.

Wetland ID:	W-WRL-002

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-25-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-003PEM
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 0
Subregion (LRR or MLRA): LRR N Lat: 40.030368 Long: -81.969116 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
PEM wetland is located within a depression within the existing transmission line right-of-way abutting a pond.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- X Surface Water (A1)
- X High Water Table (A2)
- x Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- x Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- x Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes x	No ____	Depth (inches): 1
Water Table Present?	Yes x	No ____	Depth (inches): 0
Saturation Present? (includes capillary fringe)	Yes x	No ____	Depth (inches): 0

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
Primary and secondary hydrology indicators present. The source of hydrology is precipitation/surface runoff.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-003PEM

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1. *Fraxinus Pennsylvanica*	1	No	FACW
2. *Frangula alnus*	1	No	FAC
3.			
4.			
5.			
6.			
	2 =Total Cover		
50% of total cover: 1	20% of total cover: 1		
Shrub Stratum (Plot size: 15' radius)			
1. *Viburnum dentatum*	10	Yes	FAC
2. *Cornus alba*	5	Yes	FACW
3.			
4.			
5.			
6.			
	15 =Total Cover		
50% of total cover: 8	20% of total cover: 3		
Herb Stratum (Plot size: 5' radius)			
1. *Impatiens capensis*	50	Yes	FACW
2. *Symplocarpus foetidus*	20	No	OBL
3. *Onoclea sensibilis*	20	No	FACW
4. *Phalaris arundinacea*	40	Yes	FACW
5. *Glyceria striata*	10	No	OBL
6.			
7.			
8.			
9.			
10.			
11.			
	140 =Total Cover		
50% of total cover: 70	20% of total cover: 28		
Woody Vine Stratum (Plot size: 30' radius)			
1. *Vitis aestivalis*	5	Yes	FACU
2.			
3.			
4.			
5.			
	5 =Total Cover		
50% of total cover: 3	20% of total cover: 1		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	30	x 1 =	30
FACW species	116	x 2 =	232
FAC species	11	x 3 =	33
FACU species	5	x 4 =	20
UPL species	0	x 5 =	0
Column Totals:	162 (A)		315 (B)
Prevalence Index = B/A =			1.94

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation is present in the sample area

SOIL

Sampling Point: W-WRL-003PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	2.5Y 4/1	95	2.5Y 5/4	5	C	M		Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
_X_ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ 2 cm Muck (A10) **(LRR N)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Sandy Mucky Mineral (S1)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7)
___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
___ Thin Dark Surface (S9) **(MLRA 147, 148)**
___ Loamy Mucky Mineral (F1) **(MLRA 136)**
___ Loamy Gleyed Matrix (F2)
_x_ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
___ Umbric Surface (F13) **(MLRA 122, 136)**
___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

___ 2 cm Muck (A10) **(MLRA 147)**
___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
___ Very Shallow Dark Surface (F22)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____
Depth (inches): _____

Hydric Soil Present? **Yes** _X_ **No** _____

Remarks:
Hydric soil indicators are present

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-24-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-003 PSS
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 0
Subregion (LRR or MLRA): LRR N Lat: 40.03066 Long: -81.96925 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
PSS component of a greater wetland complex withn the ROW adjacent to a Pem wetland component and a pond.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- x High Water Table (A2)
- X Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- x Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No x	Depth (inches): ____
Water Table Present?	Yes x	No ____	Depth (inches): 16
Saturation Present? (includes capillary fringe)	Yes x	No ____	Depth (inches): 0

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
Primary and Secondary Hydrology indicators are present

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-003 PSS

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1. *Viburnum dentatum*	35	Yes	FAC
2. *Cornus alba*	25	Yes	FACW
3. *Rosa multiflora*	5	No	FACU
4.			
5.			
6.			
	65 =Total Cover		
50% of total cover: 33	20% of total cover: 13		
Herb Stratum (Plot size: 5' radius)			
1. *Impatiens capensis*	25	Yes	FACW
2. *Symplocarpus foetidus*	25	Yes	OBL
3. *Onoclea sensibilis*	15	No	FACW
4. *Phalaris arundinacea*	50	Yes	FACW
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	115 =Total Cover		
50% of total cover: 58	20% of total cover: 23		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	25	x 1 =	25
FACW species	115	x 2 =	230
FAC species	35	x 3 =	105
FACU species	5	x 4 =	20
UPL species	0	x 5 =	0
Column Totals:	180 (A)		380 (B)
Prevalence Index = B/A =			2.11

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetaion is present. Canopy cover is greater than 50% shrub strata

SOIL

Sampling Point: W-WRL-003 PSS

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	2.5Y 4/3	100						Sandy Loam
2-7	2.5Y 5/1	70	2.5Y 4/3	30	C	PL/M		Sandy Loam
7-15	2.5Y 4/2	80	2.5Y 5/4	20	C	PL		Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ 2 cm Muck (A10) **(LRR N)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Sandy Mucky Mineral (S1)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7)
___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
___ Thin Dark Surface (S9) **(MLRA 147, 148)**
___ Loamy Mucky Mineral (F1) **(MLRA 136)**
___ Loamy Gleyed Matrix (F2)
x Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
___ Umbric Surface (F13) **(MLRA 122, 136)**
___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

___ 2 cm Muck (A10) **(MLRA 147)**
___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
___ Very Shallow Dark Surface (F22)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____
Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ____

Remarks:
Hydric soil indicator are present

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-25-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-003 UPL
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Hillslope Local relief (concave, convex, none): Convex Slope (%): 5
Subregion (LRR or MLRA): LRR N Lat: 40.030181 Long: -81.968837 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Upland point on east edge of the ROW upslope of the wetland habitat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.No primary or secondary hydrologu indicators present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-003 UPL

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Robinia pseudoacacia*	30	Yes	FACU
2. *Betula papyrifera*	25	Yes	FACU
3. *Platanus occidentalis*	10	No	FACW
4.			
5.			
6.			
	65	=Total Cover	
50% of total cover: 33	20% of total cover:	13	
Sapling Stratum (Plot size: 15' radius)			
1. *Quercus rubra*	5	Yes	FACU
2. *Gleditsia triacanthos*	1	No	FAC
3.			
4.			
5.			
6.			
	6	=Total Cover	
50% of total cover: 3	20% of total cover:	2	
Shrub Stratum (Plot size: 15' radius)			
1. *Rubus occidentalis*	25	Yes	UPL
2. *Frangula alnus*	20	Yes	FAC
3. *Robinia pseudoacacia*	15	Yes	FACU
4.			
5.			
6.			
	60	=Total Cover	
50% of total cover: 30	20% of total cover:	12	
Herb Stratum (Plot size: 5' radius)			
1. *Festuca rubra*	25	Yes	FACU
2. *Solidago canadensis*	25	Yes	FACU
3. *Potentilla indica*	35	Yes	FACU
4. *Achillea millefolium*	10	No	FACU
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	95	=Total Cover	
50% of total cover: 48	20% of total cover:	19	
Woody Vine Stratum (Plot size: 30' radius)			
1. *Parthenocissus quinquefolia*	5	Yes	FACU
2.			
3.			
4.			
5.			
	5	=Total Cover	
50% of total cover: 3	20% of total cover:	1	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 10 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 10.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	10	x 2 =	20
FAC species	21	x 3 =	63
FACU species	175	x 4 =	700
UPL species	25	x 5 =	125
Column Totals:	231 (A)		908 (B)
Prevalence Index = B/A =			3.93

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation is not present in predominance or prevalence

SOIL

Sampling Point: W-WRL-003 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	2.5Y 4/3	100						Sandy Loam
3-12	2.5Y 5/6	100						Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**WRL, RBL**
Date:	**7/25/2023**
Affiliation:	**AECOM**
Address:	**525 Vine St., Ste. 1800, Cincinnati, OH 45202**
Phone Number:	**513-651-3440**
e-mail address:	bill.leopold@aecom.com
Name of Wetland:	**W-WRL-003**
Vegetation Communit(ies):	**PEM, PSS**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	



Lat/Long or UTM Coordinate:	**40.020456, -81.965231**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 - 050400040305 - Blount Run-Muskingum River**
Site Visit:	**7/25/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-WRL-003		
Wetland Size (delineated acres):	0.37	Wetland Size (Estimated total acres):	0.37

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM and PSS wetland is located within a depression on the existing transmission line right-of-way adjacent to a pond. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Impatiens capensis in the PEM portion and Viburnum dentatum in the PSS portion.

Final score:	41	Category:	Modified 2

Wetland ID:	W-WRL-003

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-WRL-003

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-WRL-003

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-WRL-003

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-WRL-003

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/25/2023

Field ID:

W-WRL-003

Delineated acres:	0.37
Total acres:	0.37

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

11.0 (max 14 pts.) | 13.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [x] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 (max 30 pts.) | 27.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [x] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [x] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [ ] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [x] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [x] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

11.0 (max 20 pts.) | 38.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [x] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

38.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-WRL-003

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/25/2023

Field ID:
W-WRL-003

38.0
subtotal this page

0.0 max 10 pts. | **38.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

3.0 max 20pts. | **41.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [2] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [x] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [x] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

41.0 **TOTAL (Max 100 pts)**
Modified 2 **Category**

Wetland ID:	W-WRL-003

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	11		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	11		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	3		
	TOTAL SCORE	41		Category based on score breakpoints: Modified Category 2

Complete Wetland Categorization Worksheet.

Wetland ID:	W-WRL-003

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-26-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-004
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Slopes Local relief (concave, convex, none): Concave Slope (%): 2
Subregion (LRR or MLRA): LRR N Lat: 40.04625 Long: -81.9794 Datum: NAD83
Soil Map Unit Name: Uh: Udorthents, sandy-skeletal, steep NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No x
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No _____	**Is the Sampled Area within a Wetland?** **Yes** X **No** _____
Hydric Soil Present?	Yes X	No _____	
Wetland Hydrology Present?	Yes X	No _____	

Remarks:
PEM wetland is located within a depression on the existing transmission line right-of-way. The wetland drains southwest via a ditch outside of the study area, and normal circumstances were present at the time of survey.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- X Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- X Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- X Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes X	No _____	Depth (inches): 4
Water Table Present?	Yes _____	No X	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): _____

Wetland Hydrology Present? **Yes** X **No** _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
The source of hydrology is precipitation/surface runoff.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-004

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 5' radius)			
1. *Asclepias incarnata*	40	Yes	OBL
2. *Dichanthelium clandestinum*	20	Yes	FAC
3. *Agrostis gigantea*	20	Yes	FACW
4. *Juncus effusus*	15	No	FACW
5. *Solidago canadensis*	10	No	FACU
6. *Mimulus ringens*	5	No	OBL
7. *Eutrochium fistulosum*	5	No	FACW
8. *Lythrum salicaria*	5	No	FACW
9.			
10.			
11.			
	120 =Total Cover		
50% of total cover: 60	20% of total cover: 24		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	45	x 1 =	45
FACW species	45	x 2 =	90
FAC species	20	x 3 =	60
FACU species	10	x 4 =	40
UPL species	0	x 5 =	0
Column Totals:	120 (A)		235 (B)
Prevalence Index = B/A =			1.96

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: W-WRL-004

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 4/2	90	10YR 3/6	10	C	PL		Silt Loam
4-17	10YR 5/2	70	10YR 4/6	30	C	PL/M		Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- x Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ____

Remarks:

Indicator of hydric soil was observed at the time of survey.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-26-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-004-UPL
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Hillslope Local relief (concave, convex, none): Convex Slope (%): 3
Subregion (LRR or MLRA): LRR N Lat: 40.06229 Long: -81.97933 Datum: NAD83
Soil Map Unit Name: Uh: Udorthents, sandy-skeletal, steep NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Upland data point for W-WRL-004. Upland data was collected within the existing transmission line right-of-way which is surrounded by scrub-shrub habitat.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-004-UPL

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1. *Rubus occidentalis*	20	Yes	UPL
2.			
3.			
4.			
5.			
6.			
	20 =Total Cover		
50% of total cover: 10	20% of total cover:	4	
Herb Stratum (Plot size: 5' radius)			
1. *Solidago canadensis*	70	Yes	FACU
2. *Kummerowia stipulacea*	20	No	FACU
3. *Dichanthelium clandestinum*	10	No	FAC
4. *Desmodium canadense*	5	No	FAC
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	105 =Total Cover		
50% of total cover: 53	20% of total cover:	21	
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	15	x 3 =	45
FACU species	90	x 4 =	360
UPL species	20	x 5 =	100
Column Totals:	125 (A)		505 (B)
Prevalence Index = B/A =			4.04

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: W-WRL-004-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-17	10YR 4/4	70	10YR 4/6	30	C	M		Sandy loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**WRL, RBL**
Date:	**7/26/2023**
Affiliation:	**AECOM**
Address:	**525 Vine St., Ste. 1800, Cincinnati, OH 45202**
Phone Number:	**513-651-3440**
e-mail address:	bill.leopold@aecom.com
Name of Wetland:	**W-WRL-004**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.020456, -81.965231**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 - 050400040305 - Blount Run-Muskingum River**
Site Visit:	**7/26/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-WRL-004		
Wetland Size (delineated acres):	0.02	Wetland Size (Estimated total acres):	0.02

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland is located within a depression on the existing transmission line right-of-way. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Microstegium vimineum.

Final score:	21	Category:	1

Wetland ID:	W-WRL-004

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-WRL-004

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-WRL-004

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-WRL-004

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-WRL-004

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/26/2023

Field ID:

W-WRL-004 PEM

Delineated acres:	0.02
Total acres:	0.02

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

5.0 (max 14 pts.) | 5.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

7.0 (max 30 pts.) | 12.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [x] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [x] ditch
- [ ] tile
- [x] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 21.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [x] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

21.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-WRL-004

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/26/2023

Field ID:

W-WRL-004 PEM

21.0
subtotal this page

0.0 max 10 pts. | **21.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

0.0 max 20pts. | **21.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [0] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [1] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

21.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-WRL-004

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	5		
	Metric 3. Hydrology	7		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	0		
	TOTAL SCORE	21		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-WRL-004

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-24-23
Applicant/Owner: AEP State: OH Sampling Point: UPL-WRL-001
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Hillslope Local relief (concave, convex, none): Convex Slope (%): 10
Subregion (LRR or MLRA): LRR N Lat: 40.015819 Long: -81.963504 Datum: NAD83
Soil Map Unit Name: Bhk4B: Bethesda channery silt loam, 0 to 8 percent slopes, unreclaimed, highwall NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
Upland data point at the location of a mapped NWI wetland. Area is part of a shelf located within an old mining area in the right-of-way.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: UPL-WRL-001

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1. *Platanus occidentalis*	1	No	FACW
2.			
3.			
4.			
5.			
6.			
	1 =Total Cover		
50% of total cover: 1	20% of total cover: 1		
Shrub Stratum (Plot size: 15' radius)			
1. *Rubus occidentalis*	2	No	UPL
2. *Rhamnus alnifolia*	60	Yes	OBL
3. *Rosa multiflora*	1	No	FACU
4.			
5.			
6.			
	63 =Total Cover		
50% of total cover: 32	20% of total cover: 13		
Herb Stratum (Plot size: 5' radius)			
1. *Microstegium vimineum*	100	Yes	FAC
2. *Agrostis gigantea*	10	No	FACW
3. *Anthoxanthum odoratum*	5	No	FACU
4. *Pycnanthemum virginianum*	2	No	FAC
5. *Scirpus atrocinctus*	2	No	FACW
6.			
7.			
8.			
9.			
10.			
11.			
	119 =Total Cover		
50% of total cover: 60	20% of total cover: 24		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	60	x 1 =	60
FACW species	13	x 2 =	26
FAC species	102	x 3 =	306
FACU species	6	x 4 =	24
UPL species	2	x 5 =	10
Column Totals:	183 (A)		426 (B)
Prevalence Index = B/A =			2.33

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: UPL-WRL-001

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 5/3	70	10YR 5/8	30	C	M		Silt Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-24-23
Applicant/Owner: AEP State: OH Sampling Point: UPL-WRL-002
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Plains Local relief (concave, convex, none): Convex Slope (%): 3
Subregion (LRR or MLRA): LRR N Lat: 40.004853 Long: -81.959298 Datum: NAD83
Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Upland data point within a disturbed hayfield.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: UPL-WRL-002

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 5' radius)			
1. *Xanthium strumarium*	30	Yes	FAC
2. *Vernonia gigantea*	5	No	FAC
3. *Carex spicata*	15	No	FAC
4. *Dactylis glomerata*	10	No	FACU
5. *Agrostis gigantea*	10	No	FACW
6. *Cirsium arvense*	10	No	FACU
7. *Schedonorus arundinaceus*	40	Yes	FACU
8.			
9.			
10.			
11.			
	120 =Total Cover		
50% of total cover: 60	20% of total cover: 24		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	10	x 2 =	20
FAC species	50	x 3 =	150
FACU species	60	x 4 =	240
UPL species	0	x 5 =	0
Column Totals:	120 (A)		410 (B)
Prevalence Index = B/A =			3.42

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: UPL-WRL-002

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-15	10YR 5/3	75	5YR 4/4	25	C	M		Silt Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **Pond-MRK-001**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Bench **Local relief (concave, convex, none):** concave **Slope:** 1.0 **% /** 0.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.069997 **Long.:** -81.995127 **Datum:** NAD83

Soil Map Unit Name: Bhk4F: Bethesda channery silt loam, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This open water pond is located within the existing transmission line right-of-way. Pond is shallow with a heavy layer of algae.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☑ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☑ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ◉	No ○	Depth (inches): 12	
Water Table Present?	Yes ◉	No ○	Depth (inches): 0	
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: Pond-MRK-001

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Typha angustifolia	25	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	25	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	25	x 1 =	25
FACW species	0	x 2 =	0
FAC species	0	x 3 =	0
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	25 (A)		25 (B)

Prevalence Index = B/A = 1.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present around perimeter of pond.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: Pond-MRK-001

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soils are assumed due to year round inundation.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-001 **Date:** July 10, 2023 **Description:** PEM Facing North	

W-MRK-001 **Date:** July 10, 2023 **Description:** PEM Facing East	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-001
Date: July 10, 2023
Description: PEM Facing South

W-MRK-001
Date: July 10, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-001
Date: July 10, 2023
Description: PEM Facing Soil

W-MRK-002
Date: July 10, 2023
Description: PEM Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-002
Date: July 10, 2023
Description: PEM Facing East

W-MRK-002
Date: July 10, 2023
Description: PEM Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-002
Date: July 10, 2023
Description: PEM Facing West

W-MRK-002
Date: July 10, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-003
Date: July 10, 2023
Description: PEM Facing North

W-MRK-003
Date: July 10, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-003
Date: July 10, 2023
Description: PEM Facing South

W-MRK-003
Date: July 10, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-003
Date: July 10, 2023
Description: PEM Facing Soil

W-MRK-004
Date: July 10, 2023
Description: PEM Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-004 **Date:** July 10, 2023 **Description:** PEM Facing East	

W-MRK-004 **Date:** July 10, 2023 **Description:** PEM Facing South	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-004

Date:

July 10, 2023

Description:

PEM

Facing West

W-MRK-004

Date:

July 10, 2023

Description:

PEM

Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-005
Date: July 10, 2023
Description: PEM Facing North

W-MRK-005
Date: July 10, 2023
Description: PEM Facing East

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-005
Date: July 10, 2023
Description: PEM Facing South

W-MRK-005
Date: July 10, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-005 **Date:** July 10, 2023 **Description:** PEM Facing Soil	

W-MRK-006 **Date:** August 16, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-006
Date: August 16, 2023
Description: PEM Facing East

W-MRK-006
Date: August 16, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-006
Date: August 16, 2023
Description: PEM Facing West

W-MRK-006
Date: August 16, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-007
Date: August 16, 2023
Description: PEM Facing North

W-MRK-007
Date: August 16, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-007
Date: August 16, 2023
Description: PEM Facing South

W-MRK-007
Date: August 16, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-007

Date:

August 16, 2023

Description:

PEM

Facing Soil

W-MRK-008

Date:

August 16, 2023

Description:

PEM

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-008

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-008

Date:

August 16, 2023

Description:

PEM

Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-008 **Date:** August 16, 2023 **Description:** PEM Facing West	

W-MRK-008 **Date:** August 16, 2023 **Description:** PEM Facing Soil	**Due to depth of water, photograph of soil profile was not possible.**

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-009
Date: August 16, 2023
Description: PEM Facing North

W-MRK-009
Date: August 16, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-009
Date: August 16, 2023
Description: PEM Facing South

W-MRK-009
Date: August 16, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-009	
Date: August 16, 2023 **Description:** PEM Facing Soil	

W-MRK-010	
Date: August 16, 2023 **Description:** PEM Facing North	

W-MRK-010	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-010

Date:

August 16, 2023

Description:

PEM

Facing South

W-MRK-010

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing West

W-MRK-010

Date:

August 16, 2023

Description:

PEM

Facing Soil

W-MRK-011

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing North

W-MRK-011

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-011

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing South

W-MRK-011

Date:

August 16, 2023

Description:

PEM

Facing West

W-MRK-011

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing Soil

W-MRK-012

Date:

August 16, 2023

Description:

PEM

Facing North

W-MRK-012

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-012

Date:

August 16, 2023

Description:

PEM

Facing South

W-MRK-012

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing West

W-MRK-012

Date:

August 16, 2023

Description:

PEM

Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-013	
Date: August 16, 2023	
Description: PEM Facing North	

W-MRK-013	
Date: August 16, 2023	
Description: PEM Facing East	

W-MRK-013	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing South

W-MRK-013

Date:

August 16, 2023

Description:

PEM

Facing West

W-MRK-013

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing Soil

W-MRK-014

Date:

August 16, 2023

Description:

PEM

Facing North

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-014

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-014

Date:

August 16, 2023

Description:

PEM

Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-014
Date: August 16, 2023
Description: PEM Facing West

W-MRK-014
Date: August 16, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing North

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing South

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing Soil

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing East

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing West

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001
Date: July 10, 2023
Description: PEM Facing North

W-TW-001
Date: July 10, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001
Date: July 10, 2023
Description: PEM Facing South

W-TW-001
Date: July 10, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001
Date:
July 10, 2023
Description:
PEM
Facing Soil

W-TW-001
Date:
July 10, 2023
Description:
PSS
Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001 **Date:** July 10, 2023 **Description:** PSS Facing East	

W-TW-001 **Date:** July 10, 2023 **Description:** PSS Facing South	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001
Date: July 10, 2023
Description: PSS Facing West

W-TW-001
Date: July 10, 2023
Description: PSS Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing North	

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing East	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing South	

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing West	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing Soil	

W-TW-003 **Date:** July 10, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-003
Date: July 10, 2023
Description: PEM Facing East

W-TW-003
Date: July 10, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-003 **Date:** July 10, 2023 **Description:** PEM Facing West	

W-TW-003 **Date:** July 10, 2023 **Description:** PEM Facing Soil	

W-TW-004	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

July 11, 2023

Description:

PEM

Facing North

W-TW-004

Date:

July 11, 2023

Description:

PEM

Facing East

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-004
Date: July 11, 2023
Description: PEM Facing South

W-TW-004
Date: July 11, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-004
Date: July 11, 2023
Description: PEM Facing Soil

W-TW-005
Date: July 11, 2023
Description: PEM Facing North

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-005
Date: July 11, 2023
Description: PEM Facing East

W-TW-005
Date: July 11, 2023
Description: PEM Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-005
Date: July 11, 2023
Description: PEM Facing West

W-TW-005
Date: July 11, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-006
Date: July 11, 2023
Description: PEM Facing North

W-TW-006
Date: July 11, 2023
Description: PEM Facing East

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-006
Date: July 11, 2023
Description: PEM Facing South

W-TW-006
Date: July 11, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-006 **Date:** July 11, 2023 **Description:** PEM Facing Soil	

W-TW-007 **Date:** July 11, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-007
Date: July 11, 2023
Description: PEM Facing East

W-TW-007
Date: July 11, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-007
Date: July 11, 2023
Description: PEM Facing West

W-TW-007
Date: July 11, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-008 **Date:** July 12, 2023 **Description:** PUB Facing North	

W-TW-008 **Date:** July 12, 2023 **Description:** PUB Facing East	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-008
Date: July 12, 2023
Description: PUB Facing South

W-TW-008
Date: July 12, 2023
Description: PUB Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-008 **Date:** July 12, 2023 **Description:** PUB Facing Soil	**Due to depth of water, photograph of soil profile was not possible.**

W-TW-009 **Date:** July 12, 2023 **Description:** PUB Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-009
Date: July 12, 2023
Description: PUB Facing East

W-TW-009
Date: July 12, 2023
Description: PUB Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-009 **Date:** July 12, 2023 **Description:** PUB Facing West	

W-TW-009 **Date:** July 12, 2023 **Description:** PUB Facing Soil	**Due to depth of water, photograph of soil profile was not possible.**

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-010
Date: July 12, 2023
Description: PEM Facing North

W-TW-010
Date: July 12, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-010
Date: July 12, 2023
Description: PEM Facing South

W-TW-010
Date: July 12, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-010

Date:

July 12, 2023

Description:

PEM

Facing Soil

W-TW-011

Date:

July 13, 2023

Description:

PEM

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-011
Date: July 13, 2023
Description: PEM Facing East

W-TW-011
Date: July 13, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-011
Date: July 13, 2023
Description: PEM Facing West

W-TW-011
Date: July 13, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-012
Date:
July 13, 2023
Description:
PFO
Facing North

W-TW-012
Date:
July 13, 2023
Description:
PFO
Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-012
Date: July 13, 2023
Description: PFO Facing South

W-TW-012
Date: July 13, 2023
Description: PFO Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-012 **Date:** July 13, 2023 **Description:** PFO Facing Soil	

W-TW-013 **Date:** July 13, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-013 **Date:** July 13, 2023 **Description:** PEM Facing East	

W-TW-013 **Date:** July 13, 2023 **Description:** PEM Facing South	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-013
Date: July 13, 2023
Description: PEM Facing West

W-TW-013
Date: July 13, 2023
Description: PEM Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-014
Date: July 13, 2023
Description: PEM Facing North

W-TW-014
Date: July 13, 2023
Description: PEM Facing East

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-014
Date: July 13, 2023
Description: PEM Facing South

W-TW-014
Date: July 13, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-014
Date: July 13, 2023
Description: PEM Facing Soil

W-TW-015
Date: July 13, 2023
Description: PEM Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-015
Date: July 13, 2023
Description: PEM Facing East

W-TW-015
Date: July 13, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-015
Date: July 13, 2023
Description: PEM Facing West

W-TW-015
Date: July 13, 2023
Description: PEM Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-016
Date: July 13, 2023
Description: PEM Facing North

W-TW-016
Date: July 13, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-016
Date: July 13, 2023
Description: PEM Facing South

W-TW-016
Date: July 13, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-016
Date: July 13, 2023
Description: PEM Facing Soil

W-TW-017
Date: July 14, 2023
Description: PEM Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-017 **Date:** July 14, 2023 **Description:** PEM Facing East	

W-TW-017 **Date:** July 14, 2023 **Description:** PEM Facing South	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-017 **Date:** July 14, 2023 **Description:** PEM Facing West	

W-TW-017 **Date:** July 14, 2023 **Description:** PEM Facing Soil	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-018
Date:
July 14, 2023
Description:
PUB
Facing North

W-TW-018
Date:
July 14, 2023
Description:
PUB
Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-018 **Date:** July 14, 2023 **Description:** PUB Facing South	

W-TW-018 **Date:** July 14, 2023 **Description:** PUB Facing West	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-018 **Date:** July 14, 2023 **Description:** PUB Facing Soil	**Due to depth of water, photograph of soil profile was not possible.**

W-WRL-001 **Date:** July 24, 2023 **Description:** PEM Facing North	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-001 **Date:** July 24, 2023 **Description:** PEM Facing East	

W-WRL-001 **Date:** July 24, 2023 **Description:** PEM Facing South	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-001
Date: July 24, 2023
Description: PEM Facing West

W-WRL-001
Date: July 24, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-002 **Date:** July 25, 2023 **Description:** PEM Facing North	

W-WRL-002 **Date:** July 25, 2023 **Description:** PEM Facing East	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-002
Date: July 25, 2023
Description: PEM Facing South

W-WRL-002
Date: July 25, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-002 **Date:** July 25, 2023 **Description:** PEM Facing Soil	

W-WRL-003 **Date:** July 25, 2023 **Description:** PEM Facing North	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003
Date: July 25, 2023
Description: PEM Facing East

W-WRL-003
Date: July 25, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003
Date: July 25, 2023
Description: PEM Facing West

W-WRL-003
Date: July 25, 2023
Description: PEM Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003

Date:

July 25, 2023

Description:

PSS

Facing North

W-WRL-003

Date:

July 25, 2023

Description:

PSS

Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003
Date: July 25, 2023
Description: PSS Facing South

W-WRL-003
Date: July 25, 2023
Description: PSS Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003 **Date:** July 25, 2023 **Description:** PSS Facing Soil	

W-WRL-004 **Date:** July 26, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-004

Date:

July 26, 2023

Description:

PEM

Facing East

W-WRL-004

Date:

July 26, 2023

Description:

PEM

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-004
Date: July 26, 2023
Description: PEM Facing West

W-WRL-004
Date: July 26, 2023
Description: PEM Facing Soil

APPENDIX C

DELINEATED STREAM FEATURES DATA FORMS AND PHOTOGRAPHS

S-MRK-002 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **40**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: Muskingum River | DRAINAGE AREA (mi²): 0.07

LENGTH OF STREAM REACH (ft): 365 | LAT.: 40.09713 | LONG.: -82.02708 | RIVER CODE: NA | RIVER MILE: NA

DATE: 07/10/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	50
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	40	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 0 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 3

HHEI Metric Points

Substrate Max = 40

15

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30

5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.50

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **4,050.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-003 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **40**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: Muskingum River | DRAINAGE AREA (mi²): 0.06

LENGTH OF STREAM REACH (ft): 600 | LAT.: 40.09681 | LONG.: -82.02671 | RIVER CODE: NA | RIVER MILE: NA

DATE: 07/10/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	50
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	40	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 0 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 | **TOTAL NUMBER OF SUBSTRATE TYPES:** 3

HHEI Metric Points

Substrate Max = 40: 15

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: | **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: | **AVERAGE BANKFULL WIDTH** (Feet): 5.50

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **3,733.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-004 PER

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **67**

SITE NAME/LOCATION: **AEP Philo-Ohio Central**

SITE NUMBER: **NA** RIVER BASIN: **Muskingum River** DRAINAGE AREA (mi²): **0.61**

LENGTH OF STREAM REACH (ft): **160** LAT. **40.09345** LONG. **-82.02273** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/10/23** SCORER: **MRK, RBL** COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	35
☐	BOULDER (>256 mm) [16 pts]	20	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	10	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	25	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **30** (A) Substrate Percentage Check (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **12** **TOTAL NUMBER OF SUBSTRATE TYPES:** **5**

HHEI Metric Points

Substrate Max = 40: **17**

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **4.00**

Pool Depth Max = 30: **25**

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☑	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **11.00**

Bankfull Width Max=30: **25**

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **2,585.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **80** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-005 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **41**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: Muskingum River | DRAINAGE AREA (mi²): 0.04

LENGTH OF STREAM REACH (ft): 120 | LAT.: 40.09000 | LONG.: -82.01865 | RIVER CODE: NA | RIVER MILE: NA

DATE: 07/10/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	40
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	10	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	35	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	15	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 10 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 | **TOTAL NUMBER OF SUBSTRATE TYPES:** 4

HHEI Metric Points

Substrate Max = 40: 16

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

- ☐ > 30 centimeters [20 pts]
- ☐ > 22.5 - 30 cm [30 pts]
- ☐ > 10 - 22.5 cm [25 pts]
- ☐ > 5 cm - 10 cm [15 pts]
- ☑ < 5 cm [5 pts]
- ☐ NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: | **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

- ☐ > 4.0 meters (> 13') [30 pts]
- ☐ > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]
- ☑ > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]
- ☐ > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
- ☐ ≤ 1.0 m (<=3' 3") [5 pts]

COMMENTS: | **AVERAGE BANKFULL WIDTH** (Feet): 7.50

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

- ☑ Stream Flowing
- ☐ Subsurface flow with isolated pools (Interstitial)
- ☐ Moist Channel, isolated pools, no flow (Intermittent)
- ☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☑ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **1,476.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-006 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **42**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: Muskingum River | DRAINAGE AREA (mi²): 0.15

LENGTH OF STREAM REACH (ft): 160 | LAT.: 40.08795 | LONG.: -82.01618 | RIVER CODE: NA | RIVER MILE: NA

DATE: 07/10/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	40
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	10	☐	CLAY or HARDPAN [0 pt]	10
☑	GRAVEL (2-64 mm) [9 pts]	25	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	15	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 10 (A) | Substrate Percentage Check | (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40: 17

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 6.00

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☑ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **892.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-007 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **50**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	10
☑	BEDROCK [16 pt]	20	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	20	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	15	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 40 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 19 **TOTAL NUMBER OF SUBSTRATE TYPES:** 6

HHEI Metric Points

Substrate Max = 40: 25

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.00

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **3,987.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW ➔



Save as pdf Reset Form

S-MRK-008 PER

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **68**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	10
☐	BEDROCK [16 pt]	5	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	15	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	30	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 20 (A) | Substrate Percentage Check | (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 6

HHEI Metric Points

Substrate Max = 40

18

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 4.00

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☑	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 12.00

Bankfull Width Max=30

25

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☑	☑	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☑ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **3,991.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **20** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish observed**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-009 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **29**

SITE NAME/LOCATION: **AEP Philo-Ohio Central**

SITE NUMBER: **NA** RIVER BASIN: _____ DRAINAGE AREA (mi²): _____

LENGTH OF STREAM REACH (ft): _____ LAT.: _____ LONG.: _____ RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **08/16/23** SCORER: **MRK, RBL** COMMENTS: _____

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	5	☑	CLAY or HARDPAN [0 pt]	25
☐	GRAVEL (2-64 mm) [9 pts]	20	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	15	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **5** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **6**

HHEI Metric Points

Substrate Max = 40

9

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

Pool Depth Max = 30

0

COMMENTS: _____ **MAXIMUM POOL DEPTH** (Inches): **0.00**

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

Bankfull Width Max=30

20

COMMENTS: _____ **AVERAGE BANKFULL WIDTH** (Feet): **5.50**

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS: _____

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☑ Dry channel, no water (Ephemeral)

COMMENTS: _____

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☐ 2.0	☐ 3.0
☑ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☑ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **4,763.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW ➔



Save as pdf Reset Form

S-MRK-010 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **33**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	5	☑	CLAY or HARDPAN [0 pt]	35
☐	GRAVEL (2-64 mm) [9 pts]	15	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 5 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 3 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40: 8

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 6.00

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **5,121.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-011 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **49**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA RIVER BASIN: DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): LAT.: LONG.: RIVER CODE: NA RIVER MILE: NA

DATE: 08/16/23 SCORER: MRK, RBL COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	45
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	10
☑	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	30
☐	GRAVEL (2-64 mm) [9 pts]	10	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 0 **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 19 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40: 24

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 7.00

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **1,960.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **60** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-012 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **27**

SITE NAME/LOCATION: **AEP Philo-Ohio Central**

SITE NUMBER: **NA** RIVER BASIN: _____ DRAINAGE AREA (mi²): _____

LENGTH OF STREAM REACH (ft): _____ LAT.: _____ LONG.: _____ RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **08/16/23** SCORER: **MRK, RBL** COMMENTS: _____

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	25
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☑	CLAY or HARDPAN [0 pt]	40
☐	GRAVEL (2-64 mm) [9 pts]	20	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	15	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** **(A)**

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **4**

HHEI Metric Points

Substrate Max = 40

7

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

Pool Depth Max = 30

0

COMMENTS: _____ **MAXIMUM POOL DEPTH** (Inches): **0.00**

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

Bankfull Width Max=30

20

COMMENTS: _____ **AVERAGE BANKFULL WIDTH** (Feet): **5.00**

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS: _____

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐	Stream Flowing	☐	Moist Channel, isolated pools, no flow (Intermittent)
☐	Subsurface flow with isolated pools (Interstitial)	☑	Dry channel, no water (Ephemeral)

COMMENTS: _____

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☐	1.0	☐	2.0	☐	3.0
☑	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☑ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **1,232.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-013 PER

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **51**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	20	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	40	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 20 (A) | Substrate Percentage Check | (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 4

HHEI Metric Points

Substrate Max = 40

16

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 8.50

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☑	☑	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☑ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum RIver** Distance from Evaluated Stream **1,090.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish observed**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-014 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **32**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	15	☐	CLAY or HARDPAN [0 pt]	25
☑	GRAVEL (2-64 mm) [9 pts]	25	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 15 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40

17

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 0.00

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 4.00

Bankfull Width Max=30

15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☑ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☐	1.0	☐	2.0	☐	3.0
☑	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☑ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **894.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-015 PER

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **67**

SITE NAME/LOCATION: **AEP Philo-Ohio Central**

SITE NUMBER: **NA** RIVER BASIN: _____ DRAINAGE AREA (mi²): _____

LENGTH OF STREAM REACH (ft): _____ LAT.: _____ LONG.: _____ RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **08/16/23** SCORER: **MRK, RBL** COMMENTS: _____

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT
☐	☐ BLDR SLABS [16 pts]	0
☐	☐ BOULDER (>256 mm) [16 pts]	0
☐	☐ BEDROCK [16 pt]	0
☐	☐ COBBLE (65-256 mm) [12 pts]	15
☑	☐ GRAVEL (2-64 mm) [9 pts]	40
☐	☐ SAND (<2 mm) [6 pts]	10

TYPE		PERCENT
☐	☑ SILT [3 pt]	25
☐	☐ LEAF PACK/WOODY DEBRIS [3 pts]	10
☐	☐ FINE DETRITUS [3 pts]	0
☐	☐ CLAY or HARDPAN [0 pt]	0
☐	☐ MUCK [0 pts]	0
☐	☐ ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **15** (A)

Substrate Percentage Check: _____ (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **12**

TOTAL NUMBER OF SUBSTRATE TYPES: **5**

HHEI Metric Points

Substrate Max = 40

17

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

- ☐ > 30 centimeters [20 pts]
- ☐ > 22.5 - 30 cm [30 pts]
- ☑ > 10 - 22.5 cm [25 pts]
- ☐ > 5 cm - 10 cm [15 pts]
- ☐ < 5 cm [5 pts]
- ☐ NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: _____ **MAXIMUM POOL DEPTH** (Inches): **6.00**

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

- ☐ > 4.0 meters (> 13') [30 pts]
- ☑ > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]
- ☐ > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]
- ☐ > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
- ☐ ≤ 1.0 m (<=3' 3") [5 pts]

COMMENTS: _____ **AVERAGE BANKFULL WIDTH** (Feet): **13.00**

Bankfull Width Max=30

25

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☑	☑	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS: _____

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

- ☑ Stream Flowing
- ☐ Subsurface flow with isolated pools (Interstitial)
- ☐ Moist Channel, isolated pools, no flow (Intermittent)
- ☐ Dry channel, no water (Ephemeral)

COMMENTS: _____

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

- ☐ None
- ☐ 0.5
- ☐ 1.0
- ☐ 1.5
- ☐ 2.0
- ☐ 2.5
- ☑ 3.0
- ☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **871.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish observed**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-016 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **40**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA RIVER BASIN: DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): LAT.: LONG.: RIVER CODE: NA RIVER MILE: NA

DATE: 08/17/23 SCORER: MRK, RBL COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	15
☑	BOULDER (>256 mm) [16 pts]	60	☐	LEAF PACK/WOODY DEBRIS [3 pts]	10
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	5	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	5	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 65 **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 19 **TOTAL NUMBER OF SUBSTRATE TYPES:** 6

HHEI Metric Points

Substrate Max = 40: 25

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 0.00

Pool Depth Max = 30: 0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 3.50

Bankfull Width Max=30: 15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☑ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **988.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **80** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-017 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **38**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/17/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Spring seep fed

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☑ ☐	SILT [3 pt]	30
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	15
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	10	☐ ☐	CLAY or HARDPAN [0 pt]	15
☐ ☑	GRAVEL (2-64 mm) [9 pts]	20	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	10	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 10 **(A)**

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12

TOTAL NUMBER OF SUBSTRATE TYPES: 6

HHEI Metric Points

Substrate Max = 40

18

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 0.00

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.00

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **974.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **80** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-018 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3) **55**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/17/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Spring seep fed

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	15	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☑ ☐	BEDROCK [16 pt]	30	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	15	☐ ☐	CLAY or HARDPAN [0 pt]	15
☐ ☑	GRAVEL (2-64 mm) [9 pts]	25	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 60 **(A)**

Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 25 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40

30

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30

5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 9.50

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☑ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **940.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **70** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →

Save as pdf Reset Form

S-MRK-019 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **24**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/17/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Begins at center of ROW

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☑ ☐	SILT [3 pt]	30
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	20
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	5	☐ ☑	CLAY or HARDPAN [0 pt]	30
☐ ☐	GRAVEL (2-64 mm) [9 pts]	5	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	10	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 5 **(A)**

Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 3

TOTAL NUMBER OF SUBSTRATE TYPES: 6

HHEI Metric Points

Substrate Max = 40

9

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 0.00

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 3.50

Bankfull Width Max=30

15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L R	FLOODPLAIN QUALITY (Most Predominant per Bank) L R	L R
☐ ☐ Wide >10m	☐ ☐ Mature Forest, Wetland	☐ ☐ Conservation Tillage
☑ ☑ Moderate 5-10m	☑ ☑ Immature Forest, Shrub or Old Field	☐ ☐ Urban or Industrial
☐ ☐ Narrow <5m	☐ ☐ Residential, Park, New Field	☐ ☐ Open Pasture, Row Crop
☐ ☐ None	☐ ☐ Fenced Pasture	☐ ☐ Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **901.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **70** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-020 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **37**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA RIVER BASIN: DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): LAT.: LONG.: RIVER CODE: NA RIVER MILE: NA

DATE: 08/17/23 SCORER: MRK, RBL COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Spring seep fed

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☑ ☐	SILT [3 pt]	35
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	15	☐ ☐	CLAY or HARDPAN [0 pt]	15
☐ ☑	GRAVEL (2-64 mm) [9 pts]	25	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	10	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 15 **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40

17

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30

5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 3.50

Bankfull Width Max=30

15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☑ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☑ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **801.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **70** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-021 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3) **51**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/17/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Flows into S-MRK-006

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	45
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	15	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	30	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 15 **(A)**

Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12

TOTAL NUMBER OF SUBSTRATE TYPES: 4

HHEI Metric Points

Substrate Max = 40

16

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.00

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **947.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **40** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW ➔



Save as pdf Reset Form

S-MRK-022 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **30**

SITE NAME/LOCATION: Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/23/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☐ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☑ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	50
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☑	CLAY or HARDPAN [0 pt]	50
☐	GRAVEL (2-64 mm) [9 pts]	0	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 0 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 3 **TOTAL NUMBER OF SUBSTRATE TYPES:** 2

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

- ☐ > 30 centimeters [20 pts]
- ☐ > 22.5 - 30 cm [30 pts]
- ☐ > 10 - 22.5 cm [25 pts]
- ☐ > 5 cm - 10 cm [15 pts]
- ☑ < 5 cm [5 pts]
- ☐ NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30

5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

- ☐ > 4.0 meters (> 13') [30 pts]
- ☐ > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]
- ☑ > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]
- ☐ > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
- ☐ ≤ 1.0 m (<=3' 3") [5 pts]

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.00

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

- ☑ Stream Flowing
- ☐ Subsurface flow with isolated pools (Interstitial)
- ☐ Moist Channel, isolated pools, no flow (Intermittent)
- ☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

- ☐ None
- ☐ 0.5
- ☑ 1.0
- ☐ 1.5
- ☐ 2.0
- ☐ 2.5
- ☐ 3.0
- ☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **1,573.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/17/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **80** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

Modified Class III PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **68**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.22**

LENGTH OF STREAM REACH (ft): **139** LAT.: **39.86743** LONG.: **-81.89892** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/10/23** SCORER: **TW, AJH** COMMENTS: **S-TW-001-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside culvert and drains to Salt Fork River

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	40
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☑	COBBLE (65-256 mm) [12 pts]	30	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	20	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **30** (A) Substrate Percentage Check (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **15** **TOTAL NUMBER OF SUBSTRATE TYPES:** **3**

HHEI Metric Points

Substrate Max = 40

18

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☑	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **10.00**

Pool Depth Max = 30

30

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **7.00**

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☑	☑	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Muskingum River Distance from Evaluated Stream 36.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Philo** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Harrison**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-002-INT

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **25**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **132** LAT. **39.87872** LONG. **-81.90252** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/10/23** SCORER: **TW, AJH** COMMENTS: **S-TW-002-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☐ NONE / NATURAL CHANNEL ☑ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside and flow through very narrow channel before sizable drop

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☑ ☐	SILT [3 pt]	90
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☐ ☑	CLAY or HARDPAN [0 pt]	10
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **2**

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **2.00**

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Muskingum River Distance from Evaluated Stream 1,910.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Philo** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Harrison**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-003-INT

Class II PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **39**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **61** LAT.: **39.87472** LONG.: **-81.89944** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/10/23** SCORER: **TW, AJH** COMMENTS: **S-TW-003-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside and flow through very narrow channel before sizable drop

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	90
☐	BOULDER (>256 mm) [16 pts]	0	☑	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	0	☐	MUCK [0 pts]	5
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** **(A)**

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **6**

TOTAL NUMBER OF SUBSTRATE TYPES: **3**

HHEI Metric Points

Substrate Max = 40

9

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **5.00**

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **3.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☑	☑	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Muskingum River Distance from Evaluated Stream 1,905.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Philo** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Harrison**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-004-EPH

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **14**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **112** LAT.: **39.88326** LONG.: **-81.90590** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-004-EPH**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside and flow through very narrow channel before sizable drop

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	90
☐	BOULDER (>256 mm) [16 pts]	0	☑	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	0	☐	MUCK [0 pts]	5
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **6**

TOTAL NUMBER OF SUBSTRATE TYPES: **3**

HHEI Metric Points

Substrate Max = 40

9

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **0.00**

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Indian Run Distance from Evaluated Stream 2,932.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **N** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-005-EPH

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **6**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **115** LAT.: **39.89651** LONG.: **-81.91576** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-005-EPH**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☑ ☑	CLAY or HARDPAN [0 pt]	100
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **0**

TOTAL NUMBER OF SUBSTRATE TYPES: **1**

HHEI Metric Points

Substrate Max = 40

1

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **0.00**

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Indian Run Distance from Evaluated Stream 1,429.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **N** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-006-EPH

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **10**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.05**

LENGTH OF STREAM REACH (ft): **5** LAT.: **39.88698** LONG.: **-81.90846** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-006-EPH**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse running east to west at base of two slopes covered by scrub shrub.

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☑	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☑ ☐	CLAY or HARDPAN [0 pt]	95
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **2**

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **0.00**

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **1.50**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Indian Run Distance from Evaluated Stream 4,515.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **N** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **100**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-007-INT

Class II PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **35**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.08**

LENGTH OF STREAM REACH (ft): **162** LAT.: **39.90930** LONG.: **-81.92530** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-007-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse running through base of to slopes. running west to east

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☐	SILT [3 pt]	0
☐	BOULDER (>256 mm) [16 pts]	0	☑	LEAF PACK/WOODY DEBRIS [3 pts]	10
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☑	CLAY or HARDPAN [0 pt]	90
☐	GRAVEL (2-64 mm) [9 pts]	0	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** **(A)**

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **2**

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **4.00**

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **3.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Boggs Creek Distance from Evaluated Stream 5,080.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **35**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **207** LAT.: **39.90859** LONG.: **-81.92482** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-008-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse running west to east at base of two slopes with draining coming from agricultural fields

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☑	LEAF PACK/WOODY DEBRIS [3 pts]	10
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☑ ☐	CLAY or HARDPAN [0 pt]	90
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **2**

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **4.00**

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **1.50**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☑	☑	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Boggs Creek Distance from Evaluated Stream 4,982.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-009-INT

Class II PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **32**

SITE NAME/LOCATION **Philo-Ohio Central 138kV**

SITE NUMBER **N/A** RIVER BASIN **Ohio** DRAINAGE AREA (mi²) **0.01**

LENGTH OF STREAM REACH (ft) **187** LAT. **39.90789** LONG. **-81.92421** RIVER CODE **NA** RIVER MILE **NA**

DATE **07/11/23** SCORER **TW, AJH,RB** COMMENTS **S-TW-009-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

tercourse running west to east at base of two slopes with draining coming from agricultural fields

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☐ ☑	CLAY or HARDPAN [0 pt]	15
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☑ ☐	MUCK [0 pts]	80
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock **0** **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **0** **TOTAL NUMBER OF SUBSTRATE TYPES:** **2**

HHEI Metric Points

Substrate Max = 40

2

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **2.00**

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **7.00**

Bankfull Width Max=30

15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☑	☑	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Boggs Creek Distance from Evaluated Stream 4,867.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **100**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-010-INT

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **23**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.05**

LENGTH OF STREAM REACH (ft): **126** LAT.: **39.90382** LONG.: **-81.92120** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-010-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse running west to east at base of very steep hill on south side and gentle slope on north side

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☐ ☑	CLAY or HARDPAN [0 pt]	15
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☑ ☐	MUCK [0 pts]	80
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **0**

TOTAL NUMBER OF SUBSTRATE TYPES: **3**

HHEI Metric Points

Substrate Max = 40

3

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **2.00**

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **2.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☑	☑	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Boggs Creek Distance from Evaluated Stream 4,397.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **62**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.43**

LENGTH OF STREAM REACH (ft): **139** LAT.: **39.90033** LONG.: **-81.91858** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-011-PER**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside and flow through very narrow channel before sizable drop

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☑ ☐	COBBLE (65-256 mm) [12 pts]	40	☐ ☐	CLAY or HARDPAN [0 pt]	25
☐ ☐	GRAVEL (2-64 mm) [9 pts]	10	☐ ☐	MUCK [0 pts]	0
☐ ☑	SAND (<2 mm) [6 pts]	25	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **40** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **18**

TOTAL NUMBER OF SUBSTRATE TYPES: **4**

HHEI Metric Points

Substrate Max = 40

22

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☑	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **14.00**

Pool Depth Max = 30

20

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **5.50**

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☑	☐	Residential, Park, New Field	☐	☑	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Indian Run Distance from Evaluated Stream 2,991.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-012-INT

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **22**

SITE NAME/LOCATION **Philo-Ohio Central 138kV**

SITE NUMBER **N/A** RIVER BASIN **Ohio** DRAINAGE AREA (mi²) **0.43**

LENGTH OF STREAM REACH (ft) **208** LAT. **39.91188** LONG. **-81.92724** RIVER CODE **NA** RIVER MILE **NA**

DATE **07/12/23** SCORER **TW, AJH** COMMENTS **S-TW-012-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☐ NONE / NATURAL CHANNEL ☐ RECOVERED ☑ RECOVERING ☐ RECENT OR NO RECOVERY

Stream at base of two slopes and incised. Running west to east

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☐	SILT [3 pt]	0
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☑	CLAY or HARDPAN [0 pt]	90
☐	GRAVEL (2-64 mm) [9 pts]	0	☑	MUCK [0 pts]	10
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock **0** **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **0** **TOTAL NUMBER OF SUBSTRATE TYPES:** **2**

HHEI Metric Points

Substrate Max = 40

2

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **2.00**

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **2.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

7/28/2025 1:44:13 PM

in

Case No(s). 25-0679-EL-BLN

Summary: Application Part 3, LON Philo-Howard electronically filed by Hector Garcia-Santana on behalf of AEP Ohio Transmission Company, Inc..

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-002 UPL

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 5' radius)			
1. *Festuca arundinacea*	35	Yes	FACU
2. *Plantago lanceolata*	40	Yes	UPL
3. *Juncus tenuis*	20	No	FAC
4. *Daucus carota*	15	No	UPL
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	110 =Total Cover		
50% of total cover: 55	20% of total cover: 22		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	20	x 3 =	60
FACU species	35	x 4 =	140
UPL species	55	x 5 =	275
Column Totals:	110 (A)		475 (B)
Prevalence Index = B/A =			4.32

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation is present within the sample area

SOIL

Sampling Point: W-WRL-002 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 3/6	100						Silt Loam
4-11	10YR 5/8	70	10YR 5/2	30	D	M		Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: shovel refusal

Depth (inches): 11

Hydric Soil Present? **Yes** ___ **No** x

Remarks:

Soils do not meet hydric criteria.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information

Name:	**WRL, RBL**
Date:	**7/25/2023**
Affiliation:	**AECOM**
Address:	**525 Vine St., Ste. 1800, Cincinnati, OH 45202**
Phone Number:	**513-651-3440**
e-mail address:	bill.leopold@aecom.com
Name of Wetland:	**W-WRL-002**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**

Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.



Lat/Long or UTM Coordinate:	**40.002152, -81.958212**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 - 050400040305 - Blount Run-Muskingum River**
Site Visit:	**7/25/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-WRL-002		
Wetland Size (delineated acres):	1.29	Wetland Size (Estimated total acres):	1.29

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.



Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland is located within a depression on the existing transmission line right-of-way. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Leersia Virginica. The wetland continues beyond the Survey Area to the east and to the west.

Final score:	23	Category:	1

Wetland ID:	W-WRL-002

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-WRL-002

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-WRL-002

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	***NO** Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-WRL-002

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-WRL-002

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/25/2023

Field ID:

W-WRL-002 PEM

Delineated acres:	1.29
Total acres:	1.29

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

1.0 (max 14 pts.) | 3.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [x] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [x] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

6.0 (max 30 pts.) | 9.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [ ] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [x] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [ ] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 18.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

18.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-WRL-002

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/25/2023

Field ID:

W-WRL-002 PEM

18.0
subtotal this page

0.0 max 10 pts. | **18.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

5.0 max 20pts. | **23.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [x] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [2] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [1] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

23.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-WRL-002

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	*NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	1		
	Metric 3. Hydrology	6		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	5		
	TOTAL SCORE	23		Category based on score breakpoints: 1

Complete Wetland Categorization Worksheet.

Wetland ID:	W-WRL-002

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-25-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-003PEM
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 0
Subregion (LRR or MLRA): LRR N Lat: 40.030368 Long: -81.969116 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
PEM wetland is located within a depression within the existing transmission line right-of-way abutting a pond.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- X Surface Water (A1)
- X High Water Table (A2)
- x Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- x Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- x Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes x	No ____	Depth (inches): 1
Water Table Present?	Yes x	No ____	Depth (inches): 0
Saturation Present? (includes capillary fringe)	Yes x	No ____	Depth (inches): 0

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
Primary and secondary hydrology indicators present. The source of hydrology is precipitation/surface runoff.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-003PEM

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1. *Fraxinus Pennsylvanica*	1	No	FACW
2. *Frangula alnus*	1	No	FAC
3.			
4.			
5.			
6.			
	2 =Total Cover		
50% of total cover: 1	20% of total cover: 1		
Shrub Stratum (Plot size: 15' radius)			
1. *Viburnum dentatum*	10	Yes	FAC
2. *Cornus alba*	5	Yes	FACW
3.			
4.			
5.			
6.			
	15 =Total Cover		
50% of total cover: 8	20% of total cover: 3		
Herb Stratum (Plot size: 5' radius)			
1. *Impatiens capensis*	50	Yes	FACW
2. *Symplocarpus foetidus*	20	No	OBL
3. *Onoclea sensibilis*	20	No	FACW
4. *Phalaris arundinacea*	40	Yes	FACW
5. *Glyceria striata*	10	No	OBL
6.			
7.			
8.			
9.			
10.			
11.			
	140 =Total Cover		
50% of total cover: 70	20% of total cover: 28		
Woody Vine Stratum (Plot size: 30' radius)			
1. *Vitis aestivalis*	5	Yes	FACU
2.			
3.			
4.			
5.			
	5 =Total Cover		
50% of total cover: 3	20% of total cover: 1		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 80.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	30	x 1 =	30
FACW species	116	x 2 =	232
FAC species	11	x 3 =	33
FACU species	5	x 4 =	20
UPL species	0	x 5 =	0
Column Totals:	162 (A)		315 (B)
Prevalence Index = B/A =			1.94

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation is present in the sample area

SOIL

Sampling Point: W-WRL-003PEM

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	2.5Y 4/1	95	2.5Y 5/4	5	C	M		Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
_X_ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ 2 cm Muck (A10) **(LRR N)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Sandy Mucky Mineral (S1)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7)
___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
___ Thin Dark Surface (S9) **(MLRA 147, 148)**
___ Loamy Mucky Mineral (F1) **(MLRA 136)**
___ Loamy Gleyed Matrix (F2)
_x_ Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
___ Umbric Surface (F13) **(MLRA 122, 136)**
___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

___ 2 cm Muck (A10) **(MLRA 147)**
___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
___ Very Shallow Dark Surface (F22)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____
Depth (inches): _____

Hydric Soil Present? **Yes** _X_ **No** _____

Remarks:
Hydric soil indicators are present

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-24-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-003 PSS
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Terrace Local relief (concave, convex, none): Concave Slope (%): 0
Subregion (LRR or MLRA): LRR N Lat: 40.03066 Long: -81.96925 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** X **No** ____
Hydric Soil Present?	Yes X	No ____	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
PSS component of a greater wetland complex withn the ROW adjacent to a Pem wetland component and a pond.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- x High Water Table (A2)
- X Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- x Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No x	Depth (inches): ____
Water Table Present?	Yes x	No ____	Depth (inches): 16
Saturation Present? (includes capillary fringe)	Yes x	No ____	Depth (inches): 0

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
Primary and Secondary Hydrology indicators are present

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-003 PSS

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1. *Viburnum dentatum*	35	Yes	FAC
2. *Cornus alba*	25	Yes	FACW
3. *Rosa multiflora*	5	No	FACU
4.			
5.			
6.			
	65 =Total Cover		
50% of total cover: 33	20% of total cover: 13		
Herb Stratum (Plot size: 5' radius)			
1. *Impatiens capensis*	25	Yes	FACW
2. *Symplocarpus foetidus*	25	Yes	OBL
3. *Onoclea sensibilis*	15	No	FACW
4. *Phalaris arundinacea*	50	Yes	FACW
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	115 =Total Cover		
50% of total cover: 58	20% of total cover: 23		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 5 (A)

Total Number of Dominant Species Across All Strata: 5 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	25	x 1 =	25
FACW species	115	x 2 =	230
FAC species	35	x 3 =	105
FACU species	5	x 4 =	20
UPL species	0	x 5 =	0
Column Totals:	180 (A)		380 (B)
Prevalence Index = B/A =			2.11

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetaion is present. Canopy cover is greater than 50% shrub strata

SOIL

Sampling Point: W-WRL-003 PSS

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	2.5Y 4/3	100						Sandy Loam
2-7	2.5Y 5/1	70	2.5Y 4/3	30	C	PL/M		Sandy Loam
7-15	2.5Y 4/2	80	2.5Y 5/4	20	C	PL		Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

___ Histosol (A1)
___ Histic Epipedon (A2)
___ Black Histic (A3)
___ Hydrogen Sulfide (A4)
___ Stratified Layers (A5)
___ 2 cm Muck (A10) **(LRR N)**
___ Depleted Below Dark Surface (A11)
___ Thick Dark Surface (A12)
___ Sandy Mucky Mineral (S1)
___ Sandy Gleyed Matrix (S4)
___ Sandy Redox (S5)
___ Stripped Matrix (S6)
___ Dark Surface (S7)
___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
___ Thin Dark Surface (S9) **(MLRA 147, 148)**
___ Loamy Mucky Mineral (F1) **(MLRA 136)**
___ Loamy Gleyed Matrix (F2)
x Depleted Matrix (F3)
___ Redox Dark Surface (F6)
___ Depleted Dark Surface (F7)
___ Redox Depressions (F8)
___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
___ Umbric Surface (F13) **(MLRA 122, 136)**
___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

___ 2 cm Muck (A10) **(MLRA 147)**
___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
___ Very Shallow Dark Surface (F22)
___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____
Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ____

Remarks:
Hydric soil indicator are present

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-25-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-003 UPL
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Hillslope Local relief (concave, convex, none): Convex Slope (%): 5
Subregion (LRR or MLRA): LRR N Lat: 40.030181 Long: -81.968837 Datum: NAD83
Soil Map Unit Name: KeC2: Keene silt loam, 6 to 15 percent slopes, eroded NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Upland point on east edge of the ROW upslope of the wetland habitat

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.No primary or secondary hydrologu indicators present.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-003 UPL

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Robinia pseudoacacia*	30	Yes	FACU
2. *Betula papyrifera*	25	Yes	FACU
3. *Platanus occidentalis*	10	No	FACW
4.			
5.			
6.			
	65	=Total Cover	
50% of total cover: 33	20% of total cover:	13	
Sapling Stratum (Plot size: 15' radius)			
1. *Quercus rubra*	5	Yes	FACU
2. *Gleditsia triacanthos*	1	No	FAC
3.			
4.			
5.			
6.			
	6	=Total Cover	
50% of total cover: 3	20% of total cover:	2	
Shrub Stratum (Plot size: 15' radius)			
1. *Rubus occidentalis*	25	Yes	UPL
2. *Frangula alnus*	20	Yes	FAC
3. *Robinia pseudoacacia*	15	Yes	FACU
4.			
5.			
6.			
	60	=Total Cover	
50% of total cover: 30	20% of total cover:	12	
Herb Stratum (Plot size: 5' radius)			
1. *Festuca rubra*	25	Yes	FACU
2. *Solidago canadensis*	25	Yes	FACU
3. *Potentilla indica*	35	Yes	FACU
4. *Achillea millefolium*	10	No	FACU
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	95	=Total Cover	
50% of total cover: 48	20% of total cover:	19	
Woody Vine Stratum (Plot size: 30' radius)			
1. *Parthenocissus quinquefolia*	5	Yes	FACU
2.			
3.			
4.			
5.			
	5	=Total Cover	
50% of total cover: 3	20% of total cover:	1	

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 10 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 10.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	10	x 2 =	20
FAC species	21	x 3 =	63
FACU species	175	x 4 =	700
UPL species	25	x 5 =	125
Column Totals:	231 (A)		908 (B)
Prevalence Index = B/A =			3.93

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)
Hydrophytic vegetation is not present in predominance or prevalence

SOIL

Sampling Point: W-WRL-003 UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	2.5Y 4/3	100						Sandy Loam
3-12	2.5Y 5/6	100						Sandy Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**WRL, RBL**
Date:	**7/25/2023**
Affiliation:	**AECOM**
Address:	**525 Vine St., Ste. 1800, Cincinnati, OH 45202**
Phone Number:	**513-651-3440**
e-mail address:	bill.leopold@aecom.com
Name of Wetland:	**W-WRL-003**
Vegetation Communit(ies):	**PEM, PSS**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	



Lat/Long or UTM Coordinate:	**40.020456, -81.965231**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 - 050400040305 - Blount Run-Muskingum River**
Site Visit:	**7/25/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-WRL-003		
Wetland Size (delineated acres):	0.37	Wetland Size (Estimated total acres):	0.37

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM and PSS wetland is located within a depression on the existing transmission line right-of-way adjacent to a pond. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Impatiens capensis in the PEM portion and Viburnum dentatum in the PSS portion.

Final score:	41	Category:	Modified 2

Wetland ID:	W-WRL-003

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-WRL-003

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	***NO** Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	***NO** Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	***NO** Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	***NO** Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	***NO** Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	***NO** Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	***NO** Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	***NO** Go to Question 8b

Wetland ID:	W-WRL-003

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	*NO Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	*NO Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	*NO Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	*NO Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	*NO Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	*NO Complete Quantitative Rating

Wetland ID:	W-WRL-003

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-WRL-003

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/25/2023

Field ID:

W-WRL-003

Delineated acres:	0.37
Total acres:	0.37

Metric 1. Wetland Area (size).

2.0 (max 6 pts) | 2.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [x] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [ ] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

11.0 (max 14 pts.) | 13.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [x] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [ ] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [x] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [ ] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [ ] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

14.0 (max 30 pts.) | 27.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [x] Between stream/lake and other human use (1)
- [ ] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [x] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [ ] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [x] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [x] Recovered (7)
- [ ] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] ditch
- [ ] tile
- [x] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

11.0 (max 20 pts.) | 38.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [x] None or none apparent (4)
- [ ] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [x] Moderately good (4)
- [ ] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [x] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [ ] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

38.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-WRL-003

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/25/2023

Field ID:
W-WRL-003

38.0
subtotal this page

0.0 max 10 pts. | **38.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

3.0 max 20pts. | **41.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.
Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [1] Emergent
- [2] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.
Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [x] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [ ] None (0)

6c. Coverage of invasive plants. Refer Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [x] Moderate 25-75% cover (-3)
- [ ] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.
Score all present using 0 to 3 scale.

- [0] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

41.0 **TOTAL (Max 100 pts)**
Modified 2 **Category**

Wetland ID:	W-WRL-003

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	2		
	Metric 2. Buffers and surrounding land use	11		
	Metric 3. Hydrology	14		
	Metric 4. Habitat	11		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	3		
	TOTAL SCORE	41		Category based on score breakpoints: Modified Category 2

Complete Wetland Categorization Worksheet.

Wetland ID:	W-WRL-003

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	YES Wetland is assigned to the appropriate category based on the scoring range	***NO**	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	***YES** Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	NO	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	Category 1	***Category 2**	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-26-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-004
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Slopes Local relief (concave, convex, none): Concave Slope (%): 2
Subregion (LRR or MLRA): LRR N Lat: 40.04625 Long: -81.9794 Datum: NAD83
Soil Map Unit Name: Uh: Udorthents, sandy-skeletal, steep NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No _____ (If no, explain in Remarks.)
Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes _____ No x
Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No _____	**Is the Sampled Area within a Wetland?** **Yes** X **No** _____
Hydric Soil Present?	Yes X	No _____	
Wetland Hydrology Present?	Yes X	No _____	

Remarks:
PEM wetland is located within a depression on the existing transmission line right-of-way. The wetland drains southwest via a ditch outside of the study area, and normal circumstances were present at the time of survey.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- X Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- X Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- X Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes X	No _____	Depth (inches): 4
Water Table Present?	Yes _____	No X	Depth (inches): _____
Saturation Present? (includes capillary fringe)	Yes _____	No X	Depth (inches): _____

Wetland Hydrology Present? **Yes** X **No** _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
The source of hydrology is precipitation/surface runoff.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-004

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 5' radius)			
1. *Asclepias incarnata*	40	Yes	OBL
2. *Dichanthelium clandestinum*	20	Yes	FAC
3. *Agrostis gigantea*	20	Yes	FACW
4. *Juncus effusus*	15	No	FACW
5. *Solidago canadensis*	10	No	FACU
6. *Mimulus ringens*	5	No	OBL
7. *Eutrochium fistulosum*	5	No	FACW
8. *Lythrum salicaria*	5	No	FACW
9.			
10.			
11.			
	120 =Total Cover		
50% of total cover: 60	20% of total cover: 24		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	45	x 1 =	45
FACW species	45	x 2 =	90
FAC species	20	x 3 =	60
FACU species	10	x 4 =	40
UPL species	0	x 5 =	0
Column Totals:	120 (A)		235 (B)
Prevalence Index = B/A =			1.96

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

X 2 - Dominance Test is >50%

X 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: W-WRL-004

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 4/2	90	10YR 3/6	10	C	PL		Silt Loam
4-17	10YR 5/2	70	10YR 4/6	30	C	PL/M		Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- x Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** X **No** ____

Remarks:

Indicator of hydric soil was observed at the time of survey.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-26-23
Applicant/Owner: AEP State: OH Sampling Point: W-WRL-004-UPL
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Hillslope Local relief (concave, convex, none): Convex Slope (%): 3
Subregion (LRR or MLRA): LRR N Lat: 40.06229 Long: -81.97933 Datum: NAD83
Soil Map Unit Name: Uh: Udorthents, sandy-skeletal, steep NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Upland data point for W-WRL-004. Upland data was collected within the existing transmission line right-of-way which is surrounded by scrub-shrub habitat.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- ___ Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: W-WRL-004-UPL

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1. *Rubus occidentalis*	20	Yes	UPL
2.			
3.			
4.			
5.			
6.			
	20 =Total Cover		
50% of total cover: 10	20% of total cover:	4	
Herb Stratum (Plot size: 5' radius)			
1. *Solidago canadensis*	70	Yes	FACU
2. *Kummerowia stipulacea*	20	No	FACU
3. *Dichanthelium clandestinum*	10	No	FAC
4. *Desmodium canadense*	5	No	FAC
5.			
6.			
7.			
8.			
9.			
10.			
11.			
	105 =Total Cover		
50% of total cover: 53	20% of total cover:	21	
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	15	x 3 =	45
FACU species	90	x 4 =	360
UPL species	20	x 5 =	100
Column Totals:	125 (A)		505 (B)
Prevalence Index = B/A =			4.04

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: W-WRL-004-UPL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-17	10YR 4/4	70	10YR 4/6	30	C	M		Sandy loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

Version 5.0	**Ohio Rapid Assessment Method for Wetlands 10 Page Form for Wetland Categorization**
	Background Information Scoring **Boundary Worksheet Narrative Rating** **Field Form Quantitative Rating** **ORAM Summary Worksheet** **Wetland Categorization Worksheet** Ohio EPA, Division of Surface Water Final: February 1, 2001

Instructions

The investigator is *STRONGLY URGED* to read the Manual for Using the Ohio Rapid Assessment Method for Wetlands for further elaboration and discussion of the questions below prior to using the rating forms.

The Narrative Rating is designed to categorize a wetland or to provide alerts to the Rater based on the presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as presence or possible presence of threatened or endangered species. The presence or proximity of such species is often an indicator of the quality and lack of disturbance of the wetland being evaluated. In addition, it is designed to categorize certain wetlands as very low quality (Category 1) or very high quality (Category 3) regardless of the wetland's score on the Quantitative Rating. In addition, the Narrative Rating also alerts the investigator that a particular wetland may be a Category 3 wetland, again, regardless of the wetland's score on the Quantitative Rating.

It is *VERY IMPORTANT* to properly and thoroughly answer each of the questions in the ORAM in order to properly categorize a wetland. To properly answer all the questions, the boundaries of the wetland being assessed must be correctly identified. Refer to Scoring Boundary worksheet and the User's Manual for a discussion of how to determine the "scoring boundaries." In some instances, the scoring boundaries may differ from the "jurisdictional boundaries."

Refer to the most recent ORAM Score Calibration Report for the scoring breakpoints between wetland categories. The most recent version of this document is posted on Ohio EPA's Division of Surface Water web page at: http://www.epa.ohio.gov/dsw/wetlands/WetlandEcologySection.aspx

Background Information	
Name:	**WRL, RBL**
Date:	**7/26/2023**
Affiliation:	**AECOM**
Address:	**525 Vine St., Ste. 1800, Cincinnati, OH 45202**
Phone Number:	**513-651-3440**
e-mail address:	bill.leopold@aecom.com
Name of Wetland:	**W-WRL-004**
Vegetation Communit(ies):	**PEM**
HGM Class(es):	**Depressional**
Location of Wetland: include map, address, north arrow, landmarks, distances, roads, etc.	

Lat/Long or UTM Coordinate:	**40.020456, -81.965231**
USGS Quad Name:	**Adamsville**
County:	**Muskingum**
Township:	**2N**
Section and Subsection:	**7W**
Hydrologic Unit Code:	**HUC12 - 050400040305 - Blount Run-Muskingum River**
Site Visit:	**7/26/2023**
National Wetland Inventory Map:	**See Figure 2**
Ohio Wetland Inventory Map:	**See Figure 2**
Soil Survey:	**See Figure 2**
Delineation report/map:	**See Figure 3**

Name of Wetland:	W-WRL-004		
Wetland Size (delineated acres):	0.02	Wetland Size (Estimated total acres):	0.02

Sketch: Include north arrow, relationship with other surface waters, vegetation zones, etc.

Comments, Narrative Discussion, Justification of Category Changes:

PEM wetland is located within a depression on the existing transmission line right-of-way. Depression is collecting surface runoff. The wetland boundary follows edge of depression and hydrophytic vegetation dominated by Microstegium vimineum.

Final score:	21	Category:	1

Wetland ID:	W-WRL-004

Scoring Boundary Worksheet

INSTRUCTIONS. The initial step in completing the ORAM is to identify the "scoring boundaries" of the wetland being rated. In many instances this determination will be relatively easy and the scoring boundaries will coincide with the "jurisdictional boundaries." For example, the scoring boundary of an isolated cattail marsh located in the middle of a farm field will likely be the same as that wetland's jurisdictional boundaries. In other instances, however, the scoring boundary will not be as easily determined. Wetlands that are small or isolated from other surface waters often form large contiguous areas or heterogeneous complexes of wetland and upland. In separating wetlands for scoring purposes, the hydrologic regime of the wetland is the main criterion that should be used. Boundaries between contiguous or connected wetlands should be established where the volume, flow, or velocity of water moving through the wetland changes significantly. Areas with a high degree of hydrologic interaction should be scored as a single wetland. In determining a wetland's scoring boundaries, use the guidelines in the ORAM Manual Section 5.0. In certain instances, it may be difficult to establish the scoring boundary for the wetland being rated. These problem situations include wetlands that form a patchwork on the landscape, wetlands divided by artificial boundaries like property fences, roads, or railroad embankments, wetlands that are contiguous with streams, lakes, or rivers, and estuarine or coastal wetlands. These situations are discussed below, however, it is recommended that Rater contact Ohio EPA, Division of Surface Water, 401/Wetlands Section if there are additional questions or a need for further clarification of the appropriate scoring boundaries of a particular wetland.

#	Steps in properly establishing scoring boundaries	done?	not applicable
Step 1	Identify the wetland area of interest. This may be the site of a proposed impact, a reference site, conservation site, etc.	X	
Step 2	Identify the locations where there is physical evidence that hydrology changes rapidly. Such evidence includes both natural and human- induced changes including, constrictions caused by berms or dikes, points where the water velocity changes rapidly at rapids or falls, points where significant inflows occur at the confluence of rivers, or other factors that may restrict hydrologic interaction between the wetlands or parts of a single wetland.	X	
Step 3	Delineate the boundary of the wetland to be rated such that all areas of interest that are contiguous to and within the areas where the hydrology does not change significantly, i.e. areas that have a high degree of hydrologic interaction are included within the scoring boundary.	X	
Step 4	Determine if artificial boundaries, such as property lines, state lines, roads, railroad embankments, etc., are present. These should not be used to establish scoring boundaries unless they coincide with areas where the hydrologic regime changes.	X	
Step 5	In all instances, the Rater may enlarge the minimum scoring boundaries discussed here to score together wetlands that could be scored separately.		X
Step 6	Consult ORAM Manual Section 5.0 for how to establish scoring boundaries for wetlands that form a patchwork on the landscape, divided by artificial boundaries, contiguous to streams, lakes or rivers, or for dual classifications.		X

End of Scoring Boundary Determination. Begin Narrative Rating on next page.

Wetland ID:	W-WRL-004

Narrative Rating

INSTRUCTIONS. Answer each of the following questions. Questions 1, 2, 3 and 4 should be answered based on information obtained from the site visit or the literature and by submitting a Data Services Request to the Ohio Department of Natural Resources, Division of Natural Areas and Preserves, Natural Heritage Data Services, 1889 Fountain Square Court, Building F-1, Columbus, Ohio 43224, 614-265-6453 (phone), 614-265-3096 (fax), http://www.dnr.state.oh.us/dnap . The remaining questions are designed to be answered primarily by the results of the site visit. Refer to the User's Manual for descriptions of these wetland types. Note: "Critical habitat" is legally defined in the Endangered Species Act and is the geographic area containing physical or biological features essential to the conservation of a listed species or as an area that may require special management considerations or protection. The Rater should contact the Region 3 Headquarters or the Columbus Ecological Services Office for updates as to whether critical habitat has been designated for other federally listed threatened or endangered species. "Documented" means the wetland is listed in the appropriate State of Ohio database.

#	Question	Circle one	
1	**Critical Habitat.** Is the wetland in a township, section, or subsection of a United States Geological Survey 7.5 minute Quadrangle that has been designated by the U.S. Fish and Wildlife Service as "critical habitat" for any threatened or endangered plant or animal species? Note: as of January 1, 2001, of the federally listed endangered or threatened species which can be found in Ohio, the Indiana Bat has had critical habitat designated (50 CFR 17.95(a)) and the piping plover has had critical habitat proposed (65 FR 41812 July 6, 2000).	YES Wetland should be evaluated for possible Category 3 status Go to Question 2	*NO Go to Question 2
2	**Threatened or Endangered Species.** Is the wetland known to contain an individual of, or documented occurrences of federal or state-listed threatened or endangered plant or animal species?	YES Wetland is a Category 3 wetland. Go to Question 3	*NO Go to Question 3
3	**Documented High Quality Wetland.** Is the wetland on record in Natural Heritage Database as a high quality wetland?	YES Wetland is a Category 3 wetland Go to Question 4	*NO Go to Question 4
4	**Significant Breeding or Concentration Area.** Does the wetland contain documented regionally significant breeding or nonbreeding waterfowl, neotropical songbird, or shorebird concentration areas?	YES Wetland is a Category 3 wetland Go to Question 5	*NO Go to Question 5
5	**Category 1 Wetlands.** Is the wetland less than 0.5 hectares (1 acre) in size and **hydrologically isolated** and either 1) comprised of vegetation that is dominated (greater than eighty per cent areal cover) by *Phalaris arundinacea, Lythrum salicaria,* or *Phragmites australis* , or 2) an acidic pond created or excavated on mined lands that has little or no vegetation?	YES Wetland is a Category 1 wetland Go to Question 6	*NO Go to Question 6
6	**Bogs.** Is the wetland a peat-accumulating wetland that 1) has no significant inflows or outflows, 2) supports acidophilic mosses, particularly *Sphagnum* spp., 3) the acidophilic mosses have >30% cover, 4) at least one species from Table 1 is present, and 5) the cover of invasive species (see Table 1) is <25%?	YES Wetland is a Category 3 wetland Go to Question 7	*NO Go to Question 7
7	**Fens.** Is the wetland a carbon accumulating (peat, muck) wetland that is saturated during most of the year, primarily by a discharge of free flowing, mineral rich, ground water with a circumneutral ph (5.5-9.0) and with one or more plant species listed in Table 1 and the cover of invasive species listed in Table 1 is <25%?	YES Wetland is a Category 3 wetland Go to Question 8a	*NO Go to Question 8a
8a	**"Old Growth Forest."** Is the wetland a forested wetland and is the forest characterized by, but not limited to, the following characteristics: overstory canopy trees of great age (exceeding at least 50% of a projected maximum attainable age for a species); little or no evidence of human-caused understory disturbance during the past 80 to 100 years; an all-aged structure and multilayered canopies; aggregations of canopy trees interspersed with canopy gaps; and significant numbers of standing dead snags and downed logs?	YES Wetland is a Category 3 wetland. Go to Question 8b	*NO Go to Question 8b

Wetland ID:	W-WRL-004

8b	**Mature forested wetlands**. Is the wetland a forested wetland with 50% or more of the cover of upper forest canopy consisting of deciduous trees with large diameters at breast height (dbh), generally diameters greater than 45cm (17.7in) dbh?	YES Wetland should be evaluated for possible Category 3 status. Go to Question 9a	***NO** Go to Question 9a
9a	**Lake Erie coastal and tributary wetlands**. Is the wetland located at an elevation less than 575 feet on the USGS map, adjacent to this elevation, or along a tributary to Lake Erie that is accessible to fish?	YES Go to Question 9b	***NO** Go to Question 10
9b	Does the wetland's hydrology result from measures designed to prevent erosion and the loss of aquatic plants, i.e. the wetland is partially hydrologically restricted from Lake Erie due to lakeward or landward dikes or other hydrological controls?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	***NO** Go to Question 9c
9c	Are Lake Erie water levels the wetland's primary hydrological influence, i.e. the wetland is hydrologically unrestricted (no lakeward or upland border alterations), or the wetland can be characterized as an "estuarine" wetland with lake and river influenced hydrology. These include sandbar deposition wetlands, estuarine wetlands, river mouth wetlands, or those dominated by submersed aquatic vegetation.	YES Go to Question 9d	***NO** Go to Question 10
9d	Does the wetland have a predominance of native species within its vegetation communities, although non-native or disturbance tolerant native species can also be present?	YES Wetland is a Category 3 wetland Go to Question 10	NO Go to Question 9e
9e	Does the wetland have a predominance of non-native or disturbance tolerant native plant species within its vegetation communities?	YES Wetland should be evaluated for possible Category 3 status Go to Question 10	NO Go to Question 10
10	**Lake Plain Sand Prairies (Oak Openings)** Is the wetland located in Lucas, Fulton, Henry, or Wood Counties and can the wetland be characterized by the following description: the wetland has a sandy substrate with interspersed organic matter, a water table often within several inches of the surface, and often with a dominance of the gramineous vegetation listed in Table 1 (woody species may also be present). The Ohio Department of Natural Resources Division of Natural Areas and Preserves can provide assistance in confirming this type of wetland and its quality.	YES Wetland is a Category 3 wetland. Go to Question 11	***NO** Go to Question 11
11	**Relict Wet Prairies**. Is the wetland a relict wet prairie community dominated by some or all of the species in Table 1. Extensive prairies were formerly located in the Darby Plains (Madison and Union Counties), Sandusky Plains (Wyandot, Crawford, and Marion Counties), northwest Ohio (e.g. Erie, Huron, Lucas, Wood Counties), and portions of western Ohio Counties (e.g. Darke, Mercer, Miami, Montgomery, Van Wert etc.).	YES Wetland should be evaluated for possible Category 3 status Complete Quantitative Rating	***NO** Complete Quantitative Rating

Wetland ID:	W-WRL-004

Table 1. Characteristic plant species.

invasive/exotic spp	fen species	bog species	oak opening species	wet prairie species
Lythrum salicaria	*Zygadenus elegans var. glaucus*	*Calla palustris*	*Carex cryptolepis*	*Calamagrostis canadensis*
Myriophyllum spicatum	*Cacalia plantaginea*	*Carex atlantica var. capillacea*	*Carex lasiocarpa*	*Calamogrostis stricta*
Najas minor	*Carex flava*	*Carex echinata*	*Carex stricta*	*Carex atherodes*
Phalaris arundinacea	*Carex sterilis*	*Carex oligosperma*	*Cladium mariscoides*	*Carex buxbaumii*
Phragmites australis	*Carex stricta*	*Carex trisperma*	*Calamagrostis stricta*	*Carex pellita*
Potamogeton crispus	*Deschampsia caespitosa*	*Chamaedaphne calyculata*	*Calamagrostis canadensis*	*Carex sartwellii*
Ranunculus ficaria	*Eleocharis rostellata*	*Decodon verticillatus*	*Quercus palustris*	*Gentiana andrewsii*
Rhamnus frangula	*Eriophorum viridicarinatum*	*Eriophorum virginicum*		*Helianthus grosseserratus*
Typha angustifolia	*Gentianopsis spp.*	*Larix laricina*		*Liatris spicata*
Typha xglauca	*Lobelia kalmii*	*Nemopanthus mucronatus*		*Lysimachia quadriflora*
	Parnassia glauca	*Schechzeria palustris*		*Lythrum alatum*
	Potentilla fruticosa	*Sphagnum spp.*		*Pycnanthemum virginianum*
	Rhamnus alnifolia	*Vaccinium macrocarpon*		*Silphium terebinthinaceum*
	Rhynchospora capillacea	*Vaccinium corymbosum*		*Sorghastrum nutans*
	Salix candida	*Vaccinium oxycoccos*		*Spartina pectinata*
	Salix myricoides	*Woodwardia virginica*		*Solidago riddellii*
	Salix serissima	*Xyris difformis*		
	Solidago ohioensis			
	Tofieldia glutinosa			
	Triglochin maritimum			
	Triglochin palustre			

End of Narrative Rating. Begin Quantitative Rating on next page.

Wetland ID:	W-WRL-004

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/26/2023

Field ID:

W-WRL-004 PEM

Delineated acres:	0.02
Total acres:	0.02

Metric 1. Wetland Area (size).

0.0 (max 6 pts) | 0.0 (subtotal)

Select one size class and assign score.

- [ ] >50 acres (>20.2ha) (6 pts)
- [ ] 25 to <50 acres (10.1 to <20.2ha) (5 pts)
- [ ] 10 to <25 acres (4 to <10.1ha) (4 pts)
- [ ] 3 to <10 acres (1.2 to <4ha) (3 pts)
- [ ] 0.3 to <3 acres (0.12 to <1.2ha) (2pts)
- [ ] 0.1 to <0.3 acres (0.04 to <0.12ha) (1 pt)
- [x] <0.1 acres (0.04ha) (0 pts)

Metric 2. Upland buffers and surrounding land use.

5.0 (max 14 pts.) | 5.0 (subtotal)

2a. Calculate average buffer width. Select only one and assign score. Do not double check.

- [ ] WIDE. Buffers average 50m (164ft) or more around wetland perimeter (7)
- [ ] MEDIUM. Buffers average 25m to <50m (82 to <164ft) around wetland perimeter (4)
- [x] NARROW. Buffers average 10m to <25m (32ft to <82ft) around wetland perimeter (1)
- [ ] VERY NARROW. Buffers average <10m (<32ft) around wetland perimeter (0)

2b. Intensity of surrounding land use. Select one or double check and average.

- [ ] VERY LOW. 2nd growth or older forest, prairie, savannah, wildlife area, etc. (7)
- [x] LOW. Old field (>10 years), shrubland, young second growth forest. (5)
- [x] MODERATELY HIGH. Residential, fenced pasture, park, conservation tillage, new fallow field. (3)
- [ ] HIGH. Urban, industrial, open pasture, row cropping, mining, construction. (1)

Metric 3. Hydrology.

7.0 (max 30 pts.) | 12.0 (subtotal)

3a. Sources of Water. Score all that apply.

- [ ] High pH groundwater (5)
- [ ] Other groundwater (3)
- [x] Precipitation (1)
- [ ] Seasonal/Intermittent surface water (3)
- [ ] Perennial surface water (lake or stream) (5)

3b. Connectivity. Score all that apply.

- [ ] 100 year floodplain (1)
- [ ] Between stream/lake and other human use (1)
- [x] Part of wetland/upland (e.g. forest), complex (1)
- [ ] Part of riparian or upland corridor (1)

3c. Maximum water depth. Select one.

- [ ] >0.7 (27.6in) (3)
- [ ] 0.4 to 0.7m (15.7 to 27.6in) (2)
- [x] <0.4m (<15.7in) (1)

3d. Duration inundation/saturation. Score one or dbl check.

- [ ] Semi- to permanently inundated/saturated (4)
- [x] Regularly inundated/saturated (3)
- [ ] Seasonally inundated (2)
- [ ] Seasonally saturated in upper 30cm (12in) (1)

3e. Modifications to natural hydrologic regime. Score one or double check and average.

- [ ] None or none apparent (12)
- [ ] Recovered (7)
- [ ] Recovering (3)
- [x] Recent or no recovery (1)

Check all disturbances observed

- [x] ditch
- [ ] tile
- [x] dike
- [ ] weir
- [ ] stormwater input
- [ ] point source (nonstormwater)
- [ ] filling/grading
- [ ] road bed/RR track
- [ ] dredging
- [ ] Other:

Metric 4. Habitat Alteration and Development.

9.0 (max 20 pts.) | 21.0 (subtotal)

4a. Substrate disturbance. Score one or double check and average.

- [ ] None or none apparent (4)
- [x] Recovered (3)
- [ ] Recovering (2)
- [ ] Recent or no recovery (1)

4b. Habitat development. Select only one and assign score.

- [ ] Excellent (7)
- [ ] Very good (6)
- [ ] Good (5)
- [ ] Moderately good (4)
- [x] Fair (3)
- [ ] Poor to fair (2)
- [ ] Poor (1)

4c. Habitat alteration. Score one or double check and average.

- [ ] None or none apparent (9)
- [ ] Recovered (6)
- [x] Recovering (3)
- [ ] Recent or no recovery (1)

Check all disturbances observed

- [ ] mowing
- [ ] grazing
- [ ] clearcutting
- [ ] selective cutting
- [x] woody debris removal
- [ ] toxic pollutants
- [ ] shrub/sapling removal
- [ ] herbaceous/aquatic bed removal
- [ ] sedimentation
- [ ] dredging
- [ ] farming
- [ ] nutrient enrichment

21.0 (subtotal this page)

ORAM v. 5.0 Field Form Quantitative Rating

Wetland ID:	W-WRL-004

Site:	Philo-Ohio Central	Rater(s):	WRL, RBL	Date:	7/26/2023

Field ID:

W-WRL-004 PEM

21.0
subtotal this page

0.0 max 10 pts. | **21.0** subtotal

Metric 5. Special Wetlands.

Check all that apply and score as indicated.

- [ ] Bog (10)
- [ ] Fen (10)
- [ ] Old growth forest (10)
- [ ] Mature forested wetland (5)
- [ ] Lake Erie coastal/tributary wetland-unrestricted hydrology (10)
- [ ] Lake Erie coastal/tributary wetland-restricted hydrology (5)
- [ ] Lake Plain Sand Prairies (Oak Openings) (10)
- [ ] Relict Wet Praires (10)
- [ ] Known occurrence state/federal threatened or endangered species (10)
- [ ] Significant migratory songbird/water fowl habitat or usage (10)
- [ ] Category 1 Wetland. See Question 5 Qualitative Rating (-10)

0.0 max 20pts. | **21.0** subtotal

Metric 6. Plant communities, interspersion, microtopography.

6a. Wetland Vegetation Communities.

Score all present using 0 to 3 scale.

- [ ] Aquatic bed
- [0] Emergent
- [ ] Shrub
- [ ] Forest
- [ ] Mudflats
- [ ] Open water
- [ ] Other_____

6b. horizontal (plan view) Interspersion.

Select only one.

- [ ] High (5)
- [ ] Moderately high(4)
- [ ] Moderate (3)
- [ ] Moderately low (2)
- [ ] Low (1)
- [x] None (0)

6c. Coverage of invasive plants. Refer

Table 1 ORAM long form for list. Add or deduct points for coverage

- [ ] Extensive >75% cover (-5)
- [ ] Moderate 25-75% cover (-3)
- [x] Sparse 5-25% cover (-1)
- [ ] Nearly absent <5% cover (0)
- [ ] Absent (1)

6d. Microtopography.

Score all present using 0 to 3 scale.

- [1] Vegetated hummucks/tussucks
- [0] Coarse woody debris >15cm (6in)
- [0] Standing dead >25cm (10in) dbh
- [0] Amphibian breeding pools

Vegetation Community Cover Scale

0	Absent or comprises <0.1ha (0.2471 acres) contiguous area
1	Present and either comprises small part of wetland's 1 vegetation and is of moderate quality, or comprises a significant part but is of low quality
2	Present and either comprises significant part of wetland's 2 vegetation and is of moderate quality or comprises a small part and is of high quality
3	Present and comprises significant part, or more, of wetland's 3 vegetation and is of high quality

Narrative Description of Vegetation Quality

Low spp diversity and/or predominance of nonnative or low disturbance tolerant native species
Native spp are dominant component of the vegetation, mod although nonnative and/or disturbance tolerant native spp can also be present, and species diversity moderate to moderately high, but generallyw/o presence of rare threatened or endangered spp to
A predominance of native species, with nonnative spp high and/or disturbance tolerant native spp absent or virtually absent, and high spp diversity and often, but not always, the presence of rare, threatened, or endangered spp

Mudflat and Open Water Class Quality

0	Absent <0.1ha (0.247 acres)
1	Low 0.1 to <1ha (0.247 to 2.47 acres)
2	Moderate 1 to <4ha (2.47 to 9.88 acres)
3	High 4ha (9.88 acres) or more

Microtopography Cover Scale

0	Absent
1	Present very small amounts or if more common of marginal quality
2	Present in moderate amounts, but not of highest quality or in small amounts of highest quality
3	Present in moderate or greater amounts and of highest quality

21.0	**TOTAL (Max 100 pts)**
1	**Category**

Wetland ID:	W-WRL-004

ORAM Summary Worksheet

		Circle answer or insert score		Result
Narrative Rating	Question 1 Critical Habitat	YES	*NO	If yes, Category 3.
	Question 2. Threatened or Endangered Species	YES	*NO	If yes, Category 3.
	Question 3. High Quality Natural Wetland	YES	*NO	If yes, Category 3.
	Question 4. Significant bird habitat	YES	*NO	If yes, Category 3.
	Question 5. Category 1 Wetlands	YES	*NO	If yes, Category 1.
	Question 6. Bogs	YES	*NO	If yes, Category 3.
	Question 7. Fens	YES	*NO	If yes, Category 3.
	Question 8a. Old Growth Forest	YES	*NO	If yes, Category 3.
	Question 8b. Mature Forested Wetland	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9b. Lake Erie Wetlands - Restricted	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 9d. Lake Erie Wetlands – Unrestricted with native plants	YES	NO	If yes, Category 3
	Question 9e. Lake Erie Wetlands - Unrestricted with invasive plants	YES	NO	If yes, evaluate for Category 3; may also be 1 or 2.
	Question 10. Oak Openings	YES	*NO	If yes, Category 3
	Question 11. Relict Wet Prairies	YES	*NO	If yes, evaluate for Category 3; may also be 1 or 2.
Quantitative Rating	Metric 1. Size	0		
	Metric 2. Buffers and surrounding land use	5		
	Metric 3. Hydrology	7		
	Metric 4. Habitat	9		
	Metric 5. Special Wetland Communities	0		
	Metric 6. Plant communities, interspersion, microtopography	0		
	TOTAL SCORE	21		Category based on score breakpoints

Complete Wetland Categorization Worksheet.

Wetland ID:	W-WRL-004

Wetland Categorization Worksheet

Choices	Circle one		Evaluation of Categorization Result of ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 2, 3, 4, 6, 7, 8a, 9d, 10	YES Wetland is categorized as a Category 3 wetland	***NO**	Is quantitative rating score *less* than the Category 2 scoring threshold (*excluding* gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been over- categorized by the ORAM
Did you answer "Yes" to any of the following questions: Narrative Rating Nos. 1, 8b, 9b, 9e, 11	YES Wetland should be evaluated for possible Category 3 status	***NO**	Evaluate the wetland using the 1) narrative criteria in OAC Rule 3745-1-54(C) and 2) the quantitative rating score. If the wetland is determined to be a Category 3 wetland using either of these, it should be categorized as a Category 3 wetland. Detailed biological and/or functional assessments may also be used to determine the wetland's category.
Did you answer "Yes" to Narrative Rating No. 5	YES Wetland is categorized as a Category 1 wetland	***NO**	Is quantitative rating score *greater* than the Category 2 scoring threshold *(including* any gray zone)? If yes, reevaluate the category of the wetland using the narrative criteria in OAC Rule 3745-1-54(C) and biological and/or functional assessments to determine if the wetland has been under-categorized by the ORAM
Does the quantitative score fall within the scoring range of a Category 1, 2, or 3 wetland?	***YES** Wetland is assigned to the appropriate category based on the scoring range	NO	If the score of the wetland is located within the scoring range for a particular category, the wetland should be assigned to that category. In all instances however, the narrative criteria described in OAC Rule 3745-1-54(C) can be used to clarify or change a categorization based on a quantitative score.
Does the quantitative score fall with the *"gray zone"* for Category 1 or 2 or Category 2 or 3 wetlands?	YES Wetland is assigned to the higher of the two categories or assigned to a category based on detailed assessments and the narrative criteria	***NO**	Rater has the option of assigning the wetland to the higher of the two categories or to assign a category based on the results of a nonrapid wetland assessment method, e.g. functional assessment, biological assessment, etc, and a consideration of the narrative criteria in OAC rule 3745-1- 54(C).
Does the wetland otherwise exhibit *moderate OR superior* hydrologic OR habitat, OR recreational functions AND the wetland was *not* categorized as a Category 2 wetland (in the case of moderate functions) or a Category 3 wetland (in the case of superior functions) by this method?	YES Wetland was undercategorized by this method. A written justification for recategorization should be provided on Background Information Form	***NO** Wetland is assigned to category as determined by the ORAM.	A wetland may be undercategorized using this method, but still exhibit one or more superior functions, e.g. a wetland's biotic communities may be degraded by human activities, but the wetland may still exhibit superior hydrologic functions because of its type, landscape position, size, local or regional significance, etc. In this circumstance, the narrative criteria in OAC Rule 3745-1-54(C)(2) and (3) are controlling, and the under-categorization should be corrected. A written justification with supporting reasons or information for this determination should be provided.

Final Category

Choose one	***Category 1**	Category 2	Category 3	

End of Ohio Rapid Assessment Method for Wetlands.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-24-23
Applicant/Owner: AEP State: OH Sampling Point: UPL-WRL-001
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Hillslope Local relief (concave, convex, none): Convex Slope (%): 10
Subregion (LRR or MLRA): LRR N Lat: 40.015819 Long: -81.963504 Datum: NAD83
Soil Map Unit Name: Bhk4B: Bethesda channery silt loam, 0 to 8 percent slopes, unreclaimed, highwall NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X	No ____	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes X	No ____	

Remarks:
Upland data point at the location of a mapped NWI wetland. Area is part of a shelf located within an old mining area in the right-of-way.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: UPL-WRL-001

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1. *Platanus occidentalis*	1	No	FACW
2.			
3.			
4.			
5.			
6.			
	1 =Total Cover		
50% of total cover: 1	20% of total cover: 1		
Shrub Stratum (Plot size: 15' radius)			
1. *Rubus occidentalis*	2	No	UPL
2. *Rhamnus alnifolia*	60	Yes	OBL
3. *Rosa multiflora*	1	No	FACU
4.			
5.			
6.			
	63 =Total Cover		
50% of total cover: 32	20% of total cover: 13		
Herb Stratum (Plot size: 5' radius)			
1. *Microstegium vimineum*	100	Yes	FAC
2. *Agrostis gigantea*	10	No	FACW
3. *Anthoxanthum odoratum*	5	No	FACU
4. *Pycnanthemum virginianum*	2	No	FAC
5. *Scirpus atrocinctus*	2	No	FACW
6.			
7.			
8.			
9.			
10.			
11.			
	119 =Total Cover		
50% of total cover: 60	20% of total cover: 24		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	60	x 1 =	60
FACW species	13	x 2 =	26
FAC species	102	x 3 =	306
FACU species	6	x 4 =	24
UPL species	2	x 5 =	10
Column Totals:	183 (A)		426 (B)
Prevalence Index = B/A =			2.33

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** X **No** ___

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: UPL-WRL-001

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 5/3	70	10YR 5/8	30	C	M		Silt Clay Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

U.S. Army Corps of Engineers
WETLAND DETERMINATION DATA SHEET – Eastern Mountains and Piedmont Region
See ERDC/EL TR-12-9; the proponent agency is CECW-CO-R

OMB Control #: 0710-0024, Exp:11/30/2024
Requirement Control Symbol EXEMPT:
(Authority: AR 335-15, paragraph 5-2a)

Project/Site: Philo-Ohio Central City/County: Muskingum Sampling Date: 7-24-23
Applicant/Owner: AEP State: OH Sampling Point: UPL-WRL-002
Investigator(s): WRL, RBL Section, Township, Range: 2N, 7W
Landform (hillside, terrace, etc.): Plains Local relief (concave, convex, none): Convex Slope (%): 3
Subregion (LRR or MLRA): LRR N Lat: 40.004853 Long: -81.959298 Datum: NAD83
Soil Map Unit Name: WtD2: Westmoreland silt loam, 15 to 25 percent slopes NWI classification: NA
Are climatic / hydrologic conditions on the site typical for this time of year? Yes x No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes x No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No X	**Is the Sampled Area within a Wetland?** **Yes** ____ **No** X
Hydric Soil Present?	Yes ____	No X	
Wetland Hydrology Present?	Yes ____	No X	

Remarks:
Upland data point within a disturbed hayfield.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1)
- ___ Sediment Deposits (B2)
- ___ Drift Deposits (B3)
- ___ Algal Mat or Crust (B4)
- ___ Iron Deposits (B5)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Aquatic Fauna (B13)
- ___ True Aquatic Plants (B14)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres on Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Tilled Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ___ Surface Soil Cracks (B6)
- ___ Sparsely Vegetated Concave Surface (B8)
- ___ Drainage Patterns (B10)
- ___ Moss Trim Lines (B16)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Stunted or Stressed Plants (D1)
- x Geomorphic Position (D2)
- ___ Shallow Aquitard (D3)
- ___ Microtopographic Relief (D4)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? **Yes** ____ **No** X

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:
NA

Remarks:
No source of hydrology was observed.

VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: UPL-WRL-002

Tree Stratum (Plot size: 30' radius)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Sapling Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Shrub Stratum (Plot size: 15' radius)			
1.			
2.			
3.			
4.			
5.			
6.			
	=Total Cover		
50% of total cover:	20% of total cover:		
Herb Stratum (Plot size: 5' radius)			
1. *Xanthium strumarium*	30	Yes	FAC
2. *Vernonia gigantea*	5	No	FAC
3. *Carex spicata*	15	No	FAC
4. *Dactylis glomerata*	10	No	FACU
5. *Agrostis gigantea*	10	No	FACW
6. *Cirsium arvense*	10	No	FACU
7. *Schedonorus arundinaceus*	40	Yes	FACU
8.			
9.			
10.			
11.			
	120 =Total Cover		
50% of total cover: 60	20% of total cover: 24		
Woody Vine Stratum (Plot size: 30' radius)			
1.			
2.			
3.			
4.			
5.			
	=Total Cover		
50% of total cover:	20% of total cover:		

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50.0% (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	10	x 2 =	20
FAC species	50	x 3 =	150
FACU species	60	x 4 =	240
UPL species	0	x 5 =	0
Column Totals:	120 (A)		410 (B)
Prevalence Index = B/A =			3.42

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Five Vegetation Strata:

Tree – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling – Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub - Woody Plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb – All herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3 ft (1 m) in height.

Woody Vine – All woody vines, regardless of height.

Hydrophytic Vegetation Present? **Yes** ___ **No** X

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Sampling Point: UPL-WRL-002

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth	Matrix		Redox Features					
(inches)	Color (moist)	%	Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-15	10YR 5/3	75	5YR 4/4	25	C	M		Silt Loam

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains. [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5)
- ___ 2 cm Muck (A10) **(LRR N)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Dark Surface (S7)
- ___ Polyvalue Below Surface (S8) **(MLRA 147, 148)**
- ___ Thin Dark Surface (S9) **(MLRA 147, 148)**
- ___ Loamy Mucky Mineral (F1) **(MLRA 136)**
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Iron-Manganese Masses (F12) **(LRR N, MLRA 136)**
- ___ Umbric Surface (F13) **(MLRA 122, 136)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 148)**
- ___ Red Parent Material (F21) **(MLRA 127, 147, 148)**

Indicators for Problematic Hydric Soils[3]:

- ___ 2 cm Muck (A10) **(MLRA 147)**
- ___ Coast Prairie Redox (A16) **(MLRA 147, 148)**
- ___ Piedmont Floodplain Soils (F19) **(MLRA 136, 147)**
- ___ Red Parent Material (F21) **(outside MLRA 127, 147, 148)**
- ___ Very Shallow Dark Surface (F22)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? **Yes** ____ **No** X

Remarks:

Soils do not meet hydric criteria.

WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: Philo-Ohio Central **City/County:** Muskingum **Sampling Date:** 16-Aug-23

Applicant/Owner: AEP **State:** OH **Sampling Point:** **Pond-MRK-001**

Investigator(s): MRK, RBL **Section, Township, Range:** **S** **T** 2N **R** 7W

Landform (hillslope, terrace, etc.): Bench **Local relief (concave, convex, none):** concave **Slope:** 1.0 **% /** 0.6 **°**

Subregion (LRR or MLRA): LRR N **Lat.:** 40.069997 **Long.:** -81.995127 **Datum:** NAD83

Soil Map Unit Name: Bhk4F: Bethesda channery silt loam, 25 to 70 percent slopes **NWI classification:** NA

Are climatic/hydrologic conditions on the site typical for this time of year? Yes ◉ No ○ **(If no, explain in Remarks.)**

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **significantly disturbed?** **Are "Normal Circumstances" present?** Yes ◉ No ○

Are Vegetation ☐ **, Soil** ☐ **, or Hydrology** ☐ **naturally problematic?** **(If needed, explain any answers in Remarks.)**

Summary of Findings - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ◉	No ○	
Hydric Soil Present?	Yes ◉	No ○	**Is the Sampled Area within a Wetland?** Yes ◉ No ○
Wetland Hydrology Present?	Yes ◉	No ○	

Remarks:

This open water pond is located within the existing transmission line right-of-way. Pond is shallow with a heavy layer of algae.

Hydrology

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ☑ Surface Water (A1)
- ☑ High Water Table (A2)
- ☑ Saturation (A3)
- ☐ Water Marks (B1)
- ☐ Sediment Deposits (B2)
- ☐ Drift deposits (B3)
- ☑ Algal Mat or Crust (B4)
- ☐ Iron Deposits (B5)
- ☑ Inundation Visible on Aerial Imagery (B7)
- ☐ Water-Stained Leaves (B9)
- ☑ Aquatic Fauna (B13)
- ☐ True Aquatic Plants (B14)
- ☐ Hydrogen Sulfide Odor (C1)
- ☐ Oxidized Rhizospheres along Living Roots (C3)
- ☐ Presence of Reduced Iron (C4)
- ☐ Recent Iron Reduction in Tilled Soils (C6)
- ☐ Thin Muck Surface (C7)
- ☐ Other (Explain in Remarks)

Secondary Indicators (minimum of two required)

- ☐ Surface Soil Cracks (B6)
- ☐ Sparsely Vegetated Concave Surface (B8)
- ☐ Drainage Patterns (B10)
- ☐ Moss Trim Lines (B16)
- ☐ Dry Season Water Table (C2)
- ☐ Crayfish Burrows (C8)
- ☐ Saturation Visible on Aerial Imagery (C9)
- ☑ Stunted or Stressed Plants (D1)
- ☑ Geomorphic Position (D2)
- ☐ Shallow Aquitard (D3)
- ☐ Microtopographic Relief (D4)
- ☑ FAC-neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ◉	No ○	Depth (inches): 12	
Water Table Present?	Yes ◉	No ○	Depth (inches): 0	
Saturation Present? (includes capillary fringe)	Yes ◉	No ○	Depth (inches): 0	**Wetland Hydrology Present?** Yes ◉ No ○

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

NA

Remarks:

The source of hydrology is hillside spring seeps and surface runoff.

VEGETATION (Five/Four Strata)- Use scientific names of plants.

Sampling Point: Pond-MRK-001

	Absolute % Cover	Dominant Species?	Rel.Strat. Cover	Indicator Status
Tree Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
	0	= Total Cover		
Sapling-Sapling/Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
	0	= Total Cover		
Shrub Stratum (Plot size: 15' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
	0	= Total Cover		
Herb Stratum (Plot size: 5' radius)				
1. Typha angustifolia	25	☑	100.0%	OBL
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
7.	0	☐	0.0%	
8.	0	☐	0.0%	
9.	0	☐	0.0%	
10.	0	☐	0.0%	
11.	0	☐	0.0%	
12.	0	☐	0.0%	
	25	= Total Cover		
Woody Vine Stratum (Plot size: 30' radius)				
1.	0	☐	0.0%	
2.	0	☐	0.0%	
3.	0	☐	0.0%	
4.	0	☐	0.0%	
5.	0	☐	0.0%	
6.	0	☐	0.0%	
	0	= Total Cover		

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)

Prevalence Index worksheet:

	Total % Cover of:	Multiply by:	
OBL species	25	x 1 =	25
FACW species	0	x 2 =	0
FAC species	0	x 3 =	0
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	25 (A)		25 (B)

Prevalence Index = B/A = 1.000

Hydrophytic Vegetation Indicators:

- ☑ **Rapid Test for Hydrophytic Vegetation**
- ☑ **Dominance Test is > 50%**
- ☑ **Prevalence Index is ≤3.0** [1]
- ☐ **Morphological Adaptations** [1] **(Provide supporting data in Remarks or on a separate sheet)**
- ☐ **Problematic Hydrophytic Vegetation** [1] **(Explain)**

[1] **Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.**

Definition of Vegetation Strata:

Four Vegetation Strata:

Tree stratum – Consists of woody plants, excluding vines, 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub stratum – Consists of woody plants, excluding vines, less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb stratum – Consists of all herbaceous (non-woody) plants, regardless of size, and all other plants less than 3.28 ft tall.

Woody vines – Consists of all woody vines greater than 3.28 ft in height.

Five Vegetation Strata:

Tree - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).

Sapling stratum – Consists of woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.

Shrub stratum – Consists of woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.

Herb stratum – Consists of all herbaceous (non-woody) plants, including herbaceous vines, regardless of size, and woody species, except woody vines, less than approximately 3 ft (1 m) in height.

Woody vines – Consists of all woody vines, regardless of height.

Hydrophytic Vegetation Present? Yes ◉ No ○

Remarks: (Include photo numbers here or on a separate sheet.)

Hydrophytic vegetation present around perimeter of pond.

*Indicator suffix = National status or professional decision assigned because Regional status not defined by FWS.

Soil

Sampling Point: Pond-MRK-001

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type [1]	Loc²	Texture	Remarks

[1] Type: C=Concentration. D=Depletion. RM=Reduced Matrix, CS=Covered or Coated Sand Grains ²Location: PL=Pore Lining. M=Matrix

Hydric Soil Indicators:

- ☐ Histosol (A1)
- ☐ Histic Epipedon (A2)
- ☐ Black Histic (A3)
- ☐ Hydrogen Sulfide (A4)
- ☐ Stratified Layers (A5)
- ☐ 2 cm Muck (A10) (LRR N)
- ☐ Depleted Below Dark Surface (A11)
- ☐ Thick Dark Surface (A12)
- ☐ Sandy Muck Mineral (S1) (LRR N, MLRA 147, 148)
- ☐ Sandy Gleyed Matrix (S4)
- ☐ Sandy Redox (S5)
- ☐ Stripped Matrix (S6)
- ☐ Dark Surface (S7)
- ☐ Polyvalue Below Surface (S8) (MLRA 147,148)
- ☐ Thin Dark Surface (S9) (MLRA 147, 148)
- ☐ Loamy Gleyed Matrix (F2)
- ☐ Depleted Matrix (F3)
- ☐ Redox Dark Surface (F6)
- ☐ Depleted Dark Surface (F7)
- ☐ Redox Depressions (F8)
- ☐ Iron-Manganese Masses (F12) (LRR N, MLRA 136)
- ☐ Umbric Surface (F13) (MLRA 136, 122)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 148)
- ☐ Red Parent Material (F21) (MLRA 127, 147)

Indicators for Problematic Hydric Soils [3]:

- ☐ 2 cm Muck (A10) (MLRA 147)
- ☐ Coast Prairie Redox (A16) (MLRA 147,148)
- ☐ Piedmont Floodplain Soils (F19) (MLRA 136, 147)
- ☐ Very Shallow Dark Surface (TF12)
- ☑ Other (Explain in Remarks)

[3] Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ◉ No ○

Remarks:

Hydric soils are assumed due to year round inundation.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-001 **Date:** July 10, 2023 **Description:** PEM Facing North	

W-MRK-001 **Date:** July 10, 2023 **Description:** PEM Facing East	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-001
Date: July 10, 2023
Description: PEM Facing South

W-MRK-001
Date: July 10, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-001
Date: July 10, 2023
Description: PEM Facing Soil

W-MRK-002
Date: July 10, 2023
Description: PEM Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-002
Date: July 10, 2023
Description: PEM Facing East

W-MRK-002
Date: July 10, 2023
Description: PEM Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-002
Date: July 10, 2023
Description: PEM Facing West

W-MRK-002
Date: July 10, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-003
Date: July 10, 2023
Description: PEM Facing North

W-MRK-003
Date: July 10, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-003
Date: July 10, 2023
Description: PEM Facing South

W-MRK-003
Date: July 10, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-003
Date: July 10, 2023
Description: PEM Facing Soil

W-MRK-004
Date: July 10, 2023
Description: PEM Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-004 **Date:** July 10, 2023 **Description:** PEM Facing East	

W-MRK-004 **Date:** July 10, 2023 **Description:** PEM Facing South	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-004

Date:

July 10, 2023

Description:

PEM

Facing West

W-MRK-004

Date:

July 10, 2023

Description:

PEM

Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-005
Date: July 10, 2023
Description: PEM Facing North

W-MRK-005
Date: July 10, 2023
Description: PEM Facing East

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-005
Date: July 10, 2023
Description: PEM Facing South

W-MRK-005
Date: July 10, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-005 **Date:** July 10, 2023 **Description:** PEM Facing Soil	

W-MRK-006 **Date:** August 16, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-006
Date: August 16, 2023
Description: PEM Facing East

W-MRK-006
Date: August 16, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-006
Date: August 16, 2023
Description: PEM Facing West

W-MRK-006
Date: August 16, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-007
Date: August 16, 2023
Description: PEM Facing North

W-MRK-007
Date: August 16, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-007
Date: August 16, 2023
Description: PEM Facing South

W-MRK-007
Date: August 16, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-007

Date:

August 16, 2023

Description:

PEM

Facing Soil

W-MRK-008

Date:

August 16, 2023

Description:

PEM

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-008

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-008

Date:

August 16, 2023

Description:

PEM

Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-008 **Date:** August 16, 2023 **Description:** PEM Facing West	

W-MRK-008 **Date:** August 16, 2023 **Description:** PEM Facing Soil	**Due to depth of water, photograph of soil profile was not possible.**

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-009
Date: August 16, 2023
Description: PEM Facing North

W-MRK-009
Date: August 16, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-009
Date: August 16, 2023
Description: PEM Facing South

W-MRK-009
Date: August 16, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-009	
Date: August 16, 2023 **Description:** PEM Facing Soil	

W-MRK-010	
Date: August 16, 2023 **Description:** PEM Facing North	

W-MRK-010	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-010

Date:

August 16, 2023

Description:

PEM

Facing South

W-MRK-010

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing West

W-MRK-010

Date:

August 16, 2023

Description:

PEM

Facing Soil

W-MRK-011

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing North

W-MRK-011

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-011

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing South

W-MRK-011

Date:

August 16, 2023

Description:

PEM

Facing West

W-MRK-011

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing Soil

W-MRK-012

Date:

August 16, 2023

Description:

PEM

Facing North

W-MRK-012

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-012

Date:

August 16, 2023

Description:

PEM

Facing South

W-MRK-012

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing West

W-MRK-012

Date:

August 16, 2023

Description:

PEM

Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-013	
Date: August 16, 2023	
Description: PEM Facing North	

W-MRK-013	
Date: August 16, 2023	
Description: PEM Facing East	

W-MRK-013	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing South

W-MRK-013

Date:

August 16, 2023

Description:

PEM

Facing West

W-MRK-013

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

August 16, 2023

Description:

PEM

Facing Soil

W-MRK-014

Date:

August 16, 2023

Description:

PEM

Facing North

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-014

Date:

August 16, 2023

Description:

PEM

Facing East

W-MRK-014

Date:

August 16, 2023

Description:

PEM

Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-014
Date: August 16, 2023
Description: PEM Facing West

W-MRK-014
Date: August 16, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing North

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing South

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-015

Date:

August 17, 2023

Description:

PEM

Facing Soil

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing East

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing West

W-MRK-016

Date:

August 17, 2023

Description:

PEM

Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001
Date: July 10, 2023
Description: PEM Facing North

W-TW-001
Date: July 10, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001
Date: July 10, 2023
Description: PEM Facing South

W-TW-001
Date: July 10, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001
Date:
July 10, 2023
Description:
PEM
Facing Soil

W-TW-001
Date:
July 10, 2023
Description:
PSS
Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001 **Date:** July 10, 2023 **Description:** PSS Facing East	

W-TW-001 **Date:** July 10, 2023 **Description:** PSS Facing South	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-001
Date: July 10, 2023
Description: PSS Facing West

W-TW-001
Date: July 10, 2023
Description: PSS Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing North	

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing East	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing South	

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing West	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-002 **Date:** July 10, 2023 **Description:** PEM Facing Soil	

W-TW-003 **Date:** July 10, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-003
Date: July 10, 2023
Description: PEM Facing East

W-TW-003
Date: July 10, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-003 **Date:** July 10, 2023 **Description:** PEM Facing West	

W-TW-003 **Date:** July 10, 2023 **Description:** PEM Facing Soil	

W-TW-004	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

Date:

July 11, 2023

Description:

PEM

Facing North

W-TW-004

Date:

July 11, 2023

Description:

PEM

Facing East

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-004
Date: July 11, 2023
Description: PEM Facing South

W-TW-004
Date: July 11, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-004
Date: July 11, 2023
Description: PEM Facing Soil

W-TW-005
Date: July 11, 2023
Description: PEM Facing North

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-005
Date: July 11, 2023
Description: PEM Facing East

W-TW-005
Date: July 11, 2023
Description: PEM Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-005
Date: July 11, 2023
Description: PEM Facing West

W-TW-005
Date: July 11, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-006
Date: July 11, 2023
Description: PEM Facing North

W-TW-006
Date: July 11, 2023
Description: PEM Facing East

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-006
Date: July 11, 2023
Description: PEM Facing South

W-TW-006
Date: July 11, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-006 **Date:** July 11, 2023 **Description:** PEM Facing Soil	

W-TW-007 **Date:** July 11, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-007
Date: July 11, 2023
Description: PEM Facing East

W-TW-007
Date: July 11, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-007
Date: July 11, 2023
Description: PEM Facing West

W-TW-007
Date: July 11, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-008 **Date:** July 12, 2023 **Description:** PUB Facing North	

W-TW-008 **Date:** July 12, 2023 **Description:** PUB Facing East	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-008
Date: July 12, 2023
Description: PUB Facing South

W-TW-008
Date: July 12, 2023
Description: PUB Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-008 **Date:** July 12, 2023 **Description:** PUB Facing Soil	**Due to depth of water, photograph of soil profile was not possible.**

W-TW-009 **Date:** July 12, 2023 **Description:** PUB Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-009
Date: July 12, 2023
Description: PUB Facing East

W-TW-009
Date: July 12, 2023
Description: PUB Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-009 **Date:** July 12, 2023 **Description:** PUB Facing West	

W-TW-009 **Date:** July 12, 2023 **Description:** PUB Facing Soil	**Due to depth of water, photograph of soil profile was not possible.**

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-010
Date: July 12, 2023
Description: PEM Facing North

W-TW-010
Date: July 12, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-010
Date: July 12, 2023
Description: PEM Facing South

W-TW-010
Date: July 12, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-010

Date:

July 12, 2023

Description:

PEM

Facing Soil

W-TW-011

Date:

July 13, 2023

Description:

PEM

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-011
Date: July 13, 2023
Description: PEM Facing East

W-TW-011
Date: July 13, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-011
Date: July 13, 2023
Description: PEM Facing West

W-TW-011
Date: July 13, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-012
Date:
July 13, 2023
Description:
PFO
Facing North

W-TW-012
Date:
July 13, 2023
Description:
PFO
Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-012
Date: July 13, 2023
Description: PFO Facing South

W-TW-012
Date: July 13, 2023
Description: PFO Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-012 **Date:** July 13, 2023 **Description:** PFO Facing Soil	

W-TW-013 **Date:** July 13, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-013 **Date:** July 13, 2023 **Description:** PEM Facing East	

W-TW-013 **Date:** July 13, 2023 **Description:** PEM Facing South	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-013
Date: July 13, 2023
Description: PEM Facing West

W-TW-013
Date: July 13, 2023
Description: PEM Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-014
Date: July 13, 2023
Description: PEM Facing North

W-TW-014
Date: July 13, 2023
Description: PEM Facing East

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-014
Date: July 13, 2023
Description: PEM Facing South

W-TW-014
Date: July 13, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-014
Date: July 13, 2023
Description: PEM Facing Soil

W-TW-015
Date: July 13, 2023
Description: PEM Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-015
Date: July 13, 2023
Description: PEM Facing East

W-TW-015
Date: July 13, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-015
Date: July 13, 2023
Description: PEM Facing West

W-TW-015
Date: July 13, 2023
Description: PEM Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-016
Date: July 13, 2023
Description: PEM Facing North

W-TW-016
Date: July 13, 2023
Description: PEM Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-016
Date: July 13, 2023
Description: PEM Facing South

W-TW-016
Date: July 13, 2023
Description: PEM Facing West

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-016
Date: July 13, 2023
Description: PEM Facing Soil

W-TW-017
Date: July 14, 2023
Description: PEM Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-017 **Date:** July 14, 2023 **Description:** PEM Facing East	

W-TW-017 **Date:** July 14, 2023 **Description:** PEM Facing South	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-017 **Date:** July 14, 2023 **Description:** PEM Facing West	

W-TW-017 **Date:** July 14, 2023 **Description:** PEM Facing Soil	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-018
Date:
July 14, 2023
Description:
PUB
Facing North

W-TW-018
Date:
July 14, 2023
Description:
PUB
Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-018 **Date:** July 14, 2023 **Description:** PUB Facing South	

W-TW-018 **Date:** July 14, 2023 **Description:** PUB Facing West	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-TW-018 **Date:** July 14, 2023 **Description:** PUB Facing Soil	**Due to depth of water, photograph of soil profile was not possible.**

W-WRL-001 **Date:** July 24, 2023 **Description:** PEM Facing North	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-001 **Date:** July 24, 2023 **Description:** PEM Facing East	

W-WRL-001 **Date:** July 24, 2023 **Description:** PEM Facing South	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-001
Date: July 24, 2023
Description: PEM Facing West

W-WRL-001
Date: July 24, 2023
Description: PEM Facing Soil

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-002 **Date:** July 25, 2023 **Description:** PEM Facing North	

W-WRL-002 **Date:** July 25, 2023 **Description:** PEM Facing East	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-002
Date: July 25, 2023
Description: PEM Facing South

W-WRL-002
Date: July 25, 2023
Description: PEM Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-002 **Date:** July 25, 2023 **Description:** PEM Facing Soil	

W-WRL-003 **Date:** July 25, 2023 **Description:** PEM Facing North	

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003
Date: July 25, 2023
Description: PEM Facing East

W-WRL-003
Date: July 25, 2023
Description: PEM Facing South

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003
Date: July 25, 2023
Description: PEM Facing West

W-WRL-003
Date: July 25, 2023
Description: PEM Facing Soil

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003

Date:

July 25, 2023

Description:

PSS

Facing North

W-WRL-003

Date:

July 25, 2023

Description:

PSS

Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003
Date: July 25, 2023
Description: PSS Facing South

W-WRL-003
Date: July 25, 2023
Description: PSS Facing West

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-003 **Date:** July 25, 2023 **Description:** PSS Facing Soil	

W-WRL-004 **Date:** July 26, 2023 **Description:** PEM Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-004

Date:

July 26, 2023

Description:

PEM

Facing East

W-WRL-004

Date:

July 26, 2023

Description:

PEM

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Wetland Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

W-WRL-004
Date: July 26, 2023
Description: PEM Facing West

W-WRL-004
Date: July 26, 2023
Description: PEM Facing Soil

APPENDIX C

DELINEATED STREAM FEATURES DATA FORMS AND PHOTOGRAPHS

S-MRK-002 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **40**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: Muskingum River | DRAINAGE AREA (mi²): 0.07

LENGTH OF STREAM REACH (ft): 365 | LAT.: 40.09713 | LONG.: -82.02708 | RIVER CODE: NA | RIVER MILE: NA

DATE: 07/10/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	50
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	40	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 0 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 3

HHEI Metric Points

Substrate Max = 40

15

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30

5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.50

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **4,050.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-003 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **40**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: Muskingum River | DRAINAGE AREA (mi²): 0.06

LENGTH OF STREAM REACH (ft): 600 | LAT.: 40.09681 | LONG.: -82.02671 | RIVER CODE: NA | RIVER MILE: NA

DATE: 07/10/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	50
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	40	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 0 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 | **TOTAL NUMBER OF SUBSTRATE TYPES:** 3

HHEI Metric Points

Substrate Max = 40: 15

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: | **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: | **AVERAGE BANKFULL WIDTH** (Feet): 5.50

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **3,733.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-004 PER

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **67**

SITE NAME/LOCATION: **AEP Philo-Ohio Central**

SITE NUMBER: **NA** RIVER BASIN: **Muskingum River** DRAINAGE AREA (mi²): **0.61**

LENGTH OF STREAM REACH (ft): **160** LAT. **40.09345** LONG. **-82.02273** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/10/23** SCORER: **MRK, RBL** COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	35
☐	BOULDER (>256 mm) [16 pts]	20	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	10	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	25	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **30** (A) Substrate Percentage Check (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **12** **TOTAL NUMBER OF SUBSTRATE TYPES:** **5**

HHEI Metric Points

Substrate Max = 40: **17**

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **4.00**

Pool Depth Max = 30: **25**

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☑	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **11.00**

Bankfull Width Max=30: **25**

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **2,585.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **80** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-005 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **41**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: Muskingum River | DRAINAGE AREA (mi²): 0.04

LENGTH OF STREAM REACH (ft): 120 | LAT.: 40.09000 | LONG.: -82.01865 | RIVER CODE: NA | RIVER MILE: NA

DATE: 07/10/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	40
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	10	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	35	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	15	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 10 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 | **TOTAL NUMBER OF SUBSTRATE TYPES:** 4

HHEI Metric Points

Substrate Max = 40: 16

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

- ☐ > 30 centimeters [20 pts]
- ☐ > 22.5 - 30 cm [30 pts]
- ☐ > 10 - 22.5 cm [25 pts]
- ☐ > 5 cm - 10 cm [15 pts]
- ☑ < 5 cm [5 pts]
- ☐ NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: | **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

- ☐ > 4.0 meters (> 13') [30 pts]
- ☐ > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]
- ☑ > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]
- ☐ > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
- ☐ ≤ 1.0 m (<=3' 3") [5 pts]

COMMENTS: | **AVERAGE BANKFULL WIDTH** (Feet): 7.50

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

- ☑ Stream Flowing
- ☐ Subsurface flow with isolated pools (Interstitial)
- ☐ Moist Channel, isolated pools, no flow (Intermittent)
- ☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☑ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **1,476.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-006 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **42**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: Muskingum River | DRAINAGE AREA (mi²): 0.15

LENGTH OF STREAM REACH (ft): 160 | LAT.: 40.08795 | LONG.: -82.01618 | RIVER CODE: NA | RIVER MILE: NA

DATE: 07/10/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	40
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	10	☐	CLAY or HARDPAN [0 pt]	10
☑	GRAVEL (2-64 mm) [9 pts]	25	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	15	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 10 (A) | Substrate Percentage Check | (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40: 17

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 6.00

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☑ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **892.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Dresden** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **3N, 8W**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/09/23** Quantity: **0.20**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-007 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **50**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	10
☑	BEDROCK [16 pt]	20	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	20	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	15	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 40 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 19 **TOTAL NUMBER OF SUBSTRATE TYPES:** 6

HHEI Metric Points

Substrate Max = 40: 25

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.00

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **3,987.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW ➔



Save as pdf Reset Form

S-MRK-008 PER

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **68**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	10
☐	BEDROCK [16 pt]	5	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	15	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	30	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 20 (A) | Substrate Percentage Check | (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 6

HHEI Metric Points

Substrate Max = 40

18

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 4.00

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☑	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 12.00

Bankfull Width Max=30

25

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☑	☑	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☑ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **3,991.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **20** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish observed**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-009 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **29**

SITE NAME/LOCATION: **AEP Philo-Ohio Central**

SITE NUMBER: **NA** RIVER BASIN: _____ DRAINAGE AREA (mi²): _____

LENGTH OF STREAM REACH (ft): _____ LAT.: _____ LONG.: _____ RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **08/16/23** SCORER: **MRK, RBL** COMMENTS: _____

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	5	☑	CLAY or HARDPAN [0 pt]	25
☐	GRAVEL (2-64 mm) [9 pts]	20	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	15	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **5** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **6**

HHEI Metric Points

Substrate Max = 40

9

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

Pool Depth Max = 30

0

COMMENTS: _____ **MAXIMUM POOL DEPTH** (Inches): **0.00**

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

Bankfull Width Max=30

20

COMMENTS: _____ **AVERAGE BANKFULL WIDTH** (Feet): **5.50**

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS: _____

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☑ Dry channel, no water (Ephemeral)

COMMENTS: _____

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☐ 2.0	☐ 3.0
☑ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☑ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **4,763.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW ➔



Save as pdf Reset Form

S-MRK-010 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **33**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	5	☑	CLAY or HARDPAN [0 pt]	35
☐	GRAVEL (2-64 mm) [9 pts]	15	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 5 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 3 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40: 8

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 6.00

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **5,121.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-011 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **49**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA RIVER BASIN: DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): LAT.: LONG.: RIVER CODE: NA RIVER MILE: NA

DATE: 08/16/23 SCORER: MRK, RBL COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	45
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	10
☑	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	30
☐	GRAVEL (2-64 mm) [9 pts]	10	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 0 **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 19 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40: 24

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30: 5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 7.00

Bankfull Width Max=30: 20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **1,960.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **60** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-012 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **27**

SITE NAME/LOCATION: **AEP Philo-Ohio Central**

SITE NUMBER: **NA** RIVER BASIN: _____ DRAINAGE AREA (mi²): _____

LENGTH OF STREAM REACH (ft): _____ LAT.: _____ LONG.: _____ RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **08/16/23** SCORER: **MRK, RBL** COMMENTS: _____

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	25
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☑	CLAY or HARDPAN [0 pt]	40
☐	GRAVEL (2-64 mm) [9 pts]	20	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	15	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** **(A)**

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **4**

HHEI Metric Points

Substrate Max = 40

7

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

Pool Depth Max = 30

0

COMMENTS: _____ **MAXIMUM POOL DEPTH** (Inches): **0.00**

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

Bankfull Width Max=30

20

COMMENTS: _____ **AVERAGE BANKFULL WIDTH** (Feet): **5.00**

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS: _____

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐	Stream Flowing	☐	Moist Channel, isolated pools, no flow (Intermittent)
☐	Subsurface flow with isolated pools (Interstitial)	☑	Dry channel, no water (Ephemeral)

COMMENTS: _____

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☐	1.0	☐	2.0	☐	3.0
☑	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☑ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **1,232.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-013 PER

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **51**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	20	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	40	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 20 (A) | Substrate Percentage Check | (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 4

HHEI Metric Points

Substrate Max = 40

16

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 8.50

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☑	☑	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☑ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum RIver** Distance from Evaluated Stream **1,090.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish observed**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-014 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **32**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/16/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	30
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	15	☐	CLAY or HARDPAN [0 pt]	25
☑	GRAVEL (2-64 mm) [9 pts]	25	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 15 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40

17

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 0.00

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 4.00

Bankfull Width Max=30

15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☑ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☐	1.0	☐	2.0	☐	3.0
☑	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☑ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **894.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-015 PER

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **67**

SITE NAME/LOCATION: **AEP Philo-Ohio Central**

SITE NUMBER: **NA** RIVER BASIN: _____ DRAINAGE AREA (mi²): _____

LENGTH OF STREAM REACH (ft): _____ LAT.: _____ LONG.: _____ RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **08/16/23** SCORER: **MRK, RBL** COMMENTS: _____

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT
☐	☐ BLDR SLABS [16 pts]	0
☐	☐ BOULDER (>256 mm) [16 pts]	0
☐	☐ BEDROCK [16 pt]	0
☐	☐ COBBLE (65-256 mm) [12 pts]	15
☑	☐ GRAVEL (2-64 mm) [9 pts]	40
☐	☐ SAND (<2 mm) [6 pts]	10

TYPE		PERCENT
☐	☑ SILT [3 pt]	25
☐	☐ LEAF PACK/WOODY DEBRIS [3 pts]	10
☐	☐ FINE DETRITUS [3 pts]	0
☐	☐ CLAY or HARDPAN [0 pt]	0
☐	☐ MUCK [0 pts]	0
☐	☐ ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **15** (A)

Substrate Percentage Check: _____ (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **12**

TOTAL NUMBER OF SUBSTRATE TYPES: **5**

HHEI Metric Points

Substrate Max = 40

17

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

- ☐ > 30 centimeters [20 pts]
- ☐ > 22.5 - 30 cm [30 pts]
- ☑ > 10 - 22.5 cm [25 pts]
- ☐ > 5 cm - 10 cm [15 pts]
- ☐ < 5 cm [5 pts]
- ☐ NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: _____ **MAXIMUM POOL DEPTH** (Inches): **6.00**

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

- ☐ > 4.0 meters (> 13') [30 pts]
- ☑ > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]
- ☐ > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]
- ☐ > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
- ☐ ≤ 1.0 m (<=3' 3") [5 pts]

COMMENTS: _____ **AVERAGE BANKFULL WIDTH** (Feet): **13.00**

Bankfull Width Max=30

25

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☑	☑	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS: _____

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

- ☑ Stream Flowing
- ☐ Subsurface flow with isolated pools (Interstitial)
- ☐ Moist Channel, isolated pools, no flow (Intermittent)
- ☐ Dry channel, no water (Ephemeral)

COMMENTS: _____

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

- ☐ None
- ☐ 0.5
- ☐ 1.0
- ☐ 1.5
- ☐ 2.0
- ☐ 2.5
- ☑ 3.0
- ☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **871.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish observed**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-016 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **40**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA RIVER BASIN: DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): LAT.: LONG.: RIVER CODE: NA RIVER MILE: NA

DATE: 08/17/23 SCORER: MRK, RBL COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	15
☑	BOULDER (>256 mm) [16 pts]	60	☐	LEAF PACK/WOODY DEBRIS [3 pts]	10
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	5	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	5	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	5	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 65 **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 19 **TOTAL NUMBER OF SUBSTRATE TYPES:** 6

HHEI Metric Points

Substrate Max = 40: 25

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 0.00

Pool Depth Max = 30: 0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 3.50

Bankfull Width Max=30: 15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☑ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **988.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **80** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-017 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **38**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/17/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Spring seep fed

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☑ ☐	SILT [3 pt]	30
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	15
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	10	☐ ☐	CLAY or HARDPAN [0 pt]	15
☐ ☑	GRAVEL (2-64 mm) [9 pts]	20	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	10	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 10 **(A)**

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12

TOTAL NUMBER OF SUBSTRATE TYPES: 6

HHEI Metric Points

Substrate Max = 40

18

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 0.00

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.00

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **974.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **80** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-018 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3) **55**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/17/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Spring seep fed

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	15	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☑ ☐	BEDROCK [16 pt]	30	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	15	☐ ☐	CLAY or HARDPAN [0 pt]	15
☐ ☑	GRAVEL (2-64 mm) [9 pts]	25	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 60 **(A)**

Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 25 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40

30

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30

5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 9.50

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☑ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **940.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **70** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →

Save as pdf Reset Form

S-MRK-019 EPH

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **24**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/17/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Begins at center of ROW

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☑ ☐	SILT [3 pt]	30
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	20
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	5	☐ ☑	CLAY or HARDPAN [0 pt]	30
☐ ☐	GRAVEL (2-64 mm) [9 pts]	5	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	10	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 5 **(A)**

Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 3

TOTAL NUMBER OF SUBSTRATE TYPES: 6

HHEI Metric Points

Substrate Max = 40

9

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 0.00

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 3.50

Bankfull Width Max=30

15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L R	FLOODPLAIN QUALITY (Most Predominant per Bank) L R	L R
☐ ☐ Wide >10m	☐ ☐ Mature Forest, Wetland	☐ ☐ Conservation Tillage
☑ ☑ Moderate 5-10m	☑ ☑ Immature Forest, Shrub or Old Field	☐ ☐ Urban or Industrial
☐ ☐ Narrow <5m	☐ ☐ Residential, Park, New Field	☐ ☐ Open Pasture, Row Crop
☐ ☐ None	☐ ☐ Fenced Pasture	☐ ☐ Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **901.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **70** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-020 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **37**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA RIVER BASIN: DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): LAT.: LONG.: RIVER CODE: NA RIVER MILE: NA

DATE: 08/17/23 SCORER: MRK, RBL COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Spring seep fed

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☑ ☐	SILT [3 pt]	35
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	15	☐ ☐	CLAY or HARDPAN [0 pt]	15
☐ ☑	GRAVEL (2-64 mm) [9 pts]	25	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	10	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 15 **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12 **TOTAL NUMBER OF SUBSTRATE TYPES:** 5

HHEI Metric Points

Substrate Max = 40

17

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☑	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30

5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 3.50

Bankfull Width Max=30

15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☑ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☑ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **801.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **70** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☑ Unstable ☐

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

S-MRK-021 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3) **51**

SITE NAME/LOCATION: AEP Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/17/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Flows into S-MRK-006

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	45
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	15	☐	CLAY or HARDPAN [0 pt]	0
☑	GRAVEL (2-64 mm) [9 pts]	30	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	10	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 15 **(A)**

Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 12

TOTAL NUMBER OF SUBSTRATE TYPES: 4

HHEI Metric Points

Substrate Max = 40

16

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 2.00

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.00

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **947.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskigum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/15/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **40** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW ➔



Save as pdf Reset Form

S-MRK-022 INT

Headwater Habitat Evaluation Index Field Form

HHEI Score (sum of metrics 1+2+3): **30**

SITE NAME/LOCATION: Philo-Ohio Central

SITE NUMBER: NA | RIVER BASIN: | DRAINAGE AREA (mi²):

LENGTH OF STREAM REACH (ft): | LAT.: | LONG.: | RIVER CODE: NA | RIVER MILE: NA

DATE: 08/23/23 | SCORER: MRK, RBL | COMMENTS:

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☐ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☑ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	50
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☑	CLAY or HARDPAN [0 pt]	50
☐	GRAVEL (2-64 mm) [9 pts]	0	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: 0 **(A)** | Substrate Percentage Check | **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: 3 **TOTAL NUMBER OF SUBSTRATE TYPES:** 2

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

- ☐ > 30 centimeters [20 pts]
- ☐ > 22.5 - 30 cm [30 pts]
- ☐ > 10 - 22.5 cm [25 pts]
- ☐ > 5 cm - 10 cm [15 pts]
- ☑ < 5 cm [5 pts]
- ☐ NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): 1.00

Pool Depth Max = 30

5

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

- ☐ > 4.0 meters (> 13') [30 pts]
- ☐ > 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]
- ☑ > 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]
- ☐ > 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
- ☐ ≤ 1.0 m (<=3' 3") [5 pts]

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): 5.00

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

- ☑ Stream Flowing
- ☐ Subsurface flow with isolated pools (Interstitial)
- ☐ Moist Channel, isolated pools, no flow (Intermittent)
- ☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

- ☐ None
- ☐ 0.5
- ☑ 1.0
- ☐ 1.5
- ☐ 2.0
- ☐ 2.5
- ☐ 3.0
- ☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: **Muskingum River** Distance from Evaluated Stream **1,573.00**

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: _____ NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: _____

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **08/17/23** Quantity: **0.10**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **80** **Overall Stability of BOTH Stream Banks (check one)**: Stable ☐ Moderately Stable ☐ Unstable ☑

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: _____

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location

FLOW →



Save as pdf Reset Form

Modified Class III PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **68**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.22**

LENGTH OF STREAM REACH (ft): **139** LAT.: **39.86743** LONG.: **-81.89892** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/10/23** SCORER: **TW, AJH** COMMENTS: **S-TW-001-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside culvert and drains to Salt Fork River

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	40
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☑	COBBLE (65-256 mm) [12 pts]	30	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	20	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **30** (A) Substrate Percentage Check (B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **15** **TOTAL NUMBER OF SUBSTRATE TYPES:** **3**

HHEI Metric Points

Substrate Max = 40

18

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☑	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **10.00**

Pool Depth Max = 30

30

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **7.00**

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☑	☑	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Muskingum River Distance from Evaluated Stream 36.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Philo** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Harrison**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-002-INT

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **25**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **132** LAT. **39.87872** LONG. **-81.90252** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/10/23** SCORER: **TW, AJH** COMMENTS: **S-TW-002-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☐ NONE / NATURAL CHANNEL ☑ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside and flow through very narrow channel before sizable drop

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☑ ☐	SILT [3 pt]	90
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☐ ☑	CLAY or HARDPAN [0 pt]	10
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **2**

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **2.00**

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☑	☑	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Muskingum River Distance from Evaluated Stream 1,910.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Philo** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Harrison**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-003-INT

Class II PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **39**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **61** LAT.: **39.87472** LONG.: **-81.89944** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/10/23** SCORER: **TW, AJH** COMMENTS: **S-TW-003-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside and flow through very narrow channel before sizable drop

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	90
☐	BOULDER (>256 mm) [16 pts]	0	☑	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	0	☐	MUCK [0 pts]	5
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** **(A)**

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **6**

TOTAL NUMBER OF SUBSTRATE TYPES: **3**

HHEI Metric Points

Substrate Max = 40

9

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **5.00**

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **3.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☑	☑	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☐	☐	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Muskingum River Distance from Evaluated Stream 1,905.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Philo** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Harrison**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **10**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-004-EPH

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **14**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **112** LAT.: **39.88326** LONG.: **-81.90590** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-004-EPH**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside and flow through very narrow channel before sizable drop

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☑	SILT [3 pt]	90
☐	BOULDER (>256 mm) [16 pts]	0	☑	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☐	CLAY or HARDPAN [0 pt]	0
☐	GRAVEL (2-64 mm) [9 pts]	0	☐	MUCK [0 pts]	5
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **6**

TOTAL NUMBER OF SUBSTRATE TYPES: **3**

HHEI Metric Points

Substrate Max = 40

9

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **0.00**

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Indian Run Distance from Evaluated Stream 2,932.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **N** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-005-EPH

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **6**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **115** LAT.: **39.89651** LONG.: **-81.91576** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-005-EPH**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☑ ☑	CLAY or HARDPAN [0 pt]	100
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **0**

TOTAL NUMBER OF SUBSTRATE TYPES: **1**

HHEI Metric Points

Substrate Max = 40

1

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **0.00**

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **1.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Indian Run Distance from Evaluated Stream 1,429.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **N** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **50**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-006-EPH

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **10**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.05**

LENGTH OF STREAM REACH (ft): **5** LAT.: **39.88698** LONG.: **-81.90846** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-006-EPH**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse running east to west at base of two slopes covered by scrub shrub.

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☑	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☑ ☐	CLAY or HARDPAN [0 pt]	95
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **2**

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☑	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **0.00**

Pool Depth Max = 30

0

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **1.50**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Indian Run Distance from Evaluated Stream 4,515.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **N** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **100**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-007-INT

Class II PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **35**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.08**

LENGTH OF STREAM REACH (ft): **162** LAT.: **39.90930** LONG.: **-81.92530** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-007-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse running through base of to slopes. running west to east

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☐	SILT [3 pt]	0
☐	BOULDER (>256 mm) [16 pts]	0	☑	LEAF PACK/WOODY DEBRIS [3 pts]	10
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☑	CLAY or HARDPAN [0 pt]	90
☐	GRAVEL (2-64 mm) [9 pts]	0	☐	MUCK [0 pts]	0
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** **(A)**

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **2**

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **4.00**

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **3.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Boggs Creek Distance from Evaluated Stream 5,080.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **35**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.01**

LENGTH OF STREAM REACH (ft): **207** LAT.: **39.90859** LONG.: **-81.92482** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-008-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse running west to east at base of two slopes with draining coming from agricultural fields

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☑	LEAF PACK/WOODY DEBRIS [3 pts]	10
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☑ ☐	CLAY or HARDPAN [0 pt]	90
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☐ ☐	MUCK [0 pts]	0
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **3**

TOTAL NUMBER OF SUBSTRATE TYPES: **2**

HHEI Metric Points

Substrate Max = 40

5

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☑	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **4.00**

Pool Depth Max = 30

25

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **1.50**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☑	☑	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Boggs Creek Distance from Evaluated Stream 4,982.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-009-INT

Class II PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **32**

SITE NAME/LOCATION **Philo-Ohio Central 138kV**

SITE NUMBER **N/A** RIVER BASIN **Ohio** DRAINAGE AREA (mi²) **0.01**

LENGTH OF STREAM REACH (ft) **187** LAT. **39.90789** LONG. **-81.92421** RIVER CODE **NA** RIVER MILE **NA**

DATE **07/11/23** SCORER **TW, AJH,RB** COMMENTS **S-TW-009-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

tercourse running west to east at base of two slopes with draining coming from agricultural fields

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☐ ☑	CLAY or HARDPAN [0 pt]	15
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☑ ☐	MUCK [0 pts]	80
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock **0** **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **0** **TOTAL NUMBER OF SUBSTRATE TYPES:** **2**

HHEI Metric Points

Substrate Max = 40

2

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **2.00**

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☑	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **7.00**

Bankfull Width Max=30

15

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☑	☑	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☑ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Boggs Creek Distance from Evaluated Stream 4,867.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **100**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-010-INT

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **23**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.05**

LENGTH OF STREAM REACH (ft): **126** LAT.: **39.90382** LONG.: **-81.92120** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-010-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse running west to east at base of very steep hill on south side and gentle slope on north side

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	5
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☐ ☐	COBBLE (65-256 mm) [12 pts]	0	☐ ☑	CLAY or HARDPAN [0 pt]	15
☐ ☐	GRAVEL (2-64 mm) [9 pts]	0	☑ ☐	MUCK [0 pts]	80
☐ ☐	SAND (<2 mm) [6 pts]	0	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **0** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **0**

TOTAL NUMBER OF SUBSTRATE TYPES: **3**

HHEI Metric Points

Substrate Max = 40

3

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **2.00**

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **2.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☑	☑	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐	None	☑	1.0	☐	2.0	☐	3.0
☐	0.5	☐	1.5	☐	2.5	☐	>3

STREAM GRADIENT ESTIMATE

☑ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Boggs Creek Distance from Evaluated Stream 4,397.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **N** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **No macroinvertebrates or fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **62**

SITE NAME/LOCATION: **Philo-Ohio Central 138kV**

SITE NUMBER: **N/A** RIVER BASIN: **Ohio** DRAINAGE AREA (mi²): **0.43**

LENGTH OF STREAM REACH (ft): **139** LAT.: **39.90033** LONG.: **-81.91858** RIVER CODE: **NA** RIVER MILE: **NA**

DATE: **07/11/23** SCORER: **TW, AJH,RB** COMMENTS: **S-TW-011-PER**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☑ NONE / NATURAL CHANNEL ☐ RECOVERED ☐ RECOVERING ☐ RECENT OR NO RECOVERY

Watercourse begins at hillside and flow through very narrow channel before sizable drop

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐ ☐	BLDR SLABS [16 pts]	0	☐ ☐	SILT [3 pt]	0
☐ ☐	BOULDER (>256 mm) [16 pts]	0	☐ ☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐ ☐	BEDROCK [16 pt]	0	☐ ☐	FINE DETRITUS [3 pts]	0
☑ ☐	COBBLE (65-256 mm) [12 pts]	40	☐ ☐	CLAY or HARDPAN [0 pt]	25
☐ ☐	GRAVEL (2-64 mm) [9 pts]	10	☐ ☐	MUCK [0 pts]	0
☐ ☑	SAND (<2 mm) [6 pts]	25	☐ ☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock: **40** (A)

Substrate Percentage Check

(B)

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **18**

TOTAL NUMBER OF SUBSTRATE TYPES: **4**

HHEI Metric Points

Substrate Max = 40

22

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☑	> 30 centimeters [20 pts]	☐	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS: **MAXIMUM POOL DEPTH** (Inches): **14.00**

Pool Depth Max = 30

20

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☐	≤ 1.0 m (<=3' 3") [5 pts]
☑	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS: **AVERAGE BANKFULL WIDTH** (Feet): **5.50**

Bankfull Width Max=30

20

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☐	☐	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☑	☐	Residential, Park, New Field	☐	☑	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS:

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☑ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☐ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS:

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☐ None	☐ 1.0	☑ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☑ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☐ Severe (10 ft/100 ft)

ADDITIONAL STREAM INFORMATION (This Information Must Also be Completed):

QHEI PERFORMED? - ☐ Yes ☑ No QHEI Score _____ (If Yes, Attach Completed QHEI Form)

DOWNSTREAM DESIGNATED USE(S)

☑ WWH Name: Indian Run Distance from Evaluated Stream 2,991.00

☐ CWH Name: _____ Distance from Evaluated Stream _____

☐ EWH Name: _____ Distance from Evaluated Stream _____

MAPPING: ATTACH COPIES OF MAPS, INCLUDING THE ENTIRE WATERSHED AREA. CLEARLY MARK THE SITE LOCATION

USGS Quadrangle Name: **Zanesville East** NRCS Soil Map Page: _____ NRCS Soil Map Stream Order _____

County: **Muskingum** Township / City: **Wayne Township**

MISCELLANEOUS

Base Flow Conditions? (Y/N): **Y** Date of last precipitation: **07/08/23** Quantity: **0.15**

Photograph Information: **Upstream, downstream, substrate**

Elevated Turbidity? (Y/N): **N** Canopy (% open): **75**

Were samples collected for water chemistry? (Y/N): **N** (Note lab sample no. or id. and attach results) Lab Number: _____

Field Measures: Temp (°C) _____ Dissolved Oxygen (mg/l) _____ pH (S.U.) _____ Conductivity (µmhos/cm) _____

Is the sampling reach representative of the stream (Y/N) **Y** If not, please explain: _____

Additional comments/description of pollution impacts: _____

BIOTIC EVALUATION

Performed? (Y/N): **Y** (If Yes, Record all observations. Voucher collections optional. NOTE: all voucher samples must be labeled with the site ID number. Include appropriate field data sheets from the Primary Headwater Habitat Assessment Manual)

Fish Observed? (Y/N) **Y** Voucher? (Y/N) **N** Salamanders Observed? (Y/N) **N** Voucher? (Y/N) **N**

Frogs or Tadpoles Observed? (Y/N) **N** Voucher? (Y/N) **N** Aquatic Macroinvertebrates Observed? (Y/N) **N** Voucher? (Y/N) **N**

Comments Regarding Biology: **Fish were observed.**

DRAWING AND NARRATIVE DESCRIPTION OF STREAM REACH (This must be completed):

Include important landmarks and other features of interest for site evaluation and a narrative description of the stream's location



Save as pdf Reset Form

S-TW-012-INT

Class I PHW

Primary Headwater Habitat Evaluation Form

HHEI Score (sum of metrics 1, 2, 3) : **22**

SITE NAME/LOCATION **Philo-Ohio Central 138kV**

SITE NUMBER **N/A** RIVER BASIN **Ohio** DRAINAGE AREA (mi²) **0.43**

LENGTH OF STREAM REACH (ft) **208** LAT. **39.91188** LONG. **-81.92724** RIVER CODE **NA** RIVER MILE **NA**

DATE **07/12/23** SCORER **TW, AJH** COMMENTS **S-TW-012-INT**

NOTE: Complete All Items On This Form - Refer to "Field Evaluation Manual for Ohio's PHWH Streams" for Instructions

STREAM CHANNEL MODIFICATIONS: ☐ NONE / NATURAL CHANNEL ☐ RECOVERED ☑ RECOVERING ☐ RECENT OR NO RECOVERY

Stream at base of two slopes and incised. Running west to east

1. SUBSTRATE (Estimate percent of every type of substrate present. Check *ONLY* two predominant substrate *TYPE* boxes (Max of 32). Add total number of significant substrate types found (Max of 8). Final metric score is sum of boxes A & B.

TYPE		PERCENT	TYPE		PERCENT
☐	BLDR SLABS [16 pts]	0	☐	SILT [3 pt]	0
☐	BOULDER (>256 mm) [16 pts]	0	☐	LEAF PACK/WOODY DEBRIS [3 pts]	0
☐	BEDROCK [16 pt]	0	☐	FINE DETRITUS [3 pts]	0
☐	COBBLE (65-256 mm) [12 pts]	0	☑	CLAY or HARDPAN [0 pt]	90
☐	GRAVEL (2-64 mm) [9 pts]	0	☑	MUCK [0 pts]	10
☐	SAND (<2 mm) [6 pts]	0	☐	ARTIFICIAL [3 pts]	0

Total of Percentages of Bldr Slabs, Boulder, Cobble, Bedrock **0** **(A)** Substrate Percentage Check **(B)**

SCORE OF TWO MOST PREDOMINATE SUBSTRATE TYPES: **0** **TOTAL NUMBER OF SUBSTRATE TYPES:** **2**

HHEI Metric Points

Substrate Max = 40

2

A + B

2. Maximum Pool Depth ***(Measure the maximum pool depth within the 61 meter (200 ft)*** evaluation reach at the time of evaluation. Avoid plunge pools from road culverts or storm water pipes) (Check *ONLY* one box):

☐	> 30 centimeters [20 pts]	☑	> 5 cm - 10 cm [15 pts]
☐	> 22.5 - 30 cm [30 pts]	☐	< 5 cm [5 pts]
☐	> 10 - 22.5 cm [25 pts]	☐	NO WATER OR MOIST CHANNEL [0 pts]

COMMENTS **MAXIMUM POOL DEPTH** (Inches): **2.00**

Pool Depth Max = 30

15

3. BANK FULL WIDTH (Measured as the average of 3-4 measurements) **(Check *ONLY* one box):**

☐	> 4.0 meters (> 13') [30 pts]	☐	> 1.0 m - 1.5 m (> 3' 3" - 4' 8") [15 pts]
☐	> 3.0 m - 4.0 m (> 9' 7" - 13') [25 pts]	☑	≤ 1.0 m (<=3' 3") [5 pts]
☐	> 1.5 m - 3.0 m (> 9' 7" - 4' 8") [20 pts]		

COMMENTS **AVERAGE BANKFULL WIDTH** (Feet): **2.00**

Bankfull Width Max=30

5

This information must also be completed

RIPARIAN ZONE AND FLOODPLAIN QUALITY ☆NOTE: River Left (L) and Right (R) as looking downstream☆

RIPARIAN WIDTH (Per Bank) L	R	FLOODPLAIN QUALITY (Most Predominant per Bank) L	R		L	R	
☐	☐	Wide >10m	☐	☐	Mature Forest, Wetland	☐	☐	Conservation Tillage
☐	☐	Moderate 5-10m	☑	☑	Immature Forest, Shrub or Old Field	☐	☐	Urban or Industrial
☑	☑	Narrow <5m	☐	☐	Residential, Park, New Field	☐	☐	Open Pasture, Row Crop
☐	☐	None	☐	☐	Fenced Pasture	☐	☐	Mining or Construction

COMMENTS

FLOW REGIME *(At Time of Evaluation)* (Check *ONLY* one box):

☐ Stream Flowing
☐ Subsurface flow with isolated pools (Interstitial)
☑ Moist Channel, isolated pools, no flow (Intermittent)
☐ Dry channel, no water (Ephemeral)

COMMENTS

SINUOSITY (Number of bends per 61 m (200 ft) of channel) (Check *ONLY* one box):

☑ None	☐ 1.0	☐ 2.0	☐ 3.0
☐ 0.5	☐ 1.5	☐ 2.5	☐ >3

STREAM GRADIENT ESTIMATE

☐ Flat (0.5 ft/100 ft) ☐ Flat to Moderate ☐ Moderate (2 ft/100 ft) ☐ Moderate to Severe ☑ Severe (10 ft/100 ft)

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

7/28/2025 1:46:24 PM

in

Case No(s). 25-0679-EL-BLN

Summary: Application Part 4 LON, Philo-Howard electronically filed by Hector Garcia-Santana on behalf of AEP Ohio Transmission Company, Inc..

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-012
Date: August 16, 2023
Description: Ephemeral Facing Upstream

S-MRK-012
Date: August 16, 2023
Description: Ephemeral Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-012

Date:

August 16, 2023

Description:

Ephemeral

Facing Substrate

S-MRK-013

Date:

August 16, 2023

Description:

Perennial

Facing Upstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-013

Date:

August 16, 2023

Description:

Perennial

Facing Downstream

S-MRK-013

Date:

August 16, 2023

Description:

Perennial

Facing Substrate

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-014

Date:

August 16, 2023

Description:

Ephemeral

Facing Upstream

S-MRK-014

Date:

August 16, 2023

Description:

Ephemeral

Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-014 **Date:** August 16, 2023 **Description:** Ephemeral Facing Substrate	

S-MRK-015 **Date:** August 16, 2023 **Description:** Perennial Facing Upstream	

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-015
Date: August 16, 2023
Description: Perennial Facing Downstream

S-MRK-015
Date: August 16, 2023
Description: Perennial Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-016

Date:

August 17, 2023

Description:

Ephemeral

Facing Upstream

S-MRK-016

Date:

August 17, 2023

Description:

Ephemeral

Facing Downstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-016

Date:

August 17, 2023

Description:

Ephemeral

Facing Substrate

S-MRK-017

Date:

August 17, 2023

Description:

Intermittent

Facing Upstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-017
Date: August 17, 2023
Description: Intermittent Facing Downstream

S-MRK-017
Date: August 17, 2023
Description: Intermittent Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-018

Date:

August 17, 2023

Description:

Intermittent

Facing Upstream

S-MRK-018

Date:

August 17, 2023

Description:

Intermittent

Facing Downstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-018

Date:

August 17, 2023

Description:

Intermittent

Facing Substrate

S-MRK-019

Date:

August 17, 2023

Description:

Ephemeral

Facing Upstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-019

Date:

August 17, 2023

Description:

Ephemeral

Facing Downstream

S-MRK-019

Date:

August 17, 2023

Description:

Ephemeral

Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-020

Date:

August 17, 2023

Description:

Intermittent

Facing Upstream

S-MRK-020

Date:

August 17, 2023

Description:

Intermittent

Facing Downstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-020

Date:

August 17, 2023

Description:

Intermittent

Facing Substrate

S-MRK-021

Date:

August 17, 2023

Description:

Intermittent

Facing Upstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-MRK-021
Date: August 17, 2023
Description: Intermittent Facing Downstream

S-MRK-021
Date: August 17, 2023
Description: Intermittent Facing Substrate

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-001

Date:

July 10, 2023

Description:

Intermittent

Facing Upstream

S-TW-001

Date:

July 10, 2023

Description:

Intermittent

Facing Downstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-001 **Date:** July 10, 2023 **Description:** Intermittent Facing Substrate	

S-TW-002 **Date:** July 10, 2023 **Description:** Intermittent Facing Upstream	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-002
Date: July 10, 2023
Description: Intermittent Facing Downstream

S-TW-002
Date: July 10, 2023
Description: Intermittent Facing Substrate

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-003 **Date:** July 10, 2023 **Description:** Intermittent Facing Upstream	

S-TW-003 **Date:** July 10, 2023 **Description:** Intermittent Facing Downstream	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-003
Date: July 10, 2023
Description: Intermittent Facing Substrate

S-TW-004
Date: July 11, 2023
Description: Intermittent Facing Upstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-004

Date:

July 11, 2023

Description:

Intermittent

Facing Downstream

S-TW-004

Date:

July 11, 2023

Description:

Intermittent

Facing Substrate

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-005

Date:

July 11, 2023

Description:

Ephemeral

Facing Upstream

S-TW-005

Date:

July 11, 2023

Description:

Ephemeral

Facing Downstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-005 **Date:** July 11, 2023 **Description:** Ephemeral Facing Substrate	

S-TW-006 **Date:** July 11, 2023 **Description:** Ephemeral Facing Upstream	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-006

Date:

July 11, 2023

Description:

Ephemeral

Facing Downstream

S-TW-006

Date:

July 11, 2023

Description:

Ephemeral

Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-007 **Date:** July 11, 2023 **Description:** Intermittent Facing Upstream	

S-TW-007 **Date:** July 11, 2023 **Description:** Intermittent Facing Downstream	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-007 **Date:** July 11, 2023 **Description:** Intermittent Facing Substrate	

S-TW-008 **Date:** July 11, 2023 **Description:** Intermittent Facing Upstream	

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-008

Date:

July 11, 2023

Description:

Intermittent

Facing Downstream

S-TW-008

Date:

July 11, 2023

Description:

Intermittent

Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-009
Date:
July 11, 2023
Description:
Intermittent
Facing Upstream

S-TW-009
Date:
July 11, 2023
Description:
Intermittent
Facing Downstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-009

Date:

July 11, 2023

Description:

Intermittent

Facing Substrate

S-TW-010

Date:

July 11, 2023

Description:

Intermittent

Facing Upstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-010

Date:

July 11, 2023

Description:

Intermittent

Facing Downstream

S-TW-010

Date:

July 11, 2023

Description:

Intermittent

Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-011

Date:

July 11, 2023

Description:

Perennial

Facing Upstream

S-TW-011

Date:

July 11, 2023

Description:

Perennial

Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-011 **Date:** July 11, 2023 **Description:** Perennial Facing Substrate	

S-TW-012 **Date:** July 12, 2023 **Description:** Intermittent Facing Upstream	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-012
Date: July 12, 2023
Description: Intermittent Facing Downstream

S-TW-012
Date: July 12, 2023
Description: Intermittent Facing Substrate

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-013 **Date:** July 12, 2023 **Description:** Perennial Facing Upstream	

S-TW-013 **Date:** July 12, 2023 **Description:** Perennial Facing Downstream	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-013

Date:

July 12, 2023

Description:

Perennial

Facing Substrate

S-TW-014

Date:

July 12, 2023

Description:

Ephemeral

Facing Upstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-014

Date:

July 12, 2023

Description:

Ephemeral

Facing Downstream

S-TW-014

Date:

July 12, 2023

Description:

Ephemeral

Facing Substrate

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-015
Date: July 12, 2023
Description: Ephemeral Facing Upstream

S-TW-015
Date: July 12, 2023
Description: Ephemeral Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-015

Date:

July 12, 2023

Description:

Ephemeral

Facing Substrate

S-TW-016

Date:

July 12, 2023

Description:

Perennial

Facing Upstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-016
Date: July 12, 2023
Description: Perennial Facing Downstream

S-TW-016
Date: July 12, 2023
Description: Perennial Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-017

Date:

July 12, 2023

Description:

Perennial

Facing Upstream

S-TW-017

Date:

July 12, 2023

Description:

Perennial

Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-017

Date:

July 12, 2023

Description:

Perennial

Facing Substrate

S-TW-018

Date:

July 13, 2023

Description:

Intermittent

Facing Upstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-018

Date:

July 13, 2023

Description:

Intermittent

Facing Downstream

S-TW-018

Date:

July 13, 2023

Description:

Intermittent

Facing Substrate

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-019

Date:

July 13, 2023

Description:

Perennial

Facing Upstream

S-TW-019

Date:

July 12, 2023

Description:

Perennial

Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-019 **Date:** July 13, 2023 **Description:** Perennial Facing Substrate	

S-TW-020 **Date:** July 13, 2023 **Description:** Perennial Facing Upstream	

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-020 **Date:** July 13, 2023 **Description:** Perennial Facing Downstream	

S-TW-020 **Date:** July 13, 2023 **Description:** Perennial Facing Substrate	

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-021

Date:

July 13, 2023

Description:

Intermittent

Facing Upstream

S-TW-021

Date:

July 12, 2023

Description:

Intermittent

Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-021

Date:

July 13, 2023

Description:

Intermittent

Facing Substrate

S-TW-022

Date:

July 13, 2023

Description:

Perennial

Facing Upstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-022 **Date:** July 13, 2023 **Description:** Perennial Facing Downstream	

S-TW-022 **Date:** July 13, 2023 **Description:** Perennial Facing Substrate	

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-023

Date:

July 13, 2023

Description:

Perennial

Facing Upstream

S-TW-023

Date:

July 13, 2023

Description:

Perennial

Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-023

Date:

July 13, 2023

Description:

Perennial

Facing Substrate

S-TW-024

Date:

July 11, 2023

Description:

Perennial

Facing Upstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-024
Date: July 11, 2023
Description: Perennial Facing Downstream

S-TW-024
Date: July 11, 2023
Description: Perennial Facing Substrate

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-025

Date:

July 10, 2023

Description:

Perennial

Facing Upstream

S-TW-025

Date:

July 10, 2023

Description:

Perennial

Facing Downstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-025 **Date:** July 10, 2023 **Description:** Perennial Facing Substrate	

S-TW-026 **Date:** July 10, 2023 **Description:** Perennial Facing Upstream	

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-TW-026

Date:

July 10, 2023

Description:

Perennial

Facing Downstream

S-TW-026

Date:

July 10, 2023

Description:

Perennial

Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-001

Date:

July 24, 2023

Description:

Perennial

Facing Upstream

S-WRL-01

Date:

July 24, 2023

Description:

Perennial

Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-001 **Date:** July 24, 2023 **Description:** Perennial Facing Substrate	

S-WRL-002 **Date:** July 24, 2023 **Description:** Intermittent Facing Upstream	

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-002

Date:

July 24, 2023

Description:

Intermittent

Facing Downstream

S-WRL-002

Date:

July 24, 2023

Description:

Intermittent

Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-003
Date: July 24, 2023
Description: Intermittent Facing Upstream

S-WRL-003
Date: July 24, 2023
Description: Intermittent Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-003

Date:

July 24, 2023

Description:

Intermittent

Facing Substrate

S-WRL-004

Date:

July 24, 2023

Description:

Intermittent

Facing Upstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-004
Date: July 24, 2023
Description: Intermittent Facing Downstream

S-WRL-004
Date: July 24, 2023
Description: Intermittent Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-005

Date:

July 25, 2023

Description:

Intermittent

Facing Upstream

S-WRL-005

Date:

July 25, 2023

Description:

Intermittent

Facing Downstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-005 **Date:** July 25, 2023 **Description:** Intermittent Facing Substrate	

S-WRL-006 **Date:** July 26, 2023 **Description:** Intermittent Facing Upstream	

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-006
Date: July 26, 2023
Description: Intermittent Facing Downstream

S-WRL-006
Date: July 26, 2023
Description: Intermittent Facing Substrate

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-007

Date:

July 26, 2023

Description:

Perennial

Facing Upstream

S-WRL-007

Date:

July 26, 2023

Description:

Perennial

Facing Downstream

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-007

Date:

July 26, 2023

Description:

Perennial

Facing Substrate

S-WRL-008

Date:

July 28, 2023

Description:

Intermittent

Facing Upstream

PHOTOGRAPHIC RECORD
Stream Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

S-WRL-008

Date:

July 26, 2023

Description:

Intermittent

Facing Downstream

S-WRL-008

Date:

July 26, 2023

Description:

Intermittent

Facing Substrate

APPENDIX D

POND PHOTOGRAPHIC RECORD

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Pond Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

P-MRK-001
Date: August 17, 2023
Description: Pond Facing North

P-MRK-002
Date: August 23, 2023
Description: Pond Facing North

PHOTOGRAPHIC RECORD
Pond Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

P-TW-001 **Date:** July 13, 2023 **Description:** Pond Facing North	

P-WRL-001 **Date:** July 25, 2023 **Description:** Pond Facing South	

PHOTOGRAPHIC RECORD
Pond Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

P-WRL-002

Date:

July 26, 2023

Description:

Pond

Facing North

APPENDIX E

UPLAND DRAINAGE FEATURE PHOTOGRAPHIC RECORD

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-001 **Date:** July 10, 2023 **Description:** Upland Drainage Feature Facing West	

UDF-TW-001 **Date:** July 10, 2023 **Description:** Upland Drainage Feature Facing East	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-001

Date:

July 10, 2023

Description:

Upland Drainage Feature

Facing Substrate

UDF-TW-002

Date:

July 11, 2023

Description:

Upland Drainage Feature

Facing Upstream

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-002 **Date:** July 11, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-TW-002 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-003 **Date:** July 11, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-TW-003 **Date:** July 11, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-003 **Date:** July 11, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-TW-004 **Date:** July 11, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-004 **Date:** July 11, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-TW-004 **Date:** July 11, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-005 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-TW-005 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-005 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-TW-006 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-006 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-TW-006 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-007 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-TW-007 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-007 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-TW-008 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-008 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-TW-008 **Date:** July 12, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-009 **Date:** July 13, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-TW-009 **Date:** July 13, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-009 **Date:** July 13, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-TW-010 **Date:** July 14, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-010 **Date:** July 14, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-TW-010 **Date:** July 14, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-011 **Date:** July 14, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-TW-011 **Date:** July 14, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-TW-011 **Date:** July 14, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-001 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-001 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-001 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-002 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-WRL-002 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-002 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-003 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-003 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-003 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-004 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-WRL-004 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-004 **Date:** July 24, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-005 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-005 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-005 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-006 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-WRL-006 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-006 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-007 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-007 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-007 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-008 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-WRL-008 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-008 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-009 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-009 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-009 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-010 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-WRL-010 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-010 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-011 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-011 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-011 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-012 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-WRL-012 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-012 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-013 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-013 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-013 **Date:** July 25, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-014
Date: July 26, 2023
Description: Upland Drainage Feature Facing Upstream

UDF-WRL-014
Date: July 26, 2023
Description: Upland Drainage Feature Facing Downstream

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-014 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-015 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-015 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-015 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-016 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-WRL-016 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-016 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-WRL-017 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-WRL-017 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-WRL-017 **Date:** July 26, 2023 **Description:** Upland Drainage Feature Facing Substrate	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-MRK-001 **Date:** July 10, 2023 **Description:** Upland Drainage Feature Facing Upstream	

UDF-MRK-001 **Date:** July 10, 2023 **Description:** Upland Drainage Feature Facing Downstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features
Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-MRK-001 **Date:** July 10, 2023 **Description:** Upland Drainage Feature Facing Substrate	

UDF-MRK-002 **Date:** July 10, 2023 **Description:** Upland Drainage Feature Facing Upstream	

PHOTOGRAPHIC RECORD
Upland Drainage Features Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

UDF-MRK-002 **Date:** July 10, 2023 **Description:** Upland Drainage Feature Facing Downstream	

UDF-MRK-002 **Date:** July 10, 2023 **Description:** Upland Drainage Feature Facing Substrate	

APPENDIX F

HABITAT PHOTOGRAPHIC RECORD

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-01	
Date: July 10, 2023	
Description: Urban Facing South	

PH-02	
Date: July 10, 2023	
Description: Landscaped Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-03

Date:

July 10, 2023

Description:

Landscaped

Facing North

PH-04

Date:

July 10, 2023

Description:

Old Field

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-05	
Date: July 10, 2023	
Description: Wetland/Stream Facing North	

PH-06	
Date: July 10, 2023	
Description: Landscaped Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-07
Date: July 11, 2023
Description: Landscaped Facing North

PH-08
Date: July 11, 2023
Description: Scrub/Shrub Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-09
Date: July 11, 2023
Description: Landscaped Facing North

PH-10
Date: July 11, 2023
Description: Scrub/Shrub Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-11

Date:

July 11, 2023

Description:

Pasture/Hay Field

Facing North

PH-12

Date:

July 11, 2023

Description:

Agriculture

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-13	
Date: July 11, 2023	
Description: Scrub/Shrub Facing North	

PH-14	
Date: July 11, 2023	
Description: Scrub/Shrub Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-15

Date:

July 11, 2023

Description:

Pasture/Hay Field

Facing North

PH-16

Date:

July 11, 2023

Description:

Pasture/ Hay Field

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-17

Date:

July 11, 2023

Description:

Pasture/Hay Field

Facing North

PH-18

Date:

July 11, 2023

Description:

Pasture/Hay Field

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-19	
Date: July 11, 2023	
Description: Agriculture Facing North	

PH-20	
Date: July 11, 2023	
Description: Scrub/Shrub Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-21 **Date:** July 12, 2023 **Description:** Pasture/ Hay Field Facing North	

PH-22 **Date:** July 12, 2023 **Description:** Pasture/Hay Field Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-23
Date: July 12, 2023
Description: Pasture/Hay Field Facing North

PH-24
Date: July 12, 2023
Description: Pasture/Hay Field Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-25

Date:

July 12, 2023

Description:

Landscaped

Facing North

PH-26

Date:

July 12, 2023

Description:

Pasture/Hay Field

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-27

Date:

July 12, 2023

Description:

Woodlands

Facing North

PH-28

Date:

July 132, 2023

Description:

Pasture/Hay Field

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-29

Date:

July 13, 2023

Description:

Pasture/Hay Field

Facing North

PH-30

Date:

July 13, 2023

Description:

Pasture/Hay Field

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-31

Date:

July 13, 2023

Description:

Pasture/Hay Field

Facing North

PH-32

Date:

July 13, 2023

Description:

Wetland

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-33

Date:

July 12, 2023

Description:

Pasture/ Hay Field

Facing North

PH-34

Date:

July 12, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-35

Date:

July 12, 2023

Description:

Landscaped

Facing West

PH-36

Date:

July 12, 2023

Description:

Landscaped

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-37

Date:

July 12, 2023

Description:

Landscaped

Facing South

PH-38

Date:

July 12, 2023

Description:

Pasture/Hay Field

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-39
Date: July 13, 2023
Description: Landscaped Facing North

PH-40
Date: July 13, 2023
Description: Scrub/Shrub Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-41

Date:

July 14, 2023

Description:

Pasture/Hay Field

Facing North

PH-42

Date:

July 13, 2023

Description:

Pasture/Hay Field

Facing South

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-43

Date:

July 13, 2023

Description:

Pasture/Hay Field

Facing North

PH-44

Date:

July 13, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-45 **Date:** July 14, 2023 **Description:** Old Field Facing North	

PH-46 **Date:** July 14, 2023 **Description:** Old Field Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-47

Date:

July 14, 2023

Description:

Agriculture Row Crop

Facing North

PH-48

Date:

July 14, 2023

Description:

Agriculture Row Crop

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-49

Date:

July 25, 2023

Description:

Wetland

Facing North

PH-50

Date:

July 24, 2023

Description:

Pasture/Hay Field

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-51

Date:

July 24, 2023

Description:

Scrub/Shrub

Facing North

PH-52

Date:

July 24, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-53

Date:

July 24, 2023

Description:

Scrub/Shrub

Facing North

PH-54

Date:

July 24, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-55 **Date:** July 25, 2023 **Description:** Pasture Hay Field Facing North	

PH-56 **Date:** July 25, 2023 **Description:** Scrub/Shrub Facing East	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-57

Date:

July 25, 2023

Description:

Wetland

Facing North

PH-58

Date:

July 25, 2023

Description:

Pasture/Hay Field

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-59

Date:

August 23, 2023

Description:

Pasture/Hay Field

Facing East

PH-60

Date:

August 23, 2023

Description:

Pasture/Hay Field

Facing East

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-61

Date:

August 23, 2023

Description:

Woodlands

Facing North

PH-62

Date:

July 26, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-63	
Date: July 26, 2023	
Description: Agriculture Facing North	

PH-64	
Date: July 26, 2023	
Description: Agriculture Facing North	

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-65

Date:

July 26, 2023

Description:

Agriculture

Facing North

PH-66

Date:

July 26, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-67

Date:

August 16, 2023

Description:

Scrub/Shrub

Facing North

PH-68

Date:

August 16, 2023

Description:

Pasture/Hay Field

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-69

Date:

August 16, 2023

Description:

Pasture/Hay Field

Facing North

PH-70

Date:

August 16, 2023

Description:

Wetland

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-71

Date:

August 16, 2023

Description:

Scrub/Shrub

Facing North

PH-72

Date:

August 16, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-73

Date:

August 16, 2023

Description:

Scrub/Shrub

Facing North

PH-74

Date:

August 17, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-75

Date:

August 17, 2023

Description:

Scrub/Shrub

Facing North

PH-76

Date:

August 17, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-77

Date:

July 10, 2023

Description:

Scrub/Shrub

Facing North

PH-78

Date:

July 10, 2023

Description:

Scrub/Shrub

Facing North

AECOM Imagine it. Delivered.

PHOTOGRAPHIC RECORD
Habitat Photograph Record

Client Name:	Site Location:	Project No.
AEP	Philo-Ohio Central 138 kV	60697721

PH-79

Date:

July 10, 2023

Description:

Scrub/Shrub

Facing North

PH-80

Date:

July 10, 2023

Description:

Scrub/Shrub

Facing North

APPENDIX G

AGENCY RESPONSE LETTERS

United States Department of the Interior

FISH AND WILDLIFE SERVICE

Ecological Services
4625 Morse Road, Suite 104
Columbus, Ohio 43230
(614) 416-8993 / FAX (614) 416-8994

January 26, 2023

Project Code: 2023-0020391

Reference: AEP Philo – Ohio Central 138kV Transmission Line Project

Dear Mr./Ms,

The U.S Fish and Wildlife Service (Service) has received your recent correspondence requesting information about the subject proposal. We offer the following comments and recommendations to assist you in minimizing and avoiding adverse impacts to threatened and endangered species pursuant to the Endangered Species Act of 1973 (16 U.S.C. 1531 et seq), as amended (ESA).

Federally Threatened and Endangered Species: The endangered Indiana bat (*Myotis sodalis*) and threatened northern long-eared bat (*Myotis septentrionalis*) occur throughout the State of Ohio. The Indiana bat and northern long-eared bat may be found wherever suitable habitat occurs unless a presence/absence survey has been performed to document absence. Suitable summer habitat for Indiana bats and northern long-eared bats consists of a wide variety of forested/wooded habitats where they roost, forage, and breed that may also include adjacent and interspersed non-forested habitats such as emergent wetlands and adjacent edges of agricultural fields, woodlots, fallow fields, and pastures. Roost trees for both species include live and standing dead trees ≥3 inches diameter at breast height (dbh) that have any exfoliating bark, cracks, crevices, hollows and/or cavities. These roost trees may be located in forested habitats as well as linear features such as fencerows, riparian forests, and other wooded corridors. Individual trees may be considered suitable habitat when they exhibit the characteristics of a potential roost tree and are located within 1,000 feet of other forested/wooded habitat. Northern long-eared bats have also been observed roosting in human-made structures, such as buildings, barns, bridges, and bat houses; therefore, these structures should also be considered potential summer habitat. In the winter, Indiana bats and northern long-eared bats hibernate in caves, rock crevices and abandoned mines.

Seasonal Tree Clearing for Federally Listed Bat Species: Should the proposed project site contain trees ≥3 inches dbh, we recommend avoiding tree removal wherever possible. If any caves or abandoned mines may be disturbed, further coordination with this office is requested to determine if fall or spring portal surveys are warranted. If no caves or abandoned mines are present and trees ≥3 inches dbh cannot be avoided, we recommend removal of any trees ≥3 inches dbh only occur between October 1 and March 31. Seasonal clearing is recommended to avoid adverse effects to Indiana bats and northern long-eared bats. While incidental take of northern long-eared bats from most tree clearing is exempted by a 4(d) rule (see https://ecos.fws.gov/ecp/species/9045), incidental take of Indiana bats is still prohibited without

a project-specific exemption. Thus, seasonal clearing is recommended where Indiana bats are assumed present.
If implementation of this seasonal tree cutting recommendation is not possible, a summer presence/absence survey may be conducted for Indiana bats. If Indiana bats are not detected during the survey, then tree clearing may occur at any time of the year. Surveys must be conducted by an approved surveyor and be designed and conducted in coordination with the Ohio Field Office. Surveyors must have a valid federal permit. Please note that in Ohio summer mist net surveys may only be conducted between June 1 and August 15.

Section 7 Coordination: If there is a federal nexus for the project (e.g., federal funding provided, federal permits required to construct), then no tree clearing should occur on any portion of the project area until consultation under section 7 of the ESA, between the Service and the federal action agency, is completed. We recommend the federal action agency submit a determination of effects to this office, relative to the Indiana bat and northern long-eared bat, for our review and concurrence. This letter provides technical assistance only and does not serve as a completed section 7 consultation document.

Stream and Wetland Avoidance: Over 90% of the wetlands in Ohio have been drained, filled, or modified by human activities, thus is it important to conserve the functions and values of the remaining wetlands in Ohio (https://epa.ohio.gov/portals/47/facts/ohio_wetlands.pdf). We recommend avoiding and minimizing project impacts to all wetland habitats (e.g., forests, streams, vernal pools) to the maximum extent possible in order to benefit water quality and fish and wildlife habitat. Additionally, natural buffers around streams and wetlands should be preserved to enhance beneficial functions. If streams or wetlands will be impacted, the U.S. Army Corps of Engineers should be contacted to determine whether a Clean Water Act section 404 permit is required. Best management practices should be used to minimize erosion, especially on slopes. Disturbed areas should be mulched and revegetated with native plant species. In addition, prevention of non-native, invasive plant establishment is critical in maintaining high quality habitats.

Due to the project type, size, and location, we do not anticipate adverse effects to any other federally endangered, threatened, or proposed species, or proposed or designated critical habitat. Should the project design change, or additional information on listed or proposed species or their critical habitat become available, or if new information reveals effects of the action that were not previously considered, coordination with the Service should be initiated to assess any potential impacts.

Thank you for your efforts to conserve listed species and sensitive habitats in Ohio. We recommend coordinating with the Ohio Department of Natural Resources due to the potential for the proposed project to affect state listed species and/or state lands. Contact Mike Pettegrew, Acting Environmental Services Administrator, at (614) 265-6387 or at mike.pettegrew@dnr.state.oh.us.

If you have questions, or if we can be of further assistance in this matter, please contact our office at (614) 416-8993 or ohio@fws.gov.

Sincerely,



Patrice Ashfield
Field Office Supervisor

cc: Nathan Reardon, ODNR-DOW
Eileen Wyza, ODNR-DOW

Office of Real Estate
John Kessler, Chief
2045 Morse Road – Bldg. E-2
Columbus, OH 43229
Phone: (614) 265-6621
Fax: (614) 267-4764

January 10, 2023

Joshua Holmes
AECOM
707 Grant Street, 5th Floor
Pittsburgh, Pennsylvania 15219

Re: 22-1247; AEP Philo - Ohio Central 138kV Transmission Line Project

Project: The proposed project involves replacing 17.9 miles of the existing 138kV transmission line associated with the portions of the Philo-Howard 138kV Transmission Line.

Location: The proposed project is located in Philo Township, Muskingum County, Ohio.

The Ohio Department of Natural Resources (ODNR) has completed a review of the above referenced project. These comments were generated by an inter-disciplinary review within the Department. These comments have been prepared under the authority of the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C. 661 et seq.), the National Environmental Policy Act, the Coastal Zone Management Act, Ohio Revised Code and other applicable laws and regulations. These comments are also based on ODNR's experience as the state natural resource management agency and do not supersede or replace the regulatory authority of any local, state or federal agency nor relieve the applicant of the obligation to comply with any local, state or federal laws or regulations.

Natural Heritage Database: The Natural Heritage Database has the following data at or within one mile of the project area:

Mountain Madtom (*Noturus eleutherus*), T
Northern Madtom (*Noturus stigmosus*), E
Eastern Spadefoot (*Scaphiopus holbrookii*), E
Cerulean Warbler (*Setophaga cerulea*), SC
Elktoe (*Alasmidonta marginata*), SC
Slippershell Mussel (*Alasmidonta viridis*), T
Wartyback (*Cyclonaias nodulata*), E
Purple Wartyback (*Cyclonaias tuberculata*), SC
Elephant-ear (*Elliptio crassidens*), E
Snuffbox (*Epioblasma triquetra*), E, FE
Wavy-rayed Lampmussel (*Lampsilis fasciola*), SC
Pocketbook (*Lampsilis ovata*), E
Creek Heelsplitter (*Lasmigona compressa*), SC
Black Sandshell (*Ligumia recta*), SC
Threehorn Wartyback (*Obliquaria reflexa*), SC
Round Hickorynut (*Obovaria subrotunda*), T
Ohio Pigtoe (*Pleurobema cordatum*), E

Round Pigtoe (*Pleurobema sintoxia*), SC
Kidneyshell (*Ptychobranchus fasciolaris*), SC
Rabbitsfoot (*Theliderma cylindrica*), E, FT
Fawnsfoot (*Truncilla donaciformis*), SC
Deertoe (*Truncilla truncata*), SC
Rainbow (*Villosa iris*), SC
Beech-sugar maple forest Plant Community

The review was performed on the specified project area as well as an additional one-mile radius. Records searched date from 1980. Conservation status abbreviations are as follows: E = state endangered; T = state threatened; P = state potentially threatened; SC = state species of concern; SI = state special interest; U = state status under review; X = presumed extirpated in Ohio; FE = federally endangered, and FT = federally threatened.

Please note that Ohio has not been completely surveyed and we rely on receiving information from many sources. Therefore, a lack of records for an area is not a statement that rare species or unique features are absent from that area. Although all types of plant communities have been surveyed, we only maintain records on the highest quality areas.

Location records for the species listed above are provided in a shapefile attachment to this letter. Species location information will not be published or distributed beyond the scope of the project description on the signed data request form.

Fish and Wildlife: The Division of Wildlife (DOW) has the following comments.

The DOW recommends that impacts to streams, wetlands and other water resources be avoided and minimized to the fullest extent possible, and that Best Management Practices be utilized to minimize erosion and sedimentation.

The entire state of Ohio is within the range of the Indiana bat (*Myotis sodalis*), a state endangered and federally endangered species, the northern long-eared bat (*Myotis septentrionalis*), a state endangered and federally threatened species, the little brown bat (*Myotis lucifugus*), a state endangered species, and the tricolored bat (*Perimyotis subflavus*), a state endangered species. During the spring and summer (April 1 through September 30), these species of bats predominately roost in trees behind loose, exfoliating bark, in crevices and cavities, or in the leaves. However, these species are also dependent on the forest structure surrounding roost trees. If trees are present within the project area, and trees must be cut, the DOW recommends cutting only occur from October 1 through March 31, conserving trees with loose, shaggy bark and/or crevices, holes, or cavities, as well as trees with DBH $\geq$ 20 if possible. If trees are present within the project area, and trees must be cut during the summer months, the DOW recommends a mist net survey or acoustic survey be conducted from June 1 through August 15, prior to any cutting. Mist net and acoustic surveys should be conducted in accordance with the most recent version of the "*OHIO DIVISION OF WILDLIFE GUIDANCE FOR BAT SURVEYS AND TREE CLEARING*". If state listed bats are documented, DOW recommends cutting only occur from October 1 through March 31. However, limited summer tree cutting may be acceptable after consultation with the DOW (contact Eileen Wyza at Eileen.Wyza@dnr.ohio.gov).

The DOW also recommends that a desktop habitat assessment is conducted, followed by a field assessment if needed, to determine if a potential hibernaculum is present within the project area. Direction on how to conduct habitat assessments can be found in the current USFWS "*RANGE-WIDE INDIANA BAT & NORTHERN LONG-EARED BAT SURVEY GUIDELINES*." If a habitat

assessment finds that a potential hibernaculum is present within 0.25 miles of the project area, please send this information to Eileen Wyza for project recommendations. If a potential or known hibernaculum is found, the DOW recommends a 0.25-mile tree cutting and subsurface disturbance buffer around the hibernaculum entrance, however, limited summer or winter tree cutting may be acceptable after consultation with the DOW. If no tree cutting or subsurface impacts to a hibernaculum are proposed, this project is not likely to impact these species.

The project is within the range of the following listed mussel species.
Federally Endangered
fanshell (*Cyprogenia stegaria*)
snuffbox (*Epioblasma triquetra*)
sheepnose (*Plethobasus cyphyus*)

Federally Threatened
rabbitsfoot (*Quadrula cylindrica cylindrica*)

State Endangered
long-solid (*Fusconaia maculata maculata*)
sharp-ridged pocketbook (*Lampsilis ovata*)
Ohio pigtoe (*Pleurobema cordatum*)
wartyback (*Quadrula nodulata*)

State Threatened
Salamander Mussel (*Simpsonaias ambigua*)

This project must not have an impact on native mussels. This applies to both listed and non-listed species, as all species of mussel are protected in Ohio. Per the Ohio Mussel Survey Protocol (2022), all Group 2, 3, and 4 streams (Appendix A) require a mussel survey. Per the Ohio Mussel Survey Protocol, Group 1 streams (Appendix A) and unlisted streams with a watershed of 5 square miles or larger above the point of impact should be assessed using the Reconnaissance Survey for Unionid Mussels (Appendix B) to determine if mussels are present. Mussel surveys may be recommended for these streams as well. Therefore, if in-water work is planned in any stream that meets any of the above criteria, the DOW recommends the applicant provide information to indicate no mussel impacts will occur. If this is not possible, the DOW recommends a professional malacologist conduct a mussel survey in the project area. If mussels that cannot be avoided are found in the project area, the DOW recommends a professional malacologist collect and relocate the mussels to suitable and similar habitat upstream of the project site. Mussel surveys and any subsequent mussel relocation should be done in accordance with the Ohio Mussel Survey Protocol. If there is no in-water work proposed, impacts to mussels are not likely.

The project is within the range of the following listed fish species.
State Endangered
northern madtom (*Noturus stigmosus*)

State Threatened
American eel (*Anguilla rostrata*)
mountain madtom (*Noturus eleutherus*)
blue sucker (*Cycleptus elongatus*)
paddlefish (*Polyodon spathula*)
channel darter (*Percina copelandi*)

The DOW recommends no in-water work in perennial streams from March 15 through June 30 to reduce impacts to indigenous aquatic species and their habitat. If no in-water work is proposed in a perennial stream, this project is not likely to impact these or other aquatic species.

The project is within the range of the eastern hellbender (*Cryptobranchus alleganiensis alleganiensis*), a state endangered species and a federal species of concern. This long-lived, entirely aquatic salamander inhabits perennial streams with large flat rocks. In-water work in hellbender streams can reduce availability of large cover rocks and can destroy hellbender nests and/or kill adults and juveniles. The contribution of additional sediment to hellbender streams can smother large cover rocks and gravel/cobble substrate (used by juveniles), making them unsuitable for refuge and nesting. Projects that contribute to altered flow regimes (e.g., by increasing areas of impervious surfaces or modifying the floodplain) can also adversely affect hellbender habitat. If any in-water work is proposed in the Muskingum River or Salt Creek, the DOW recommends that an approved herpetologist conducts a habitat suitability survey to determine if suitable habitat is present within the project area. If suitable habitat is determined to be present; the DOW recommends that a presence/absence survey be conducted, or an avoidance/minimization plan be developed and implemented by the approved herpetologist. A list of approved herpetologists has been provided for your convenience.

The project is also within the range of the eastern spadefoot toad (*Scaphiopus holbrookii*), a state endangered species. This species is found in areas of sandy soils that are associated with river valleys. Breeding habitats may include flooded agricultural fields or other water holding depressions. Due to the location, the type of habitat within the project area, and the type of work proposed, this project is not likely to impact this species.

The project is within the range of the northern harrier (*Circus hudsonis*), a state endangered bird. This is a common migrant and winter species. Nesters are much rarer, although they occasionally breed in large marshes and grasslands. Harriers often nest in loose colonies. The female builds a nest out of sticks on the ground, often on top of a mound. Harriers hunt over grasslands. If this type of habitat will be impacted, construction should be avoided in this habitat during the species' nesting period of April 15 through July 31. If this habitat will not be impacted, this project is not likely to impact this species.

Due to the potential of impacts to federally listed species, as well as to state listed species, we recommend that this project be coordinated with the US Fish & Wildlife Service.

Parks and Watercraft: The Division of Parks and Watercraft has the following comment.

The proposed work appears to cross or come within close proximity to the Division of Parks and Watercraft's Muskingum River Parkway State Park. If any of the ODNR property is accessed or utilized for the proposed project in addition to any existing right-of-way, a real estate agreement must be fully executed prior to any construction related activities taking place on the division's property. It may take 6 months to have a fully executed agreement if one is required. Please contact the Division of Parks and Watercraft's Real Estate Administrator, Katie Reimund at 614/205-0951 or Katie.Reimund@dnr.ohio.gov should you believe an agreement is necessary or have related questions.

Please also keep the Muskingum River Parkway State Park manager, Ron Mingus, informed of any park related interests as the project progresses. Mr. Mingus can be reached at Ronald.Mingus@dnr.ohio.gov or 740/962-6608.

Water Resources: The Division of Water Resources has the following comment.

The local floodplain administrator should be contacted concerning the possible need for any floodplain permits or approvals for this project.

ODNR appreciates the opportunity to provide these comments. Please contact Mike Pettegrew at mike.pettegrew@dnr.ohio.gov if you have questions about these comments or need additional information.

Mike Pettegrew
Environmental Services Administrator

APPENDIX H

2023 JOINT GUIDANCE

OHIO DIVISION OF WILDLIFE AND U.S. FISH AND WILDLIFE SERVICE (OH-FIELD OFFICE) JOINT GUIDANCE FOR BAT SURVEYS AND TREE CLEARING MAY 2023

This document has been updated with new state guidance for the 2023 field season.

This guidance applies to state recommendations only. Contact the USFWS to determine if federal consultation is also necessary to comply with federal law.

Agency Contacts:

ODNR-DOW Permit Coordinator: Wildlife.Permits@dnr.ohio.gov, (614) 265-6315
ODNR-DOW Bat Survey Coordinator: Eileen Wyza, Eileen.Wyza@dnr.ohio.gov, (614) 265-6764
USFWS OHFO Endangered Species: Angela Boyer, angela_boyer@fws.gov, (614) 416-8993, ext.122

Covid-19 Guidance:

Surveyors should follow all covid protocols put in place by their agency. All surveyors should wear masks when handling bats and anyone exhibiting symptoms of covid-19 should not participate in bat surveys.

Ohio Mist-net Surveys:

This document serves as guidance for bat mist netting activities in Ohio and does not supersede any requirements listed on your permits or facility certificate. All permit conditions must be strictly adhered to for permits to be valid and for renewal of permits beyond the existing year.

Due to the presence of White-nose Syndrome (WNS), mist-netting in Ohio must be conducted between June 1 and August 15 unless stated otherwise in your state permit. The ODNR Division of Wildlife (ODNR-DOW) and U.S. Fish and Wildlife Service (USFWS) Ohio Field Office (OHFO) have determined that delaying netting activities until June 1 will provide additional recovery time for bats affected by WNS. For presence/probable absence surveys, netting will not be accepted outside of the June 1 - August 15 timeframe.

To assess project areas for presence or probable absence of the state and federally listed Indiana bat (*Myotis sodalis*) and northern long-eared bat (*Myotis septentrionalis*) during summer residency, the USFWS developed the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023). This protocol, **with minor modifications referenced below**, can also be used in Ohio for the 2023 field season and includes surveying for the state-listed little brown bat (*Myotis lucifugus*) and tricolored bat (*Perimyotis subflavus*).

According to the updated federal range-wide guidelines, presence/probable absence net surveys for northern long-eared bats shall incorporate either 10 net nights per square 0.5 kilometer (123 acres) of project area, or four net nights per kilometer for linear projects. Presence/probable absence net surveys for Indiana bats shall incorporate six net nights per square 0.5 kilometer (123 acres) of project area, or two net nights per kilometer for linear

projects. If a project area is eligible for a presence/probable absence survey for both Indiana bats and northern long-eared bats, following the northern long-eared bat level of effort will qualify as a presence/ probable absence survey for both species. However, if a project area is eligible for a presence/absence survey for both species, following the Indiana bat level of effort will not qualify the survey for a northern long-eared bat presence/ probable absence survey. Please note that the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) requires that a minimum of two (2) biologists (e.g., one permitted and one technician) must be on-site for every four (4) net-sets being operated. Exceptions to on-site minimum staffing levels may be allowed under extenuating circumstances, provided written justification is included in the proposed survey study plan and subsequently approved by the OHFO and ODOW.

Due to the reclassification of the northern long-eared bat on March 31, 2023, the previous northern long-eared bat 4(d) rule has been nullified. There is a new online tool in the USFWS's Information for Planning and Consultation (IPaC) website that allows project proponents to utilize a determination key (Dkey) for the northern long-eared bat. **The Dkey cannot be used to replace consultation with ODNR-DOW.** Project proponents should coordinate directly with the ODNR-DOW and the OHFO for project technical assistance for all federally listed species, including the Indiana bat and northern long-eared bat.

The tricolored bat is listed as endangered by ODNR-DOW. Additionally, the USFWS published a proposed rule to list the tri-colored bat as endangered on September 14, 2022. The USFWS is scheduled to publish a final rule on the tricolored bat's status by the end of September 2023 which could affect future project development. Therefore, in anticipation of this listing we recommend that project proponents coordinate with the OHFO in addition to ODNR-DOW to determine if the project could benefit from formal coordination with USFWS for tricolored bat. The USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) allows presence/absence surveys for the tricolored bat that use the northern long-eared bat level of effort.

Exception for Ohio mist-net surveys: All presence/absence surveys conducted for state listed bat species (Indiana, northern long-eared, little brown, tricolored) should follow the maximum net nights set forth in the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.

Ohio Acoustic Surveys:

Acoustic bat surveys for presence/absence will be accepted by ODNR-DOW for the 2023 season. Surveys should follow guidelines laid out in the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (March 2023) with the following exceptions:

- Ohio survey dates are June 1 – August 15, 2022
- After conducting automated analyses using one or more of the currently available 'approved' acoustic bat ID programs[1], qualitative analysis (i.e., manual vetting) of any calls recorded from state-endangered species (*M. sodalis, M. septentrionalis*[2]*, M. lucifugus*[2]*,* and *P. subflavus*[2]) must be completed.
- **All presence/absence acoustic surveys conducted for state listed bat species (Indiana, northern long-eared, little brown, tricolored) should follow the maximum acoustic nights set forth in the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.**

At a minimum, for each detector site/night a program considered presence of state-listed bats likely, review all files (including no IDs) from that site/night. If more than one acoustic bat ID program is used, qualitative analysis must also include a comparison of the results of each program by site and night.

[1] https://www.fws.gov/media/indiana-bat-summer-survey-guidance

[2] State listing as endangered effective July 1, 2020

Combined Mist-netting and Acoustic Surveys:
ODNR-DOW will accept the USFWS pilot survey option of combining mist-netting and acoustic surveys for traditional survey sites (e.g., 123-acre area) detailed in Appendix I of the USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines (2023). All presence/absence combined mist-net and acoustic surveys conducted for state listed bat species should follow the maximum level of effort set forth by the federal guidance to be considered valid by ODNR-DOW. Any modifications to this position will be communicated at the time of the site authorization approval.

Before Field Season:

- Anyone surveying bats using mist-nets in the state of Ohio must obtain a federal permit as well as a state scientific collection permit. The federal permit should include both the Indiana bat and the northern long-eared bat.
- Your ODNR-DOW permit consists of two documents: a Scientific Collector (Wild Animal) Permit and an endangered species letter signed by the Chief of the Division of Wildlife (in addition to your federal permit). Both ODNR-DOW documents must be obtained prior to field work and kept with you and any sub-permittees during field work.

During Field Season:

- Prior to initiation of field work (a minimum of two weeks in advance), permittees must provide proposed mist netting plans to USFWS and ODNR-DOW in the form of an e-mail letter to the USFWS OHFO and copy to the ODNR-DOW Bat Survey Coordinator. Plans must be reviewed and approved by USFWS OHFO and ODNR-DOW before ANY surveys take place. Study plans must specify objectives, location details, dates of proposed work, and all other relevant details. **Study plans must also include a USFWS Project Code. Project Codes can only be obtained by requesting an official species list through the USFWS's Information for Planning and Consultation (IPaC) website (https://ipac.ecosphere.fws.gov/).** When handling bats, you must strictly adhere to the current WNS Decontamination Protocol (current version can be found at https://www.whitenosesyndrome.org/topics/decontamination). Clothing, boots, gear, and equipment should all be thoroughly decontaminated between nights, as well as between netting sites.
- Request bat bands at least two weeks in advance of needing them. Bat bands can be obtained by e-mailing the ODNR-DOW Bat Survey Coordinator with how many bands are needed, current permit number, sizes, and a mailing address. Bands will not be issued until your permits are valid. We have two sizes of bands—2.4 mm and 4.2 mm. The 2.4 mm split metal bat ring made of aluminum alloy is suitable for banding small bats. This band must be placed on all captured Indiana, northern long-eared, little brown, and tricolored bats. The larger 4.2 mm band is suitable for silver-haired (*Lasionycteris noctivagans*), big brown (*Eptesicus fuscus*), and hoary (*Lasiurus cinereus*) bats. You must band all Indiana, northern long-eared, little brown, and tricolored bats with ODNR-DOW bands; therefore, you should not be in the field without the 2.4 mm sized band.
- Only individuals who are named on the ODNR-DOW endangered species letter portion of the permit and on the corresponding federal bat permit may conduct and oversee mist-net surveys. Trained assistants may work on permitted bat activities under the direct and on-site supervision of a named permittee. All bat IDs must be verified by a named permittee. If an Indiana bat and/or northern long-eared bat is captured, the permittee shall notify the USFWS and the ODNR-DOW Bat Survey Coordinator referenced above within 48 hours via email. If a little brown bat or tricolored bat is captured, notify the ODNR-DOW Bat Survey Coordinator only within 48 hours via email. Reports of listed bat captures should include specific information such as spatial location of capture, band information, radio-transmitter frequency information, sex, reproductive status, and age of individual.
- For presence/absence surveys, ODNR-DOW requires all female and juvenile state endangered and threatened bat species (Indiana, northern long-eared, little brown, and tricolored bat) be radio-tracked if

caught, in accordance with methods outlined in Appendix D of USFWS 2022 Range-wide Indiana Bat Summer Survey Guidelines.

• If you are taking any biological samples (tissue, fur, blood, etc.), this must be specifically authorized in your state and federal permits and noted in your survey proposal.

After Field Season:

By March 15, you must submit your final ODNR-DOW report(s) from the previous summer. You are not required to fill out the ODNR-DOW Wildlife Diversity Bat Excel Spreadsheet; instead, please forward your USFWS Midwestern US Spreadsheet (found here: https://www.fws.gov/media/bat-reporting-spreadsheets-2020-2021) to the ODNR-DOW Bat Survey Coordinator and ODNR-DOW Permit Coordinator and include your state permit number along with an electronic copy of the project report. Electronic summaries emailed during the field season are NOT considered as full compliance of this reporting requirement.

Ohio Environmental Review Recommendations for projects involving disturbance near potential/known bat hibernacula (cliffs, caves, mines) or tree cutting:

Step 1: Coordinate with Ohio Division of Wildlife (DOW) regarding existing records for state-listed endangered bat summer and/or winter occurrence information. Potential hibernacula found during a habitat assessment must address possible suitability for Indiana bats, northern long-eared bats, tricolored bats, and little brown bats.

If project site contains a known bat hibernaculum(a) –

- For state-listed endangered species other than the Indiana bat and northern long-eared bat, a recommendation of 0.25-mile tree cutting buffer around all known entrances to protect existing conditions at the hibernaculum(a). The U.S. Fish and Wildlife Service (USFWS) should be contacted for guidance on projects occurring within 5 miles of known or potential Indiana bat and/or northern long-eared bat hibernacula. If the project involves subsurface disturbance, consultation with DOW is required.
- Limited tree cutting may be permitted within the buffer. Coordinate with DOW.

If a project site does not contain known bat hibernaculum(a)

- Conduct a desktop habitat assessment of the project area. Tools such as the ODNR Mines of Ohio Viewer, Karst Interactive Map, topographic maps, aerial photos, historical records, etc. should be used to determine if there are any potential caves, mines, karst features, rock ledges, or other features that may serve as potential hibernacula.
  - If no such features are found, proceed to Step 2.
  - If potential hibernacula are found during the desktop assessment:
    - Assume bats are using these hibernacula and refrain from clearing trees from March 15-November 15

-Or-

- Conduct a field habitat assessment to determine if a potential hibernaculum(a) is present within the action area. We encourage impacts to ledges and rock outcroppings be avoided. If impacts cannot be avoided, features should be evaluated for potential roosting characteristics such as recesses, overhangs, and crevices.
- **NOTE**: The USFWS Range-wide Indiana Bat Guidelines, Appendix H, contains instructions for completing a habitat assessment, but only includes criteria for Indiana bat hibernacula.

Step 2: When conducted, a presence/absence survey must follow current DOW guidelines.

Step 3: If a state-listed endangered bat is captured or recorded during the survey:

- Recommendation of no summer tree cutting, or limited cutting following guidelines detailed below, within 5 miles (or 2.5 miles for tricolored bats) of the capture site if a roost is not located.
- Recommendation of no summer tree cutting, or limited cutting following guidelines detailed below, within 2.5 miles of a roost tree if located.

If no state-listed endangered bat is captured or recorded during the survey:

- Summer tree cutting may proceed for 5 years before a new survey is needed under state guidance.

Limited summer tree cutting guidance for bats that are only state-listed endangered: Limited tree cutting in summer may be permitted after consultation with DOW, but clearing trees with the following characteristics should be avoided unless they pose a hazard: dead or live trees of any size with loose, shaggy bark; crevices, holes, or cavities; clusters of dead leaves; live trees of any species with DBH ≥ 20".

FREQUENTLY ASKED QUESTIONS

When does the ODNR-DOW Bat Survey protocol have to be used?

This protocol should be used anytime Indiana bat, northern long-eared bat, little brown bat, or tricolored bat summer presence/probable absence surveys are conducted in the state of Ohio.

How many detector nights are required for presence/probable absence acoustic surveys?

As described in the current USFWS Range-wide Indiana Bat and Northern Long-eared Bat Summer Survey Guidelines:

Level of effort for all state-listed endangered bat species including Indiana bat and northern long-eared bats: Follow maximum detector nights as outlined in the federal guidance (for northern long-eared bat).

Northern Long-eared Bat Level of Effort:
Linear projects: a minimum of 4 detector nights per km (0.6 miles) of suitable summer habitat
Non-linear projects: a minimum of 14 detector nights per 123 acres (0.5 km^2) of suitable summer habitat.
At least 2 detector locations per 123 acre "site" shall be sampled until at least 8 detector nights has been completed over the course of at least 2 calendar nights (may be consecutive). For example:
- 4 detectors for 3 nights and 1 detector for 2 nights each (can sample the same location or move within the site)
- 2 detectors for 7 nights each (can sample the same location or move within the site)
- 1 detector for 14 nights (must sample at least 2 locations and move within the site – we recommend evenly distributing LOE among locations)

Indiana Bat Level of Effort:
Linear projects: a minimum of 4 detector nights per km (0.6 miles) of suitable summer habitat
Non-linear projects: a minimum of 10 detector nights per 123 acres (0.5 km^2) of suitable summer habitat.
At least 2 detector locations per 123 acre "site" shall be sampled until at least 8 detector nights has been completed over the course of at least 2 calendar nights (may be consecutive). For example:
- 5 detectors for 2 nights each (can sample the same location or move within the site)
- 2 detectors for 5 nights each (can sample the same location or move within the site)
- 1 detector for 10 nights (must sample at least 2 locations and move within the site – we recommend evenly distributing LOE among locations)

How many net surveys are required for presence/probable absence?

Level of effort for all state-listed endangered bat species including Indiana bat and northern long-eared bats: Follow maximum net nights as outlined in the federal guidance (for northern long-eared bat).

Net surveys for northern long-eared bat presence/probable absence shall incorporate, at a minimum, either 10 net nights per square 0.5 kilometer (123 acres) of project area, or four net nights per kilometer for linear projects. For linear projects, there must be at least one net night of survey on two different nights (minimum of two nights). This does not allow for two net nights on a single night for surveys.

Net surveys for Indiana bat presence/probable absence shall incorporate, at a minimum, either six net nights net nights per square 0.5 kilometer (123 acres) of project area, or two net nights per kilometer for linear projects. For linear projects, there must be at least one net night of survey on two different nights (minimum of two nights). This

does not allow for two net nights on a single night for surveys.

How long are the results of the surveys valid for an assessment of an area?

Mist-net or acoustic surveys documenting probable absence of state-listed endangered bats are valid for five years.

When can acoustic or net surveys occur in Ohio?

In Ohio, acoustic or net surveys may only be conducted from June 1 through August 15 unless indicated otherwise in your state permit. Any surveys outside of the June 1 - August 15 timeframe cannot be used in Ohio to assess the presence/probable absence of state-listed bats.

Can a presence/probable absence survey be conducted within a known Indiana bat and/or northern long-eared bat capture/detection buffer?

Surveys generally cannot be used to document presence/probable absence of state-listed endangered bats where presence of the species has already been confirmed by prior surveys.

What if a project is proposing to clear trees between April 1 and September 30 when bats may be present but no bat records exist in the project area?

Any Ohio project that is not within a known bat record buffer, and tree clearing between April 1 and September 31 is being proposed, may have a presence/probable absence survey conducted between June 1 and August 15 following the range-wide guidance. If a presence/probable absence survey is not performed, presence of listed bats is assumed.

How does take of northern long-eared bats differ from Indiana bats?

Under Ohio law, there is no exemption for take of any listed bat species.

Where do I get bands?

If you need bands, email the ODNR-DOW Bat Survey Coordinator at least two weeks in advance with your current ODNR permit number, how many bands in each size (2.4 and 4.2 mm) you will need this season, and a current address to ship the bands.

Do I have to band every bat?
No, currently this is optional. However, you are required as per your state permit to band all Indiana, northern long-eared, little brown, and tricolored bats.

This foregoing document was electronically filed with the Public Utilities

Commission of Ohio Docketing Information System on

7/28/2025 1:48:34 PM

in

Case No(s). 25-0679-EL-BLN

Summary: Application Part 5 LON, Philo-Howard electronically filed by Hector Garcia-Santana on behalf of AEP Ohio Transmission Company, Inc..